

Publications of *Shallow Tethys* symposia
1982 – 2003

Shallow Tethys 1
Padova, Italy, 1982

[PICCOLI, G., editor:] *Bollettino della Società Paleontologica Italiana*, vol. 21, no. 2-3 (for 1982, published in 1984), Modena

- ABED, M. & METWALLY, H.: Some pectinids from the Egyptian Miocene deposits near the Mediterranean shore (pp. 145-152)
Ahmad, F.: The myth of oceanic Tethys (pp. 153-168)
Almeras, Y. & Elmi, S.: Fluctuations des peuplements d'ammonites et de brachiopodes en liaison avec les variations bathymétriques pendant le Jurassique inférieur et moyen en Méditerranée occidentale (pp. 169-189)
ANGELUCCI, A., BONI, C., BONO, P., CARBONE, F., CIANCETTI, G., CIVITELLI, G., D'ALESSANDRO, L., FUNICIELLO, R., LA MONICA, G. B., LOMBARDI, S., LUPIA PALMIERI, E., MARIOTTI, G., MATTEUCCI, R. & TORO, B.: Il Ghubbet Entatu nell'arcipelago delle Isole Dahlak (Mar Rosso): un esempio di sedimentazione carbonatica (pp. 190-200)
ANGELUCCI, A., CARBONE, F. & MATTEUCCI, R.: La scogliera corallina di Ilisi nelle isole dei Bagiuni (Somalia meridionale) (pp. 201-211)
BERNASCONI, M. P. & ROBBA, E.: Thecocomatous pteropods: a contribution toward the Cenozoic Tethyan paleobiogeography (pp. 211-223)
BIZZARINI, F. & BRAGA, Gp.: The Triassic Bryozoa of the western Tethyan basin (pp. 223-234)
BOCCALETTI, M.: Le catene perimediterranee nel quadro dell'evoluzione della Tetide (pp. 235-242)
CABDULQADIR, M. M. & CARUSH, M. C.: The Indo-Mediterranean characters of the Somali shallow marine benthic faunas from Jurassic up to Oligocene (pp. 243-254)
CHONGLAKMANI, Ch.: The Mesozoic marine faunas of Thailand and their paleogeographic implications (pp. 255-266)
FARINACCI, A. & KÖYLÜOGLU, M.: Evolution of the Jurassic-Cretaceous Taurus shelf (southern Turkey) (pp. 267-276)
FRANCO, F.: Molluschi indomediterranei tardopaleogenici e neogenici (pp. 277-282)
HARTENBERGER, J.-L.: Vertebrate faunal exchanges between Indian subcontinent and Central Asia in early Tertiary times (pp. 283-288)
KHAWLIE, M., MROUEH, M., GHALAYINI, I. & HAMDAN, W.: Paleo-environmental conditions of deposition of the Jurassic sequences in Kfarhounah area (south Lebanon) (pp. 289-296)
MARTINELL, J.: Pliocene shallow marine environments from NE Spain (pp. 303-310)
MCKENZIE, K. G.: Paleozoic-Cenozoic Ostracoda of Tethys (pp. 311-326)
- Bollettino della Società Paleontologica Italiana, vol. 22, no. 1-2 (for 1983, published in 1984), Modena.
- PANTIC, N., GRUBIC, A., SLADIC-TRIFUNOVIC, M.: The importance of Mesozoic floras and faunas from intraoceanic carbonate platforms for interpretation of paleogeographic and geodynamic events in the Tethys (pp. 5-14)
PAVLOVEC, R.: Paleoecology of Nummulites (pp. 15-20)
PEYPOUQUET, J. P.: Paléobathymétrie et paléohydrologie dans la coupe du Kef (Tunisie nord-orientale) entre le Maestrichtien et l'Ypresien sur la base des Ostracodes (pp. 21-30)
PICCOLI, G., SAVAZZI, E.: Five shallow benthic mollusc faunas from the Upper Eocene (Baron, Priabona, Garoowe, Nanggulan, Takashima) (pp. 31-48)
PLENICAR, M.: The living environment of the Cretaceous fauna in the northwestern Dinarides (pp. 49-52)
POLUZZI, A., FORTI, P.: Substrati, distribuzione areale e interazione competitiva di alcuni Briozi Cheilostomi della piana del fiume Po (pp. 53-64)

- REATO, S.: Significato paleoecologico di una malacofauna eocenica superiore della Marna di Possagno (Trevigiano, Italia NE) nell'ambito delle faune bentoniche della Tetide (pp. 65-76)
- SAHNI, A., BHATIA, S. B., KUMAR, K.: Faunal evidences for the withdrawal of the Tethys in the Lesser Himalaya, northwestern India (pp. 77-86)
- SAVAZZI, E.: Constructional morphology of cardiid bivalves: an overview (pp. 87-92)
- SCHAUB, H.: Paleogene Tethys, domain of Nummulites (pp. 93-102)
- SCUDELER BACCELLE, L., MARUSSO, F.: Trace elements in Cenozoic algal limestones of the Venetian region: Mn²⁺ - Sr²⁺ negative correlation (pp. 103-109)
- SORBINI, L.: L'ittiofauna fossile di Bolca e le sue relazioni biogeografiche con i pesci attuali: vicarianza o dispersione (pp. 109-118)
- STROUGO, A.: The genus *Carolia* (Bivalvia: Anomiidae) in the Egyptian Eocene (pp. 119-126)
- TASSOS, S. T.: Organic matter and clay minerals in the bottom sediments of Kalloni Bay, Lesvos Island, Greece (pp. 127-134)
- TASSOS, S. T.: Marine Holocene Foraminifera and Ostracoda from Kalloni Bay, Lesvos Island, Greece (pp. 135-146)
- TASSOS, S. T.: Geodynamic evolution of the Aegean region (pp. 147-150)
- TUNIOW Huang: Foraminiferal biofacies of the Taiwan Strait, ROC (pp. 151-178)
- YÜ Wen: Cretaceus gastropod assemblages from Xizang (Tibet) with reference to their paleozoogeographical significance (pp. 179-184)

RIASSUNTI DI COMMUNICAZIONI – ABSTRACTS

- BERTHOU, P. Y., CORREIA, F.: Une série crétacée tethysienne peu connue: l'Algarve (Sud-Portugal) (p. 185)
- CITA, M. B.: The Mediterranean Messinian (p. 185-186)
- DI GERONIMO, I. S.: Riflessioni sull'immigrazione dei molluschi in Mediterranean durante il Quaternario (p. 186)
- GAETANI, M.: The southern margin of the Tethys in NW Himalaya (p. 186-187)
- HASENBOEHLER, B.: Les palynomorphes du bassin occidental portugais à l'Albien (p. 187)
- PREMOLI SILVA, I., NAPOLEONE, G., FISCHER, A. G., ERBA, E., QUADRI, B.: A Mid-Cretaceous event as cored in the 'Scisti a Fucoidi' at Piobbico, Italy (pp. 187-188)
- ZIKO, A.: Bryozoan growth forms as a paleoecological indicator on the Eocene of Egypt (p. 188)

Shallow Tethys 2 Wagga Wagga, Australia, 1986

MCKENZIE, K. G. (ed.) (1987): Shallow Tethys 2. Proceedings of the International Symposium on Shallow Tethys 2. Wagga Wagga, 15-17 September 1986. Balkema, Rotterdam, 544 p.

Acknowledgements (p. v)

Dedications

BANKS, M. R.: Prof. Emer. S. W. CAREY, A. O. (pp. vii-viii)

GRAY, J.: Prof. A. J. BOUCOT, President I. P. A. (pp. ix-x)

MCKENZIE, K. G.: Editorial foreword (pp. xi-xii)

Workpoints (p. xiii)

Prologue

CAREY, S. Warren: Tethys and her forebears (pp. 3-30)

BOUCOT, A. J. & GRAY, J.: The Tethyan concept during the Paleozoic (pp. 31-47)

Palaeozoic

WEN, Y.: New molluscan materials of the Tethys (with 5 plates) (pp. 51-59)

CHANG, W. T.: Tethys in the early Palaeozoic (pp. 61-64)

BURRETT, C. & STAIT, B.: China and southeast Asia as part of the Tethyan margin of Cambro-Ordovician Gondwanaland (pp. 65-77)

YOUNG, G. C.: Relationships between northern and southern vertebrate faunas during the Middle Palaeozoic (pp. 79-85)

TALENT, J. A., GRATSIANOVA, R. T. & YOLKIN, E. A.: Prototethys: Fact or phantom? Palaeobiogeography in relation to the crustal mosaic for the Asia-Australia hemisphere in Devonian-Early Carboniferous times (pp. 87-111)

AHMAD, F.: Indus-Tsangpo suture – Fact or fiction? (pp. 113-125)

- XIANG, L.: The Permian Tethys in China (pp. 127-130)
 WATERHOUSE, J. B.: Aspects of Permian Tethys: Its definition, interface with Gondwana, original disposition, and subsequent deformation (pp. 131-148)
 DICKINS, J. M.: Tethys – A geosyncline formed on continental crust? (pp. 149-158)
 AHMED, M.: Stratigraphy and depositional environment of Lower Gondwana rocks, Elephant Flat, Kameng district, Arunachal Himalaya, India (pp. 159-166)

Mesozoic

- KRISTAN-TOLLMANN, E.: Triassic of the Tethys and its relations with the Triassic of the Pacific Realm (with 7 plates) (pp. 169-186)
 GOU, Y.-X., HOU, Y.-T. & WEN, S.-x.: Mesozoic Tethys in China (pp. 187-197)
 YEATES, A. N., BRADHSAW, B. T., DICKINS, J. M., BRAKEL, A. T., EXON, N. F., LANGFORD, R. P., MULHOLLAND, S. M., TOTTERDELL, J. M. & YEUNG, M.: The Westralian Superbasin: An Australian link with Tethys (pp. 199-213)
 HIRSCH, F.: The Gondwanian Triassic and Jurassic Tethys shelf: Sephardic and Ethiopian faunal realms (pp. 215-232)
 ANDO, H.: Evolution and paleobiogeography from late Triassic bivalve *Monotis* from Japan (pp. 233-246)
 WEN, S.-x.: Jurassic bivalve faunas of the Qinghai-Xizang (Tibet) Plateau in West China and their palaeobiogeography (pp. 247-252)
 BARBIERI, F.: The shallow facies Jurassic in south-central Italy (Apulian Plate) (pp. 253-259)
 COHEN, A.: Determination of fluvial-deltaic-marine facies in the Helez and Telamim formations (Lower Cretaceous, Israel) (pp. 261-286)
 SU, Deying: The nonmarine Cretaceous Ostracoda fauna from eastern China (with 3 plates) (pp. 287-302)
 REYMENT, R. A.: Transgressional maxima of the Late Cretaceous in the western Tethys (pp. 303-308)
 REYMENT, R. A.: Spanish and North African region of Tethys in the Late Cretaceous (pp. 309-317)
 BISHOP, G. A.: Positive taphonomic feedback in North American Tethyan Cretaceous decapod-worm associations (with 5 plates) (pp. 319-329)

Cenozoic

- PICCOLI, G., SARTORI, S. & FRANCHINO, A.: Benthic molluscs of shallow Tethys and their destiny (pp. 333-373)
 FRANCO, F.: Phyletic relationships in some Tertiary and Quaternary Corbiculidae (Mollusca, Bivalvia) (pp. 375-377)
 BRAGA, Gp.: Tethyan migration of some Tertiary Bryozoa (pp. 379-385)
 TARUNA, M. F.: Carnivorous mammal faunas of the margins of Tethys: A poster display (pp. 387-389)
 KOTAKA, T.: Recent development in the problems of the origin and migration of Japanese Cenozoic molluscs (pp. 391-397)
 MASUDA, K.: On origin and migration of Cenozoic pectinids in the northern Pacific (pp. 399-403)
 ROBBA, E.: The final occlusion of Tethys: Its bearing on Mediterranean benthic molluscs (pp. 405-426)
 KHALAF, S. K.: The regional faunal relationships of the Middle Miocene Ostracoda from N. Iraq, and their palaeogeographical significance (pp. 427-433)
 WARNE, M. T.: Lithostratigraphical associations of the ostracode fauna in the marine Neogene of the Port Phillip and Western Port Basins, Victoria, southeastern Australia (pp. 435-445)
 NOHARA, T.: Some Cenozoic ostracodes of Okinawa-jima, Japan (with 1 plate) (pp. 447-454)
 TSUCHI, R.: Mid-Neogene migration of Tethyan tropical mollusca and larger foraminifera in northern Japan (pp. 455-459)
 WHATLEY, R.: The southern end of Tethys: An important locus for the origin and evolution of both deep and shallow water Ostracoda (pp. 461-474)
 YASSINI, I.: Ecology, paleoecology and stratigraphy of ostracodes from Late Pliocene and Quaternary deposits of the south Caspian Sea region in north Iran (pp. 475-497)

Epilogue

- MCKENZIE, K. G.: Tethys and her progeny (pp. 501-523)

Abstracts

- LEGG, D. P.: The Ordovician palaeogeography of the Canning Basin, W. A. (pp. 527-528)
 KLOOTWIJK, C. T.: Greater India's northern margin: Palaeomagnetic evidence for large-scale continental subduction (p. 529)
 GUPTA, V. J.: Devonian vertebrates from the Himalayas, India (p. 530)
 HOU, Yu-tang & GOU, Yun-sian: The significance of Mesozoic and Cenozoic faunas of western China (p. 531)
 HAMILTON, D. S.: Fluvio-deltaic-shallow marine facies in the Gunnedah Basin (pp. 532-533)

- YU, Wen: Jurassic nerineids in western China (p. 534)
 CABDULQADIR, M. M.: Some thoughts on the Tehyan characteristics of the Somali shallow benthic faunas (p. 535)
 HARTENBERGER, J.-L.: The Tethyan borderlands at the beginning of the age of mammals (p. 536)
 RICHARDSON, J. R.: Dispersal of brachiopods (p. 537)
 SUN, Yoon: Tertiary molluscan faunas of Southern Korea (p. 538)
 BEDEWY, F. El: Some Pliocene pelecypods from Egypt (p. 539)
 ABED, M. M.: Quaternary deposits from the Gulf of Suez region, Egypt (p. 540)
 RATANASTHIE, B.: Cenozoic deposits in Thailand (pp. 541-542)
 TASSOS, S. T.: The use of P-wave time residuals in the determination of the upper mantle structure in the Aegean area (pp. 543-544)

-

Shallow Tethys 3
 Sendai, Japan, 1990

KOTAKA, T., DICKINS, J. M., MCKENZIE, K. G., MORI, K., OGASAWARA, K. & STANLEY, G. D. Jr. (editors) (1991): Shallow Tethys 3. Proceedings of the International Symposium on Shallow Tethys 3, Sendai, Japan, 20-23 September 1990. Special Publication, Saito Ho-on Kai Number 3. Saito Ho-on Kai, The Saito Gratitude Foundation, Sendai, Japan, 520 p.

KOTAKA, T., DICKINS, J. M., MCKENZIE, K. G., MORI, K., OGASAWARA, K. & STANLEY, G. D. Jr.: Editorial Foreword (p. iii)
 DICKINS, J. M.: Report on IGCP 272 (Late Paleozoic and Early Mesozoic Circum-Pacific Events) (p. iv)
 KRISTAN-TOLLMANN, E.: Invitation to Shallow Tethys 4 (p. v)

Invited lecture

NAKAZAWA, K.: Mutual relation of Tethys and Japan during Permian and Triassic time viewed from bivalve fossils (pp. 3-20)

Tethys and Tethys-Pacific connection

MCKENZIE, K. G.: Tethyan events: diagnosis and prognosis – with special reference to Crustacea (Ostracoda) (pp. 23-24)
 KRISTAN-TOLLMANN, E.: Triassic Tethyan microfauna in Dachstein Limestone blocks in Japan (pp. 25-50)
 STANLEY, G. D., Jr.: Marine faunal and floral similarities between the Tethys and western North America: tectonic and pantropical models (pp. 51-52)
 FRANCO, F.: Crocodilian reptiles and the history of Tethys (pp. 53-58)
 PICCOLI, G., SARTORI, S. & FRANCHINO, A.: Mathematical paleobiogeography (exemplified for Shallow Tethys in the Tertiary) (pp. 59-68)
 SARTORI, S. & PICCOLI, G.: Application of mathematical methods to Cenozoic Tethyan paleobiogeography (pp. 69-78)
 KOTAKA, T.: Mutual relationship in Cenozoic turritellid fauna between Tethys and the Pacific (79-84)
 MASUDA, K.: Cenozoic molluscs in the southwestern Pacific (pp. 85-98)
 TSUCHI, R.: *Neotrigonia* and evolutionary implications in its distribution on time and space (pp. 99-100)
 VIJAYA & TIWARI, R. S.: Impact of Gondwanic palynofloras on the east Tethyan realm during Permian and Triassic times (pp. 101-122)
 HAYAMI, I.: Distribution of post-Paleozoic scallops in the Tethys and Pacific: dispersal or vicariance? (pp. 123-124)
 POSENATO, R.: Endemic to cosmopolitan brachiopods across the P/Tr boundary in the southern Alps (Italy) (pp. 125-140)
 TAMARO, G. L.: Some thoughts about Triassic spreading of benthic molluscs around the Dolomites region, northeastern Italy (pp. 141-147)

Mesozoic paleogeography and paleobiogeography

TANABE, K.: Early Jurassic macrofauna of the oxygen-depleted epicontinental marine basin in the Toyora area, West Japan (pp. 147-162)
 MATSUOKA, A.: Middle Jurassic radiolarians from the western Pacific (pp. 163-174)
 LAMOLDA, M., MARTINEZ, R., GOROSTIDI, A., LOPEZ, G. & SANTAMARIA, R.: The Turonian, Coniacian and Santonian of northern Spain: biozones and chronostratigraphy (pp. 175-176)

ISHIZAKI, K. & KAIHO, K.: Japan in Early Cenomanian and Campanian times relative to Tethys and Arctic waters – ostracode implications (pp. 177-192)

Mesozoic events and paleobiogeography

DHONDT, A. V. & DIENI, I.: Rudist-associated Cretaceous bivalves (pp. 193-200)

HIRANO, H., OBATA, I. & UKISHIMA, M.: *Naefia matsumotoi*, a unique coleoid (Cephalopoda) from the Upper Cretaceous of Japan (pp. 201-222)

ANDO, H.: Systematic and paleobiogeographic significance of the Upper Cretaceous *Didymotis* (Bivalvia) (pp. 223-226)

Mesozoic and Early Cenozoic paleogeography

CAO, M.: Mesozoic transgressions and regressions and tectonic outline of China (pp. 227-228)

LAN, X. & WEI, J.: On the evolution of the West Tarim Gulf based on Late Cretaceous – Early Tertiary bivalve faunas (pp. 229-240)

Cenozoic fauna flora and paleoenvironments

MILITO ZANON, G.: Paleophytologic linkages at the northern margin of Tethys from the Veneto region in Italy to Southeast Asia (pp. 241-244)

AHMED, M.: Properties of Oligocene coal, Dilli-Jeypore coalfield, Assam (NE India) and inferred paleoenvironment (pp. 245-254)

KAIHO, K.: Benthic foraminiferal biogeography in Paleocene and Eocene intermediate waters: Middle Eocene biogeographic divergence (pp. 255-256)

KAMADA, Y.: Paleogene molluscan assemblages of the Takashima coal-field, Nagasaki Prefecture, northwest Kyushu, Japan (pp. 257-268)

Cenozoic paleobiogeography and tectonics

SHUTO, T.: Origin of the Oligocene Ashiya fauna – a paleoceanographical consideration (pp. 269-282)

NODA, H.: Biogeographic distribution of the genus *Anadara* (Mollusca, Bivalvia) (pp. 283-294)

ITOIGAWA, J.: Miocene sedimentary basins and molluscan faunas in southwest Japan (pp. 295-302)

YOON, S.: Geologic events of the Tertiary Yangnam and Pohang basins, Korea with a remark on the origin of the Yamato Basin of the Japan Sea (pp. 303-312)

Late Paleozoic and Early Mesozoic Circum-Pacific Events

ZAKHAROV, Y. D. & SOKAREV, A. N.: Permian-Triassic paleomagnetism of Eurasia (pp. 313-324)

TAZAWA, J.: Biogeographic significance of Late Paleozoic brachiopod fauna of the South Kitakami Belt, northeast Japan (pp. 325-326)

OZAWA, T., KOBAYAHI, F. & WATANABE, K.: Biostratigraphic zonation of Late Carboniferous to Early Permian sequence of the Akiyoshi Limestone Group, Japan and its correlation with reference sections in the Tethyan regions (pp. 327-342)

DICKINS, J. M.: Permian of Japan and its significance for world understanding (pp. 343-352)

KOTLYAR, G. V., KROPATCHEVA, G. S. & PORONINA, G. P.: Upper Permian zonal scales of the south USSR and possibilities of their correlation (pp. 353-358)

PHAN, C. T.: Stratigraphic correlation of Permian and Triassic in Vietnam (pp. 359-370)

LI, Z., ZHAN, L., YAO, J. & ZHOU, Y.: On the Permian-Triassic events in South China – probe into the end-Permian abrupt extinction and its possible causes (pp. 371-386)

KOTLYAR, G. V.: Permian-Triassic boundary in Tethys and the Pacific belt and its correlation (pp. 387-392)

KIN-NO, H.: On the mechanism of the first breakup of Pangea in Early Mesozoic (pp. 393-402)

YIN, H.: Triassic paleobiogeography of China (pp. 403-422)

KAMADA, K.: Upper Permian to Middle Triassic sedimentation and its tectonic implication in the southern Kitakami Belt, Japan: preliminary report (pp. 423-434)

Cenozoic stratigraphy and fauna

JIRICEK, R. & RIHA, J.: Correlation of ostracod zones in the Paratethys and Tethys (pp. 435-458)

SORBINI, L.: The survival of Pliocene ichthyofauna of tethyan origin in Central Italy (pp. 459-468)

Poster presentation papers

BIANCHI, M., BRAGA, G., FINOTTI, F. & MANFREDI, M.: The role of bryozoans in paleoenvironmental deductions (pp. 469-476)

BROCK, G. A., MAWSON, R., TALENT, R. C., ENGELBRETSEN, M. J. & TALENT, J. A.: Spurious and scrambled data: V. J. Gupta's impact on the Prototethyan/Tethyan database (pp. 477-480)

- CHINZEI, K.: Late Cenozoic history of shallow marine molluscan faunas in Japan: an overview (pp. 481-482)
 FABRIS, F.: The Tethys and the teaching of natural sciences in the high school (pp. 483-488)
 HONDA, Y.: Paleogene molluscan biogeography of Japan (pp. 489-506)
 OGASAWARA, K.: Paleoecological significance of "Venericardia" (Bivalvia) assemblage from the viewpoint of Tethys-Pacific connection (pp. 507-508)
 TARUNA, M. F.: The peritethyan vertebrate faunas and the Tethyan mollusc migrations (pp. 509-514)
 UEDA, T., TAKAYASU, K. & KOBAYAH, I.: Cenozoic shallow-marine molluscan faunas of the coastal area along the Sea of Japan (pp. 515-520)

Shallow Tethys 4
 Albrechtsberg, Austria, 1994

BRAGA, G.P., FINOTTI, F. & PICCOLI, G. (eds.) (1996): Reports of Shallow Tethys 4 International Symposium, Albrechtsberg, Austria, 8-11 September 1994. Supplemento agli Annali dei Musei Civici di Rovereto, Sezione Archeologia, Storia e Scienze Naturali, vol. 11 (1995), 413 p.

Tethys in general

- GALLETTA, G. & TOMADINI, L.: Tethys and Nemesis: astronomical problems. Testing an astronomical explanation of mass extinctions (pp. 7-18)
 MCKENZIE, K. G.: The Tethyan paradigm: keeping in touch with SUESS (pp. 19-32)
 FABRIS, F.: Tethyan paleogeography and how to teach in the middle school (pp. 33-40)
 TARUNA, M. F.: The faunal sequence of land, sea and sky predators around Tethys since the Triassic up to the Recent (pp. 41-48)
 TARUNA, M. F.: Phyletic sequence schemes (pp. 49-56)
 YIN, Hongfu: Triassic events of East Asia (pp. 57-66)
 KOTAKA, T.: The Tethyan paleozoogeography of some species groups of *Colpospira* (*Acutospira*) (family Turritellidae) crossing the K-T boundary (with 1 plate) (pp. 67-74)

Permian

- UENO, K.: Late Early to Middle Permian fusulinacean biostratigraphy of the Akiyoshi Limestone Group, southwest Japan, with special reference to the verbeekinid and neoschwagerinid fusulinacean biostratigraphy and evolution (with 4 plates) (pp. 77-104)
 PRONINA, G. P.: Genus *Sphaerionia* and its stratigraphic significance (with 2 plates) (pp. 105-118)
 EZAKI, Y. & KUWAHARA, K.: Upper Permian siliceous claystone in a pelagic facies in the Panthalassa ocean (with 2 plates) (pp. 119-130)

Permotriassic

- ZAKHAROV, Y. D.: The Induan-Olenekian boundary in the Tethys and Boreal realm (with 1 plate) (pp. 133-156)

Triassic

- HAAS, J., KOVÁCS, S. & TÖRÖK, Á.: Early Alpine evolution in the Hungarian segments of the Tethys margin (pp. 159-172)
 SUDIRO, P.: Sea-level control on carbonate platforms: derived calcarenites in proximal basinal areas. An example from the Middle Triassic of Tethys (Dolomites, northern Italy) (pp. 173-184)
 TAMURA, M.: Upper Triassic Tethyan bivalves from Japan and trigonian bioprovinces (pp. 185-198)
 VUKS, V. Ja.: Late Triassic foraminifers of Caucasus and Pamirs (pp. 199-206)
 BIZZARINI, F.: Stratigraphic distribution of the microfossils in St. Cassian Formation (Upper Triassic) between Badia and Ampezzo Valley (Dolomites, Italy) (pp. 207-214)
 PRONINA, G. P. & VUKS, V. Ja.: New data on the Triassic foraminifers of Crimea (with 2 plates) (pp. 215-228)

Cretaceous

- BELOW, R. & KIRSCH, K.-H.: Introduction of a promising new quantitative method in dinoflagellate-cyst studies (pp. 231-240)
 HABIBNIA, B. A.: Biostratigraphy and palaeoecology of Cretaceous-Lower Tertiary rock of Jaisalmer, western India (pp. 241-256)

Tertiary

- BRAGA, G.P., ZÁGORSEK, K. & KÁZMÉR, M.: Comparison between Venetian and Western Carpathian Late Eocene bryozoan faunas (pp. 259-270)

- FRANCO, F.: Fossil crocodiles of the Oligocene from Monteviale (Vicenza, Italy) in the framework of Tethyan crocodiles (pp. 271-276)
- OGASAWARA, K.: Notes on adaptational process of cold-water molluscs on the basis of Japanese Cenozoic molluscan records (pp. 277-286)

Mathematical models in palaeontology

- GIADROSSI TAMARO, L. & SARTORI, S.: Mathematical model of brachiopods and benthic molluscs spreading in the Tethyan Permo-Triassic (pp. 283-300)
- SETTI BARONCINI, P., FRANCHINO, A. & SARTORI, S.: Brachiopods and benthic molluscs in the Tethyan Jurassic, with mathematical processing (pp. 301-318)
- PARINETTO, A. & SARTORI, S.: Mathematical processing of Cretaceous Tethyan brachiopods and benthic molluscs spreading and climatic cycles (pp. 319-332)
- BAGGIO, D. & SARTORI, S.: The Lyellian coefficients checked for Tethyan and Indonesian Cenozoic benthic molluscs; a comparison with the Mesozoic
- PICCOLI, G. & SARTORI, S.: Paleogeographic and paleobiologic results from a mathematical processing of the Tethyan marine benthic molluscs in the Tertiary (pp. 357-374)
- FORNASIERO, M.: Mathematical model in benthic paleobiogeography for the Indonesian Tethyan and post-Tethyan molluscs (pp. 375-386)

Abstracts

- AHMED, M.: Stratigraphy of the Arunachal Himalaya, NE India (p. 389)
- DICKINS, J. M.: Cretaceous and Palaeogene rocks of the Indian subcontinent (p. 390)
- BONI, M., IANNACE, A., CLIMACO, A., ZAMPARELLI, V.: Middle-Upper Triassic carbonate complexes in northern Calabria (southern Appennines, Italy) (pp. 390-391)
- BUDUROV, K & TRIFONOVA, E.: The conodonts and the foraminifers from the Eastern Balkan and Balkanide Triassic of Bulgaria and their place in the Tethyan Realm (pp. 391-392)
- CIRILLI, S. & MARTINI, R.: Several examples of microbial mats in shallow water carbonate environments (pp. 392-393)
- DULAI, A.: Early Jurassic brachiopod fauna of the Vöröshid Quarry, Tardos, Gerecse Mountains, Hungary (pp. 393-394)
- FLÜGEL, E., SENOWBARI-DARYAN, B. & BERNECKER, M.: Evolution of Triassic reefs: state of the art and current research (pp. 394-395)
- HIRANO, H.: Cretaceous oceanic anoxic events in the northwestern Pacific (pp. 395)
- KIRSCH, K.-H.: Upper Cretaceous dinoflagellate cysts from the Helvetic zone of Bavaria, Austria and England (pp. 395-396)
- KIRSCH, K.-H.: Upper Cretaceous dinoflagellate cysts from the Helvetic and Ultrahelvetic zone of the Northern Alps (S-Bavaria/Germany) (pp. 396-397)
- KOLAR-JURKOVSEK, T. & JURKOVSEK, B.: Conodonts in the Lower Triassic beds near Trzic (Laravanke Mts., Slovenia) (pp. 397-398)
- KOTLYAR, G. V.: The Middle and Late Permian bioevent in the Tethyan realm (p. 398)
- KRISTAN-TOLLMANN, E.: The boundary between Tethys and Pacific realm in the Triassic time (pp. 398-399)
- MASTANDREA, A., NERI, C., LAGHI, G. F., RUSSO, F. & BARACCA, A.: Chronostratigraphic setting of the S. Cassian Formation around Sella platform (Dolomites). A carbonate buildup of uppermost Ladinian age (p. 399)
- MICHALIK, J.: Late Triassic/Ealy Jurassic shallow marine benthic assemblages in the Central Western Carpathians (p. 400)
- MICHALIK, J. & REHÁKOVÁ, D.: Sedimentology, fauna and stratigraphy of Middle Triassic carbonate ramps, Central Western Carpathians (pp. 400-401)
- MILITO ZANON, G.: Mangroves and land vegetation of today in Indonesia and of the Paleogene in Veneto (N-E Italy): a Tethyan heredity and its forerunners (pp. 401)
- ORCHARD, M. J.: A taxonomic assessment of some conodonts from the Permian-Triassic boundary interval (p. 402)
- PARINETTO, A. & SARTORI, S.: Climatic cycles in the shallow Tethyan Cretaceous through mathematical processing of benthic molluscs and brachiopods (pp. 402-403)
- PAULL, R. K. & PAULL, R. A.: Transgressive conodont faunas; opportunity for sequence recognition and correlation in Lower Triassic strata of the Tethys and Circum-Pacific (pp. 403-404)
- PAULL, R. A. & PAULL, R. K.: Shallow marine sedimentary facies in the earliest Triassic (Griesbachian) Cordilleran miogeocline, U. S. A. (pp. 404-405)
- POPOV, A. M.: Anatomically preserved *Rhyniophytes* (Propteridophyta) from the eastern Paleo-Tethys seaboard (p. 405)

- REHÁKOVÁ, D.: Upper Jurassic / Lower Cretaceous neritic carbonates in the Central Western Carpathians (p. 406)
- REHÁKOVÁ, D. & SOTÁK, J.: Berriasian to Barremian neritic carbonate environments and fauna in the easternmost Central Western Carpathians (pp. 406-407)
- RÜFFER, T. & BECHSTÄDT, T.: Middle Triassic sequence stratigraphy in the Northern Calcareous Alps (Austria, southern Germany) (pp. 407-408)
- SANDY, M. R.: Early Mesozoic (Late Triassic-Early Jurassic) Tethyan brachiopod biofacies: Illustrations of possible evolutionary intra-phylum niche replacement (pp. 408-409)
- SIBLIK, M.: Brachiopods of the Wetterstein Limestone of Raxalpe (Schneeberg Nappe, Austria) (p. 409)
- SOTÁK, J.: Jurassic and Lower Cretaceous dasycladalean algae from the Western Carpathians Mts (pp. 409-410)
- TOLLMANN, A.: The Tethys (p. 410)
- YU, Hongnian, ZHANG, Boyou, DONG, Ping & GUO, Lizhing: On the Upper Palaeozoic strata and their tectonic setting in Central and Western Guangdong, China (p. 411)
- ZÁGORSEK, K.: Middle Triassic Bryozoa from the West Carpathians (Slovakia) (pp. 411-412)
- Zankl, H.: The Dachstein Limestone-Kössen Marl boundary at the Steinplatte, Waidring/Tyrol (pp. 412-413)
- YANG, Zunyi, ZAHN, Lipei, YANG, Jiduan & WU, Shunbao: On a three-fold classification of the Permian in South China (p. 413)

Shallow Tethys 5 Chiang Mai, Thailand, 1999

RATANASTHIEN, B. & RIEB, S. L. (eds) (1999): Shallow Tethys 5. Proceedings of the International Symposium Shallow Tethys (ST) 5, Chiang Mai, Thailand, 1-5 February 1999. Department of Geological Science, Faculty of Science, Chiang Mai University, Chiang Mai, Thailand, 497 p.

- MONTAJIT, N.: Thailand and Tethys Sea (pp. IX-XXVII)
- METCALFE, I.: The Tethys: How many? How old? How deep? How wide? (pp. 1-15)
- SARTORI, S., BAGGIO, D. & PICCOLI, G.: A comparison between the Vail diagram and some results from a brachiopod and benthic mollusc diffusion model in the Tethys (pp. 16-24)
- TEWARI, V. C.: Shallow Tethyan stromatolites from the Lower Carboniferous in the Himalayas, India (p. 25)
- FONTAINE, H. & AMNAN, Ibrahim bin: Carboniferous of Malaysia: biostratigraphy and paleogeography (pp. 26-44)
- UENO, K.: Gondwana / Tethys divide in east Asia: solution from the Late Paleozoic foraminiferal paleobiogeography (pp. 45-54)
- LAVIENE, J.-P., ZHANG, S., LEMOIGNE, Y. & RATANASTHIEN, B.: Paleogeography of East and Southeast Asia during Carboniferous times on the basis of paleobotanical information: some methodological comments and additional results (pp. 55-72)
- CHEN, Z. Q. & SHI, G. R.: Latest Devonian to Early Permian sequence stratigraphy of the northern areas of the western Kunlun mountains, northwest China (pp. 73-85)
- CHAROENTITRAT, T. & UENO, K.: Latest Carboniferous-Early Permian fusulinacean faunas from Loei, northeast Thailand (pp. 86-87)
- WANG, X., SUGIYAMA, T., UENO, K. & MIZUNO, Y.: Peri-Gondwanan sequence of Carboniferous and Permian age in the Baoshan block, west Yunnan, southwest China (pp. 88-100)
- KOZUR, W. H.: Permian development in the western Tethys (pp. 101-135)
- WU, G. Y.: Sedimentary records of Paleotethysides in southwest Yunnan, China (pp. 136-152)
- ZHONG, D., DING, L. & HE, F.: Tectonic evolutional characteristics of the eastern Paleo-Tethys in southwest China (pp. 153-154)
- BUNYONGKUL, T., HISADA, K., CHARUSIRI, P. & ARAI, S.: Tectonic significance of detrital chromian spinels from Paleozoic rocks in the southern Kitakami terrane, northeast Japan (pp. 155-166)
- CHARUSIRI, P., XU, X., PAN, G., DAORERK, V., ZHUANG, Z. & LI, X.: Evolution of northern Thailand and southern Yunnan: implication for tectonic history of mainland Southeast Asia and Paleo-Mesotethys evolution (pp. 167-169)
- FONTAINE, H., PUTTHABIPAN, P. & VACHARD, D.: A microfossil-rich Kubergandian (Lower Middle Permian) limestone of southern Laos (pp. 170-184)
- RIGBY, J. F.: Permian floras and palaeogeography with particular emphasis on Gondwanaland and the Tethyan margin (pp. 185-196)
- KOHPIKA, P., SERITRAKUL, S & CHIEMCHINDARATANA, S.: Distribution of Paleozoic-Mesozoic rocks under the seabed of the Andaman Sea and indications of the Ranong and the Khlong Marui faults on seismic profiles (pp. 197-209)

- WANG, J. & JIN, Y.: Permian topographic evolution of Jiangnan basin, south China (pp. 210-220)
- SHI, G. R. & SHEN, S.: Diversity and extinction patterns of Permian brachiopoda in the Asian-western Pacific region (pp. 221-227)
- SASHIDA, K., UENO, K., NAKORNSRI, N. & SARDSUD, A.: Lithofacies and biofacies of the Khlong Kon Limestone, southern peninsular Thailand (pp. 228-241)
- PANJASAWATWONG, Y.: Petrology and tectonic setting of eruption of basaltic rocks, penetrated in well GTE-1, San Kamphaeng geothermal field, Chiang Mai, northern Thailand (pp. 242-264)
- ZAKHAROV, Y. D., BORISKINA, N. G., TANABE, K., SHIGETA, Y., AFANASYEVA, T. B., VUKS, V. Y., IGNATYEV, A. V., KOTLYAR, G. V., POPOV, A. M. & PUNINA, T. A.: A change in the salinity of seawater in Boreal basins during Early-Middle Triassic: evidence from oxygen isotope data (pp. 265-280)
- WAGNER, B., ZHANG, G., ZHANG, Y. & HELMCKE, D.: Evidence for Triassic synsedimentary extensional deformation in the Lijiang area of Yunnan, China (p. 281)
- FONTAINE, H. & SALYAPONGSE, S.: Oncolitic limestone is widespread in the Klaeng area, east Thailand: distribution of this type of limestone in the Triassic of Southeast Asia (pp. 282-286)
- SATO, Y., KAMATA, K., ISHIBASHI, T. & MURATA, M.: Discovery of Middle Triassic ichthyosaur from Kudanomaha, Utatsu town, Miyagi Prefecture, northeast Japan (pp. 287-289)
- SUDIRO, P.: Middle Triassic carbonate seamount (Livinallongo rosso and Lower Edifice) at Costabella range, western Dolomites, northern Italy (pp. 290-299)
- HIRSCH, F.: Tethys of the east Mediterranean (pp. 300-301)
- PEZA, L. H.: Nerineacean gastropods in the Upper Jurassic-Cretaceous of Albania (pp. 302-312)
- TOSHIMITSU, S.: A new Maastrichtian (Cretaceous) inoceramid bivalve from Japan (pp. 313-320)
- BOURROUILH, R. & FLEXER, A.: The tectonic interplay between the Atlantic and Tethys oceans during the Cretaceous and its control in the sedimentary succession (Western Pyrenees-Aquitaine basin and the northwest margins of the Arabo-Nubian massif (pp. 321-334)
- TULYATID, J. & CHARUSIRI, P.: The ancient Tethys in Thailand as indicated by the nationwide airborne geophysical data (pp. 335-352)
- FLEXER, A., ROSENFIELD, A., GARDOSH, M., HONIGSTEIN, A. & DAVIDSON, L.: Cretaceous sequence stratigraphy of the southeast Shallow Tethys: Geodynamic events and microfossil distributions (pp. 353-362)
- MCKENZIE, K. G.: Some organism of Shallow Tethys and distribution in the Mediterranean region, India and China / Southeast Asia (pp. 363-374)
- SAHNI, A. & PRASAD, G. V.: Late Cretaceous biogeographic affinities of the Indian subcontinent: new perspectives (pp. 375-379)
- TULYATID, J., WISEDSIND, W. & RANGUBPIT, W.: Mae Chan suture: new evidence from airborne geophysical data (pp. 380-388)
- GUNTORO, A.: Tectonic and structural setting of the East Java-Flores seas: an indication of a new subduction reversal polarity in eastern Indonesia (pp. 389-402)
- SCOLARI, F.: Middle Eocene molluscs from the eastern and western Tethys: a discussion on shared taxa (pp. 403-414)
- FORNASIERO, M.: A new Middle Eocene coleoid cephalopod and the distribution of the genus in the Tethys (pp. 415-423)
- OGASAWARA, K.: Cenozoic geological events of the Pacific and their responses in the Oligocene to Early Miocene Japanese molluscan faunas (pp. 424-425)
- SONGTHAM, W. & WATANASAK, M.: Palynology, age, and paleoenvironment of Krabi basin, southern Thailand (pp. 426-439)
- HARUO, S., RATANASTHIEN, B. & NAKAYA, H.: A new Miocene mammalian locality, Mae Soi, and the occurrence of partial skeletons of rhinocerotids and gomphotheres from northern Thailand (pp. 440-449)
- CHUTAKOSITKANON, V., HISADA, K., CHARUSIRI, P. & ARAI, S.: Detrital chromian spinels from the Nam Duk Formation: a key to elucidate the tectonic evolution of central mainland Southeast Asia and Loei suture zone in Thailand (pp. 450-456)
- ASSAVAPATCHARA, S., CHARUSIRI, P. & XA, X.: Lithostratigraphic isotopic studies of Late Paleozoic carbonate rocks in eastern Loie area, northeast Thailand: implication for tectonic setting (p. 457)
- GANDIN, A.: New data on the Late Triassic and Early Jurassic rifting pulses in the western Mediterranean area (southern Tuscany, Italy) (pp. 458-464)
- SINGHARAJWARAPAN, S.: Provenance of sandstone of the Nam Pat Group, northern Thailand (pp. 465-480)
- BRAGA, G.P. & FINOTTI, F.: Tertiary bryozoa of the Venetia region (pp. 481-482)
- BESCHIN, C. & MILLITO ZANON, G.: Some Paleogene and Miocene Tethyan crustaceans and their present day Indo-Pacific descendants (p. 483)
- YANG, W.: On sedimentary environments of the Permian coral reefs in Yangtze region, China (pp. 484-485)

- CHONGLAKMANI, Ch.: The Triassic system of Thailand: Implications on paleogeography of Southeast Asia (pp. 486-495)
- KÁZMÉR, M.: Climate and carbonate deposits in the Palaeogene Paratethys (pp. 496-497)

Shallow Tethys 6
Budapest, Hungary, 2003

- KÁZMÉR, M. (ed.): Shallow Tethys 6 Symposium Proceedings, 25-29 August 2003. – *Hantkeniana* 4, 131—161, Budapest, 2004.
- KÁZMÉR, M.: The Shallow Tethys 6 Symposium (p. 7)
- PICCOLI, G.: Kenneth G. MCKENZIE and his activity for Shallow Tethys symposia (pp. 9–11)
- PICCOLI, G.: Tethyan benthic faunal spreading and climatic cycles (pp. 13–15)
- GULYÁS-KIS, Cs.: Palaeobiogeographic analysis of Moscovian (Pennsylvanian) bachiopods Productida, orthotetida, Orthida, Rhynchonellida from Bükk Mts, Hungary (pp. 17–35)
- GÖRÖG, Á.: A rare protoglobigerinid association (Foraminifera) from the Tithonian of Gerecse Mts, Hungary (pp. 37–45)
- SZÜCS, Z.: Early Cretaceous foraminifera fauna from Bersek Hill, Gerecse Mts, Hungary (pp. 47–62)
- PÁLFALVI, S.: Palaeoenvironments on a Middle Eocene carbonate ramp in the Vértes Mountains, Hungary (pp. 63–81)
- MONOSTORI, M., RIFELJ, H. & JELEN, B.: Marine ostracods from the Upper Eocene—Lower Oligocene sections of Slovenia and their paleoecological importance (pp. 83–111)
- MONOSTORI, M.: Upper Eocene freshwater ostracods from Slovenia (pp. 113–127)
- TÓTH, E.: Sarmatian ostracods from Budapest (Hungary) (pp. 129–159)
- Publications of Shallow Tethys symposia, 1982 – 2003 (pp. 161–170)