

CERN-PH-EP/2013-037  
2018/03/21

CMS-BPH-14-001

# Measurement of prompt $J/\psi$ and $\psi(2S)$ double-differential cross sections in pp collisions at $\sqrt{s} = 7$ TeV

The CMS Collaboration\*

## Abstract

The double-differential cross sections of promptly produced  $J/\psi$  and  $\psi(2S)$  mesons are measured in pp collisions at  $\sqrt{s} = 7$  TeV, as a function of transverse momentum  $p_T$  and absolute rapidity  $|y|$ . The analysis uses  $J/\psi$  and  $\psi(2S)$  dimuon samples collected by the CMS experiment, corresponding to integrated luminosities of 4.55 and 4.90 fb<sup>-1</sup>, respectively. The results are based on a two-dimensional analysis of the dimuon invariant mass and decay length, and extend to  $p_T = 120$  and 100 GeV for the  $J/\psi$  and  $\psi(2S)$ , respectively, when integrated over the interval  $|y| < 1.2$ . The ratio of the  $\psi(2S)$  to  $J/\psi$  cross sections is also reported for  $|y| < 1.2$ , over the range  $10 < p_T < 100$  GeV. These are the highest  $p_T$  values for which the cross sections and ratio have been measured.

*Published in Physical Review Letters as doi:10.1103/PhysRevLett.114.191802.*



Studies of heavy-quarkonium production are of central importance for an improved understanding of nonperturbative quantum chromodynamics (QCD) [1]. The nonrelativistic QCD (NRQCD) effective-field-theory framework [2], arguably the best formalism at this time, factorizes high- $p_T$  quarkonium production in short-distance and long-distance scales. First a heavy quark-antiquark pair,  $Q\bar{Q}$ , is produced in a Fock state  $^{2S+1}L_J^{[a]}$ , with spin  $S$ , orbital angular momentum  $L$ , and total angular momentum  $J$  that are either identical to (color singlet,  $a = 1$ ) or different from (color octet,  $a = 8$ ) those of the corresponding quarkonium state. The  $Q\bar{Q}$  cross sections are determined by short-distance coefficients (SDC), kinematic-dependent functions calculable perturbatively as expansions in the strong-coupling constant  $\alpha_s$ . Then this “preresonant”  $Q\bar{Q}$  pair binds into the physically observable quarkonium through a nonperturbative evolution that may change  $L$  and  $S$ , with bound-state formation probabilities proportional to long-distance matrix elements (LDME). The LDMEs are conjectured to be constant (i.e., independent of the  $Q\bar{Q}$  momentum) and universal (i.e., process independent). The color-octet terms are expected to scale with powers of the heavy-quark velocity in the  $Q\bar{Q}$  rest frame. In the nonrelativistic limit, an  $S$ -wave vector quarkonium state should be formed from a  $Q\bar{Q}$  pair produced as a color singlet ( $^3S_1^{[1]}$ ) or as one of three color octets ( $^1S_0^{[8]}$ ,  $^3S_1^{[8]}$ , and  $^3P_J^{[8]}$ ).

Three “global fits” to measured quarkonium data [3–5] obtained incompatible octet LDMEs, despite the use of essentially identical theory inputs: next-to-leading-order (NLO) QCD calculations of the singlet and octet SDCs. The disagreement stems from the fact that different sets of measurements were considered. In particular, the results crucially depend on the minimum  $p_T$  of the fitted measurements [6], because the octet SDCs have different  $p_T$  dependences. Fits including low- $p_T$  cross sections lead to the conclusion that, at high  $p_T$ , quarkonium production should be dominated by transversely polarized octet terms. This prediction is in stark contradiction with the unpolarized production seen by the CDF [7, 8] and CMS [9, 10] experiments, an observation known as the “quarkonium polarization puzzle”. As shown in Ref. [6], the puzzle is seemingly solved by restricting the NRQCD global fits to high- $p_T$  quarkonia, indicating that the presently available fixed-order calculations provide SDCs unable to reproduce reality at lower  $p_T$  values or that NRQCD factorization only holds for  $p_T$  values much larger than the quarkonium mass. The polarization measurements add a crucial dimension to the global fits because the various channels have remarkably distinct polarization properties: in the helicity frame,  $^3S_1^{[1]}$  is longitudinally polarized,  $^1S_0^{[8]}$  is unpolarized,  $^3S_1^{[8]}$  is transversely polarized, and  $^3P_J^{[8]}$  has a polarization that changes significantly with  $p_T$ . Bottomonium and prompt charmonium polarizations reaching or exceeding  $p_T = 50$  GeV were measured by CMS [9, 10], using a very robust analysis framework [11, 12], on the basis of event samples collected in 2011. Instead, the differential charmonium cross sections published by CMS [13] are based on data collected in 2010 and have a much lower  $p_T$  reach. Measurements of prompt charmonium cross sections extending well beyond  $p_T = 50$  GeV will trigger improved NRQCD global fits, restricted to a kinematic domain where the factorization formalism is unquestioned, and will provide more accurate and reliable LDMEs.

This Letter presents measurements of the double-differential cross sections of  $J/\psi$  and  $\psi(2S)$  mesons promptly produced in pp collisions at a center-of-mass energy of 7 TeV, based on dimuon event samples collected by CMS in 2011. They complement other prompt charmonium cross sections measured at the LHC, by ATLAS [14, 15], LHCb [16, 17], and ALICE [18]. The analysis is made in four bins of absolute rapidity ( $|y| < 0.3$ ,  $0.3 < |y| < 0.6$ ,  $0.6 < |y| < 0.9$ , and  $0.9 < |y| < 1.2$ ) and in the  $p_T$  ranges 10–95 GeV for the  $J/\psi$  and 10–75 GeV for the  $\psi(2S)$ . A rapidity-integrated result in the range  $|y| < 1.2$  is also provided, extending the  $p_T$  reach to 120 GeV for the  $J/\psi$  and 100 GeV for the  $\psi(2S)$ . The corresponding  $\psi(2S)$  over  $J/\psi$  cross section

ratios are also reported. The dimuon invariant mass distribution is used to separate the  $J/\psi$  and  $\psi(2S)$  signals from other processes, mostly pairs of uncorrelated muons, while the dimuon decay length is used to separate the nonprompt charmonia, coming from decays of  $b$  hadrons, from the prompt component. Feed-down from decays of heavier charmonium states, approximately 33% of the prompt  $J/\psi$  cross section [19], is not distinguished from the directly produced charmonia.

The CMS apparatus is based on a superconducting solenoid of 6 m internal diameter, providing a 3.8 T field. Within the solenoid volume are a silicon pixel and strip tracker, a lead tungstate crystal electromagnetic calorimeter, and a brass and scintillator hadron calorimeter. Muons are measured with three kinds of gas-ionization detectors: drift tubes, cathode strip chambers, and resistive-plate chambers. The main subdetectors used in this analysis are the silicon tracker and the muon system, which enable the measurement of muon momenta over the pseudorapidity range  $|\eta| < 2.4$ . A more detailed description of the CMS detector, together with a definition of the coordinate system used and the relevant kinematic variables, can be found in Ref. [20].

The events were collected using a two-level trigger system. The first level, made of custom hardware processors, uses data from the muon system to select events with two muon candidates. The high-level trigger, adding information from the silicon tracker, reduces the rate of stored events by requiring an opposite-sign muon pair of invariant mass  $2.8 < M < 3.35$  GeV,  $p_T > 9.9$  GeV, and  $|y| < 1.25$  for the  $J/\psi$  trigger, and  $3.35 < M < 4.05$  GeV and  $p_T > 6.9$  GeV for the  $\psi(2S)$  trigger. No  $p_T$  requirement is imposed on the single muons at trigger level. Both triggers require a dimuon vertex fit  $\chi^2$  probability greater than 0.5% and a distance of closest approach between the two muons less than 5 mm. Events where the muons bend towards each other in the magnetic field are rejected to lower the trigger rate while retaining the highest-quality dimuons. The  $J/\psi$  and  $\psi(2S)$  analyses are conducted independently, using event samples separated at the trigger level. The  $\psi(2S)$  sample corresponds to an integrated luminosity of  $4.90 \text{ fb}^{-1}$ , while the  $J/\psi$  sample has a reduced value,  $4.55 \text{ fb}^{-1}$ , because the  $p_T$  threshold of the  $J/\psi$  trigger was raised to 12.9 GeV in a fraction of the data-taking period; the integrated luminosities have an uncertainty of 2.2% [21].

The muon tracks are required to have hits in at least eleven tracker layers, with at least two in the silicon pixel detector, and to be matched with at least one segment in the muon system. They must have a good track fit quality ( $\chi^2$  per degree of freedom smaller than 1.8) and point to the interaction region. The selected muons must also match in pseudorapidity and azimuthal angle with the muon objects responsible for triggering the event. The analysis is restricted to muons produced within a fiducial phase-space window where the muon detection efficiencies are accurately measured:  $p_T > 4.5$ , 3.5, and 3.0 GeV for the regions  $|\eta| < 1.2$ ,  $1.2 < |\eta| < 1.4$ , and  $1.4 < |\eta| < 1.6$ , respectively. The combinatorial dimuon background is reduced by requiring a dimuon vertex fit  $\chi^2$  probability larger than 1%. After applying the event selection criteria, the combined yields of prompt and nonprompt charmonia in the range  $|y| < 1.2$  are 5.45 M for the  $J/\psi$  and 266 k for the  $\psi(2S)$ . The prompt charmonia are separated from those resulting from decays of  $b$  hadrons through the use of the dimuon pseudo-proper decay length [22],  $\ell = L_{xy} M / p_T$ , where  $L_{xy}$  is the transverse decay length in the laboratory frame, measured after removing the two muon tracks from the calculation of the primary vertex position. For events with multiple collision vertices,  $L_{xy}$  is calculated with respect to the vertex closest to the direction of the dimuon momentum, extrapolated towards the beam line.

For each  $(|y|, p_T)$  bin, the prompt charmonium yields are evaluated through an extended unbinned maximum-likelihood fit to the two-dimensional  $(M, \ell)$  event distribution. In the mass dimension, the shape of each signal peak is represented by a Crystal Ball (CB) function [23],

with free mean ( $\mu_{CB}$ ) and width ( $\sigma_{CB}$ ) parameters. Given the strong correlation between the two CB tail parameters,  $\alpha_{CB}$  and  $n_{CB}$ , they are fixed to values evaluated from fits to event samples integrated in broader  $p_T$  ranges. A single CB function provides a good description of the signal mass peaks, given that the dimuon mass distributions are studied in narrow ( $|y|, p_T$ ) bins, within which the dimuon invariant mass resolution has a negligible variation. The mass distribution of the underlying continuum background is described by an exponential function. Concerning the pseudo-proper decay length variable, the prompt signal component is modeled by a resolution function, which exploits the per-event uncertainty information provided by the vertex reconstruction algorithm, while the nonprompt charmonium term is modeled by an exponential function convolved with the resolution function. The continuum background component is represented by a sum of prompt and nonprompt empirical forms. The distributions are well described with a relatively small number of free parameters.




Figure 1: Projections on the dimuon invariant mass (left) and pseudo-proper decay length (right) axes, for the  $J/\psi$  (top) and  $\psi(2S)$  (bottom) events in the kinematic bins given in the plots. The right panels show dimuons of invariant mass within  $\pm 3\sigma_{CB}$  of the pole masses. The curves, identified in the legends, represent the result of the fits described in the text. The vertical bars on the data points show the statistical uncertainties.

Figure 1 shows the  $J/\psi$  and  $\psi(2S)$  dimuon invariant mass and pseudo-proper decay length projections for two representative ( $|y|, p_T$ ) bins. The decay length projections are shown for events with dimuon invariant mass within  $\pm 3\sigma_{CB}$  of the pole mass. In the highest  $p_T$  bins, where the number of dimuons is relatively small, stable results are obtained by fixing  $\mu_{CB}$  and the slope of the exponential-like function describing the nonprompt combinatorial background to values extrapolated from the trend found from the lower- $p_T$  bins. The systematic uncertainties in the signal yields are evaluated by repeating the fit with different functional forms, varying the values of the fixed parameters, and allowing for more free parameters in the fit. The fit results are robust with respect to changes in the procedure; the corresponding systematic uncertainties are

negligible at low  $p_T$  and increase to  $\approx 2\%$  for the  $J/\psi$  and  $\approx 6\%$  for the  $\psi(2S)$  in the highest  $p_T$  bins.

The single-muon detection efficiencies  $\epsilon_\mu$  are measured with a “tag-and-probe” (T&P) technique [24], using event samples collected with triggers specifically designed for this purpose, including a sample enriched in dimuons from  $J/\psi$  decays where a muon is combined with another track and the pair is required to have an invariant mass within the range 2.8–3.4 GeV. The procedure was validated in the phase-space window of the analysis with detailed Monte Carlo (MC) simulation studies. The measured efficiencies are parametrized as a function of muon  $p_T$ , in eight bins of muon  $|\eta|$ . Their uncertainties, reflecting the statistical precision of the T&P samples and possible imperfections of the parametrization, are  $\approx 2\text{--}3\%$ . The efficiency of the dimuon vertex fit  $\chi^2$  probability requirement is also measured with the T&P approach, using a sample of events collected with a dedicated (prescaled) trigger. It is around 95–97%, improving with increasing  $p_T$ , with a 2% systematic uncertainty. At high  $p_T$ , when the two muons might be emitted relatively close to each other, the efficiency of the dimuon trigger  $\epsilon_{\mu\mu}$  is smaller than the product of the two single-muon efficiencies [13],  $\epsilon_{\mu\mu} = \epsilon_{\mu_1} \epsilon_{\mu_2} \rho$ . The correction factor  $\rho$  is evaluated with MC simulations, validated from data collected with single-muon triggers. For  $p_T < 35$  GeV,  $\rho$  is consistent with being unity, within a systematic uncertainty estimated as 2%, except in the  $0.9 < |y| < 1.2$  bin, where the uncertainty increases to 4.3% for the  $J/\psi$  if  $p_T < 12$  GeV, and to 2.7% for the  $\psi(2S)$  if  $p_T < 11$  GeV. For  $p_T > 35$  GeV,  $\rho$  decreases approximately linearly with  $p_T$ , reaching 60–70% for  $p_T \sim 85$  GeV, with systematic uncertainties evaluated by comparing the MC simulation results with estimations made using data collected with single-muon triggers: 5% up to  $p_T = 50$  (55) GeV for the  $J/\psi$  ( $\psi(2S)$ ) and 10% for higher  $p_T$ . The total dimuon detection efficiency increases from  $\epsilon_{\mu\mu} \approx 78\%$  at  $p_T = 15$  GeV to  $\approx 85\%$  at 30 GeV, and then decreases to  $\approx 65\%$  at 80 GeV.

To obtain the charmonium cross sections in each ( $|y|, p_T$ ) bin without any restrictions on the kinematic variables of the two muons, we correct for the corresponding dimuon acceptance, defined as the fraction of dimuon decays having both muons emitted within the single-muon fiducial phase space. These acceptances are calculated using a detailed MC simulation of the CMS experiment. Charmonia are generated using a flat rapidity distribution and  $p_T$  distributions based on previous measurements [13]; using flat  $p_T$  distributions leads to negligible changes. The particles are decayed by EVTGEN [25] interfaced to PYTHIA 6.4 [26], while PHOTOS [27] is used to simulate final-state radiation. The fractions of  $J/\psi$  and  $\psi(2S)$  dimuon events in a given ( $|y|, p_T$ ) bin with both muons surviving the fiducial selections depend on the decay kinematics and, in particular, on the polarization of the mother particle. Acceptances are calculated using polarization scenarios corresponding to different values of the polar anisotropy parameter in the helicity frame,  $\lambda_\phi^{\text{HX}}$ : 0 (unpolarized), +1 (transverse), and  $-1$  (longitudinal). A fourth scenario, corresponding to  $\lambda_\phi^{\text{HX}} = +0.10$  for the  $J/\psi$  and  $+0.03$  for the  $\psi(2S)$ , reflects the results published by CMS [10]. The two other parameters characterizing the dimuon angular distributions [28],  $\lambda_\phi$  and  $\lambda_{\phi\phi}$ , have been measured to be essentially zero [10] and have a negligible influence on the acceptance. The acceptances are essentially identical for the two charmonia and are almost rapidity independent for  $|y| < 1.2$ . The two-dimensional acceptance maps are calculated with large MC simulation samples, so that statistical fluctuations are small, and in narrow  $|y|$  bins, so that variations within the bins can be neglected. Since the efficiencies and acceptances are evaluated for events where the two muons bend away from each other, a factor of two is applied to obtain the final cross sections.

The double-differential cross sections of promptly produced  $J/\psi$  and  $\psi(2S)$  in the dimuon channel,  $\mathcal{B} d^2\sigma/dp_T dy$ , where  $\mathcal{B}$  is the  $J/\psi$  or  $\psi(2S)$  dimuon branching fraction, is obtained by dividing the fitted prompt-signal yields, already corrected on an event-by-event basis for efficien-

cies and acceptance, by the integrated luminosity and the widths of the  $p_T$  and  $|y|$  bins. The numerical values, including the relative statistical and systematic uncertainties, are reported for both charmonia, five rapidity intervals, and four polarization scenarios in Tables A.1–A.4 of Appendix A. Figure 2 shows the results obtained in the unpolarized scenario. With respect to the  $|y| < 0.3$  bin, the cross sections drop by  $\approx 5\%$  for  $0.6 < |y| < 0.9$  and  $\approx 15\%$  for  $0.9 < |y| < 1.2$ . Measuring the charmonium production cross sections in the broader rapidity range  $|y| < 1.2$  has the advantage that the increased statistical accuracy allows the measurement to be extended to higher- $p_T$  values, where comparisons with theoretical calculations are particularly informative. Figure 3 compares the rapidity-integrated (unpolarized) cross sections, after rescaling with the branching fraction  $\mathcal{B}$  of the dimuon decay channels [29], with results reported by ATLAS [14, 15]. The curve represents a fit of the  $J/\psi$  cross section measured in this analysis to a power-law function [30]. The band labelled FKLSW represents the result of a global fit [6] comparing SDCs calculated at NLO [3] with  $\psi(2S)$  cross sections and polarizations previously reported by CMS [10, 13] and LHCb [17]. According to that fit,  $\psi(2S)$  mesons are produced predominantly unpolarized. At high  $p_T$ , the values reported in this Letter tend to be higher than the band, which is essentially determined from results for  $p_T < 30$  GeV.




Figure 2: The  $J/\psi$  and  $\psi(2S)$  differential  $p_T$  cross sections times the dimuon branching fractions for four rapidity bins and integrated over the range  $|y| < 1.2$  (scaled up by a factor of 2 for presentation purposes), assuming the unpolarized scenario. The vertical bars show the statistical and systematic uncertainties added in quadrature.

The ratio of the  $\psi(2S)$  to  $J/\psi$  differential cross sections is also measured in the  $|y| < 1.2$  range, recomputing the  $J/\psi$  values in the  $p_T$  bins of the  $\psi(2S)$  analysis. The measured values are reported in Table A.5 of Appendix A. The corrections owing to the integrated luminosity, acceptances, and efficiencies cancel to a large extent in the measurement of the ratio. The total systematic uncertainty, dominated by the  $\rho$  correction for  $p_T > 30$  GeV and by the acceptance and efficiency corrections for  $p_T < 20$  GeV, does not exceed 3%, except for  $p_T > 75$  GeV, where it reaches 5%. Larger event samples are needed to clarify the trend of the ratio for  $p_T$  above  $\approx 35$  GeV.

In summary, the double-differential cross sections of the  $J/\psi$  and  $\psi(2S)$  mesons promptly produced in pp collisions at  $\sqrt{s} = 7$  TeV have been measured as a function of  $p_T$  in four  $|y|$  bins, as well as integrated over the  $|y| < 1.2$  range, extending up to or beyond  $p_T = 100$  GeV. New global fits of cross sections and polarizations, including these high- $p_T$  measurements, will probe the theoretical calculations in a kinematical region where NRQCD factorization is




Figure 3: The  $J/\psi$  (open symbols) and  $\psi(2S)$  (closed symbols) differential (unpolarized) cross sections from this analysis (circles) and from ATLAS (squares) [14, 15]. The vertical bars show the statistical and systematic uncertainties added in quadrature, not including the uncertainties from integrated luminosities and branching fractions, which are indicated by the percentages given in the legend. The curve shows a fit of the  $J/\psi$  cross section measured in this analysis to a power-law function, while the band labelled FKLSW represents a calculation of the  $\psi(2S)$  cross section using LDMEs determined with lower- $p_T$  LHC data [6].

believed to be most reliable. The new data should also provide input to stringent tests of recent theory developments, such as those described in Refs. [31–33].

## Acknowledgments

We congratulate our colleagues in the CERN accelerator departments for the excellent performance of the LHC and thank the technical and administrative staffs at CERN and at other CMS institutes for their contributions to the success of the CMS effort. In addition, we gratefully acknowledge the computing centres and personnel of the Worldwide LHC Computing Grid for delivering so effectively the computing infrastructure essential to our analyses. Finally, we acknowledge the enduring support for the construction and operation of the LHC and the CMS detector provided by the following funding agencies: BMWFW and FWF (Austria); FNRS and FWO (Belgium); CNPq, CAPES, FAPERJ, and FAPESP (Brazil); MES (Bulgaria); CERN; CAS, MoST, and NSFC (China); COLCIENCIAS (Colombia); MSES and CSF (Croatia); RPF (Cyprus); MoER, ERC IUT and ERDF (Estonia); Academy of Finland, MEC, and HIP (Finland); CEA and CNRS/IN2P3 (France); BMBF, DFG, and HGF (Germany); GSRT (Greece); OTKA and NIH (Hungary); DAE and DST (India); IPM (Iran); SFI (Ireland); INFN (Italy); MSIP and NRF (Republic of Korea); LAS (Lithuania); MOE and UM (Malaysia); CINVESTAV, CONACYT, SEP, and UASLP-FAI (Mexico); MBIE (New Zealand); PAEC (Pakistan); MSHE and NSC (Poland); FCT (Portugal); JINR (Dubna); MON, RosAtom, RAS and RFBR (Russia); MESTD (Serbia); SEIDI and CPAN (Spain); Swiss Funding Agencies (Switzerland); MST (Taipei); ThEPCenter, IPST, STAR and NSTDA (Thailand); TUBITAK and TAEK (Turkey); NASU and SFFR (Ukraine); STFC (United Kingdom); DOE and NSF (USA).



## References

- [1] N. Brambilla et al., “Heavy quarkonium: progress, puzzles, and opportunities”, *Eur. Phys. J. C* **71** (2011) 1534, doi:10.1140/epjc/s10052-010-1534-9, arXiv:1010.5827.
- [2] G. T. Bodwin, E. Braaten, and G. P. Lepage, “Rigorous QCD analysis of inclusive annihilation and production of heavy quarkonium”, *Phys. Rev. D* **51** (1995) 1125, doi:10.1103/PhysRevD.51.1125, arXiv:hep-ph/9407339.
- [3] M. Butenschoen and B. A. Kniehl, “ $J/\psi$  Polarization at Tevatron and the LHC: Nonrelativistic-QCD Factorization at the Crossroads”, *Phys. Rev. Lett.* **108** (2012) 172002, doi:10.1103/PhysRevLett.108.172002, arXiv:1201.1872.
- [4] B. Gong, L.-P. Wan, J.-X. Wang, and H.-F. Zhang, “Polarization for Prompt  $J/\psi$ ,  $\psi(2S)$  Production at the Tevatron and LHC”, *Phys. Rev. Lett.* **110** (2013) 042002, doi:10.1103/PhysRevLett.110.042002, arXiv:1205.6682.
- [5] K.-T. Chao et al., “ $J/\psi$  Polarization at Hadron Colliders in Nonrelativistic QCD”, *Phys. Rev. Lett.* **108** (2012) 242004, doi:10.1103/PhysRevLett.108.242004, arXiv:1201.2675.
- [6] P. Faccioli et al., “Quarkonium production in the LHC era: a polarized perspective”, *Phys. Lett. B* **736** (2014) 98, doi:10.1016/j.physletb.2014.07.006, arXiv:1403.3970.
- [7] CDF Collaboration, “Polarization of  $J/\psi$  and  $\psi(2S)$  Mesons Produced in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, *Phys. Rev. Lett.* **99** (2007) 132001, doi:10.1103/PhysRevLett.99.132001, arXiv:0704.0638.
- [8] CDF Collaboration, “Measurements of Angular Distributions of Muons from  $Y$  Decays in  $p\bar{p}$  Collisions at  $\sqrt{s} = 1.96$  TeV”, *Phys. Rev. Lett.* **108** (2012) 151802, doi:10.1103/PhysRevLett.108.151802, arXiv:1112.1591.
- [9] CMS Collaboration, “Measurement of the  $Y(1S)$ ,  $Y(2S)$ , and  $Y(3S)$  Polarizations in  $pp$  Collisions at  $\sqrt{s} = 7$  TeV”, *Phys. Rev. Lett.* **110** (2013) 081802, doi:10.1103/PhysRevLett.110.081802, arXiv:1209.2922.
- [10] CMS Collaboration, “Measurement of the prompt  $J/\psi$  and  $\psi(2S)$  polarizations in  $pp$  collisions at  $\sqrt{s} = 7$  TeV”, *Phys. Lett. B* **727** (2013) 381, doi:10.1016/j.physletb.2013.10.055, arXiv:1307.6070.
- [11] P. Faccioli, C. Lourenço, and J. Seixas, “Rotation-Invariant Relations in Vector Meson Decays into Fermion Pairs”, *Phys. Rev. Lett.* **105** (2010) 061601, doi:10.1103/PhysRevLett.105.061601, arXiv:1005.2601.
- [12] P. Faccioli, C. Lourenço, and J. Seixas, “New approach to quarkonium polarization studies”, *Phys. Rev. D* **81** (2010) 111502(R), doi:10.1103/PhysRevD.81.111502, arXiv:1005.2855.
- [13] CMS Collaboration, “ $J/\psi$  and  $\psi(2S)$  production in  $pp$  collisions at  $\sqrt{s} = 7$  TeV”, *JHEP* **02** (2012) 011, doi:10.1007/JHEP02(2012)011, arXiv:1111.1557.

- [14] ATLAS Collaboration, “Measurement of the differential cross-sections of inclusive, prompt and non-prompt  $J/\psi$  production in proton-proton collisions at  $\sqrt{s} = 7$  TeV”, *Nucl. Phys. B* **850** (2011) 387, doi:10.1016/j.nuclphysb.2011.05.015, arXiv:1104.3038.
- [15] ATLAS Collaboration, “Measurement of the production cross-section of  $\psi(2S) \rightarrow J/\psi(\rightarrow \mu^+\mu^-)\pi^+\pi^-$  in pp collisions at  $\sqrt{s} = 7$  TeV at ATLAS”, *JHEP* **09** (2014) 079, doi:10.1007/JHEP09(2014)079, arXiv:1407.5532.
- [16] LHCb Collaboration, “Measurement of  $J/\psi$  production in pp collisions at  $\sqrt{s} = 7$  TeV”, *Eur. Phys. J. C* **71** (2011) 1645, doi:10.1140/epjc/s10052-011-1645-y, arXiv:1103.0423.
- [17] LHCb Collaboration, “Measurement of  $\psi(2S)$  meson production in pp collisions at  $\sqrt{s} = 7$  TeV”, *Eur. Phys. J. C* **72** (2012) 2100, doi:10.1140/epjc/s10052-012-2100-4, arXiv:1204.1258.
- [18] ALICE Collaboration, “Measurement of prompt  $J/\psi$  and beauty hadron production cross sections at mid-rapidity in pp collisions at  $\sqrt{s} = 7$  TeV”, *JHEP* **11** (2012) 065, doi:10.1007/JHEP11(2012)065, arXiv:1205.5880.
- [19] P. Faccioli, C. Lourenço, J. Seixas, and H. Wöhri, “Study of  $\psi'$  and  $\chi_c$  decays as feed-down sources of  $J/\psi$  hadro-production”, *JHEP* **10** (2008) 004, doi:10.1088/1126-6708/2008/10/004, arXiv:0809.2153.
- [20] CMS Collaboration, “The CMS experiment at the CERN LHC”, *JINST* **3** (2008) S08004, doi:10.1088/1748-0221/3/08/S08004.
- [21] CMS Collaboration, “Absolute Calibration of the Luminosity Measurement at CMS: Winter 2012 Update”, CMS Physics Analysis Summary CMS-PAS-SMP-12-008, 2012.
- [22] CMS Collaboration, “Prompt and non-prompt  $J/\psi$  production in pp collisions at  $\sqrt{s} = 7$  TeV”, *Eur. Phys. J. C* **71** (2011) 1575, doi:10.1140/epjc/s10052-011-1575-8, arXiv:1011.4193.
- [23] M. J. Oreglia, “A Study of the Reactions  $\psi' \rightarrow \gamma\gamma\psi$ ”. PhD thesis, Stanford University, 1980. SLAC-R-236.
- [24] CMS Collaboration, “Measurements of inclusive W and Z cross sections in pp collisions at  $\sqrt{s} = 7$  TeV”, *JHEP* **01** (2011) 080, doi:10.1007/JHEP01(2011)080, arXiv:1012.2466.
- [25] D. J. Lange, “The EvtGen particle decay simulation package”, *Nucl. Instrum. Meth. A* **462** (2001) 152, doi:10.1016/S0168-9002(01)00089-4.
- [26] T. Sjöstrand, S. Mrenna, and P. Z. Skands, “PYTHIA 6.4 physics and manual”, *JHEP* **05** (2006) 026, doi:10.1088/1126-6708/2006/05/026, arXiv:hep-ph/0603175.
- [27] E. Barberio and Z. Waş, “PHOTOS - a universal Monte Carlo for QED radiative corrections: version 2.0”, *Comput. Phys. Commun.* **79** (1994) 291, doi:10.1016/0010-4655(94)90074-4.
- [28] P. Faccioli, C. Lourenço, J. Seixas, and H. Wöhri, “Towards the experimental clarification of quarkonium polarization”, *Eur. Phys. J. C* **69** (2010) 657, doi:10.1140/epjc/s10052-010-1420-5, arXiv:1006.2738.

- [29] Particle Data Group, K. A. Olive et al., “Review of Particle Physics”, *Chin. Phys. C* **38** (2014) 090001, doi:10.1088/1674-1137/38/9/090001.
- [30] HERA-B Collaboration, “A measurement of the  $\psi'$  to  $J/\psi$  production ratio in 920 GeV proton-nucleus interactions”, *Eur. Phys. J. C* **49** (2007) 545, doi:10.1140/epjc/s10052-006-0139-9, arXiv:hep-ex/0607046.
- [31] Z.-B. Kang, J.-W. Qiu, and G. Sterman, “Heavy Quarkonium Production and Polarization”, *Phys. Rev. Lett.* **108** (2012) 102002, doi:10.1103/PhysRevLett.108.102002, arXiv:1109.1520.
- [32] Z.-B. Kang, Y.-Q. Ma, J.-W. Qiu, and G. Sterman, “Heavy quarkonium production at collider energies: Factorization and evolution”, *Phys. Rev. D* **90** (2014) 034006, doi:10.1103/PhysRevD.90.034006, arXiv:1401.0923.
- [33] G. T. Bodwin, H. S. Chung, U.-R. Kim, and J. Lee, “Fragmentation Contributions to  $J/\psi$  Production at the Tevatron and the LHC”, *Phys. Rev. Lett.* **113** (2014) 022001, doi:10.1103/PhysRevLett.113.022001, arXiv:1403.3612.

## A Tables of cross sections

Table A.1: The  $J/\psi$  differential cross section times dimuon branching fraction  $\mathcal{B} d\sigma/dp_T$  in four rapidity ranges for the unpolarized scenario. The relative uncertainties (first statistical and then systematic) are given in percent. The systematic uncertainties are to be treated as bin-to-bin correlated.

$\Delta p_T$ [GeV]	$\mathcal{B} d\sigma/dp_T$ [pb/GeV]			
	$ y  < 0.3$	$0.3 <  y  < 0.6$	$0.6 <  y  < 0.9$	$0.9 <  y  < 1.2$
10–11	1.12E+03 $\pm 0.3 \pm 7.9$	1.06E+03 $\pm 0.3 \pm 6.2$	1.02E+03 $\pm 0.3 \pm 4.6$	8.84E+02 $\pm 0.2 \pm 5.5$
11–12	6.55E+02 $\pm 0.3 \pm 5.9$	6.34E+02 $\pm 0.3 \pm 4.8$	6.20E+02 $\pm 0.3 \pm 4.1$	5.38E+02 $\pm 0.3 \pm 4.7$
12–13	4.06E+02 $\pm 0.3 \pm 5.0$	3.97E+02 $\pm 0.3 \pm 4.3$	3.97E+02 $\pm 0.3 \pm 3.9$	3.39E+02 $\pm 0.3 \pm 3.8$
13–14	2.65E+02 $\pm 0.4 \pm 4.7$	2.56E+02 $\pm 0.4 \pm 4.1$	2.54E+02 $\pm 0.4 \pm 3.9$	2.18E+02 $\pm 0.4 \pm 3.8$
14–15	1.78E+02 $\pm 0.4 \pm 4.5$	1.71E+02 $\pm 0.4 \pm 4.0$	1.67E+02 $\pm 0.4 \pm 3.9$	1.46E+02 $\pm 0.4 \pm 3.9$
15–16	1.21E+02 $\pm 0.5 \pm 4.4$	1.18E+02 $\pm 0.5 \pm 3.9$	1.14E+02 $\pm 0.5 \pm 3.9$	1.03E+02 $\pm 0.5 \pm 3.3$
16–17	8.25E+01 $\pm 0.6 \pm 4.4$	8.19E+01 $\pm 0.6 \pm 3.8$	7.97E+01 $\pm 0.6 \pm 3.9$	7.00E+01 $\pm 0.6 \pm 3.3$
17–18	6.05E+01 $\pm 0.6 \pm 4.3$	5.89E+01 $\pm 0.6 \pm 3.8$	5.76E+01 $\pm 0.6 \pm 3.8$	5.00E+01 $\pm 0.7 \pm 3.3$
18–19	4.42E+01 $\pm 0.7 \pm 4.3$	4.30E+01 $\pm 0.7 \pm 3.8$	4.18E+01 $\pm 0.7 \pm 3.8$	3.64E+01 $\pm 0.7 \pm 3.3$
19–20	3.25E+01 $\pm 0.8 \pm 4.3$	3.22E+01 $\pm 0.8 \pm 3.8$	3.11E+01 $\pm 0.8 \pm 3.8$	2.67E+01 $\pm 0.9 \pm 3.3$
20–21	2.42E+01 $\pm 0.9 \pm 4.3$	2.46E+01 $\pm 0.9 \pm 3.8$	2.31E+01 $\pm 0.9 \pm 3.8$	2.03E+01 $\pm 1.0 \pm 3.3$
21–22	1.92E+01 $\pm 1.0 \pm 4.3$	1.81E+01 $\pm 1.0 \pm 3.8$	1.80E+01 $\pm 1.0 \pm 3.8$	1.54E+01 $\pm 1.1 \pm 3.3$
22–23	1.46E+01 $\pm 1.2 \pm 4.3$	1.40E+01 $\pm 1.1 \pm 3.7$	1.35E+01 $\pm 1.2 \pm 3.8$	1.20E+01 $\pm 1.2 \pm 3.4$
23–24	1.12E+01 $\pm 1.3 \pm 4.3$	1.10E+01 $\pm 1.3 \pm 3.7$	1.07E+01 $\pm 1.3 \pm 3.8$	9.36E+00 $\pm 1.4 \pm 3.4$
24–25	8.92E+00 $\pm 1.4 \pm 4.4$	8.75E+00 $\pm 1.4 \pm 3.7$	8.39E+00 $\pm 1.4 \pm 3.8$	7.46E+00 $\pm 1.5 \pm 3.4$
25–26	7.43E+00 $\pm 1.6 \pm 4.4$	6.81E+00 $\pm 1.6 \pm 3.7$	6.86E+00 $\pm 1.6 \pm 3.8$	5.96E+00 $\pm 1.7 \pm 3.4$
26–27	5.66E+00 $\pm 1.8 \pm 4.4$	5.45E+00 $\pm 1.7 \pm 3.7$	5.35E+00 $\pm 1.8 \pm 3.8$	4.96E+00 $\pm 1.8 \pm 3.4$
27–28	4.72E+00 $\pm 1.9 \pm 4.4$	4.54E+00 $\pm 1.9 \pm 3.7$	4.26E+00 $\pm 2.0 \pm 3.8$	3.74E+00 $\pm 2.1 \pm 3.4$
28–29	3.83E+00 $\pm 2.1 \pm 4.4$	3.70E+00 $\pm 2.1 \pm 3.7$	3.65E+00 $\pm 2.1 \pm 3.8$	3.08E+00 $\pm 2.3 \pm 3.5$
29–30	3.04E+00 $\pm 2.3 \pm 4.4$	2.99E+00 $\pm 2.3 \pm 3.7$	2.91E+00 $\pm 2.4 \pm 3.8$	2.50E+00 $\pm 2.5 \pm 3.5$
30–32	2.35E+00 $\pm 1.9 \pm 4.4$	2.35E+00 $\pm 1.8 \pm 3.7$	2.22E+00 $\pm 1.9 \pm 3.9$	1.90E+00 $\pm 2.1 \pm 3.5$
32–34	1.69E+00 $\pm 2.2 \pm 4.5$	1.61E+00 $\pm 2.2 \pm 3.7$	1.53E+00 $\pm 2.3 \pm 3.9$	1.34E+00 $\pm 2.4 \pm 3.5$
34–36	1.17E+00 $\pm 2.6 \pm 4.5$	1.19E+00 $\pm 2.5 \pm 3.7$	1.13E+00 $\pm 2.6 \pm 3.9$	9.62E-01 $\pm 2.9 \pm 3.6$
36–38	8.70E-01 $\pm 3.0 \pm 6.5$	8.80E-01 $\pm 2.9 \pm 5.9$	8.32E-01 $\pm 3.0 \pm 6.1$	7.03E-01 $\pm 3.4 \pm 5.8$
38–42	5.67E-01 $\pm 2.6 \pm 6.5$	5.51E-01 $\pm 2.6 \pm 5.9$	5.39E-01 $\pm 2.6 \pm 6.1$	4.70E-01 $\pm 2.9 \pm 5.9$
42–46	3.34E-01 $\pm 3.4 \pm 6.5$	2.99E-01 $\pm 3.5 \pm 5.9$	3.13E-01 $\pm 3.4 \pm 6.1$	2.63E-01 $\pm 3.7 \pm 5.9$
46–50	2.13E-01 $\pm 4.4 \pm 6.5$	1.87E-01 $\pm 4.5 \pm 5.9$	1.80E-01 $\pm 6.5 \pm 6.1$	1.64E-01 $\pm 4.9 \pm 5.9$
50–60	1.00E-01 $\pm 4.1 \pm 11$	9.48E-02 $\pm 4.1 \pm 11$	8.37E-02 $\pm 4.3 \pm 11$	7.03E-02 $\pm 4.9 \pm 11$
60–75	3.06E-02 $\pm 6.4 \pm 11$	2.97E-02 $\pm 6.1 \pm 11$	2.72E-02 $\pm 6.5 \pm 11$	2.39E-02 $\pm 7.3 \pm 11$
75–95	7.00E-03 $\pm 13 \pm 11$	7.03E-03 $\pm 12 \pm 11$	9.80E-03 $\pm 9.6 \pm 11$	7.23E-03 $\pm 12.0 \pm 11$

Table A.2: The  $\psi(2S)$  differential cross section times dimuon branching fraction  $\mathcal{B} d\sigma/dp_T$  in four rapidity ranges for the unpolarized scenario. The relative uncertainties (first statistical and then systematic) are given in percent. The systematic uncertainties are to be treated as bin-to-bin correlated.

$\Delta p_T$ [GeV]	$\mathcal{B} d\sigma/dp_T$ [pb/GeV]			
	$ y  < 0.3$	$0.3 <  y  < 0.6$	$0.6 <  y  < 0.9$	$0.9 <  y  < 1.2$
10–11	4.07E+01 $\pm 1.7 \pm 7.5$	3.80E+01 $\pm 1.7 \pm 6.2$	3.82E+01 $\pm 1.6 \pm 4.4$	3.35E+01 $\pm 1.5 \pm 4.5$
11–12	2.54E+01 $\pm 1.6 \pm 5.8$	2.48E+01 $\pm 1.7 \pm 5.0$	2.42E+01 $\pm 1.7 \pm 4.1$	2.13E+01 $\pm 1.6 \pm 3.9$
12–13	1.62E+01 $\pm 1.8 \pm 5.1$	1.51E+01 $\pm 1.9 \pm 4.6$	1.58E+01 $\pm 1.8 \pm 4.1$	1.40E+01 $\pm 1.8 \pm 3.8$
13–14	1.04E+01 $\pm 2.0 \pm 4.8$	1.07E+01 $\pm 2.0 \pm 4.4$	1.07E+01 $\pm 2.0 \pm 4.0$	8.88E+00 $\pm 2.1 \pm 3.7$
14–15	7.77E+00 $\pm 2.2 \pm 4.7$	7.51E+00 $\pm 2.2 \pm 4.3$	6.98E+00 $\pm 2.3 \pm 4.0$	6.31E+00 $\pm 2.4 \pm 3.6$
15–16	5.08E+00 $\pm 2.6 \pm 4.8$	4.97E+00 $\pm 2.5 \pm 4.4$	4.96E+00 $\pm 2.6 \pm 4.3$	4.13E+00 $\pm 2.9 \pm 3.9$
16–17	3.79E+00 $\pm 2.8 \pm 4.6$	3.57E+00 $\pm 2.9 \pm 4.3$	3.42E+00 $\pm 3.1 \pm 4.1$	3.10E+00 $\pm 3.2 \pm 3.7$
17–18	2.69E+00 $\pm 3.2 \pm 4.7$	2.63E+00 $\pm 3.3 \pm 4.3$	2.58E+00 $\pm 3.4 \pm 4.3$	2.16E+00 $\pm 3.8 \pm 3.9$
18–19	1.94E+00 $\pm 3.7 \pm 4.6$	1.87E+00 $\pm 3.8 \pm 4.2$	1.96E+00 $\pm 3.7 \pm 4.1$	1.70E+00 $\pm 4.1 \pm 3.7$
19–20	1.43E+00 $\pm 4.3 \pm 4.7$	1.30E+00 $\pm 4.5 \pm 4.3$	1.42E+00 $\pm 4.3 \pm 4.2$	1.23E+00 $\pm 4.8 \pm 3.9$
20–22.5	9.07E-01 $\pm 3.2 \pm 5.1$	8.83E-01 $\pm 3.3 \pm 4.7$	8.96E-01 $\pm 3.3 \pm 4.7$	7.44E-01 $\pm 3.9 \pm 4.3$
22.5–25	4.69E-01 $\pm 4.4 \pm 5.2$	5.05E-01 $\pm 4.2 \pm 4.7$	4.57E-01 $\pm 4.5 \pm 4.7$	4.08E-01 $\pm 5.0 \pm 4.4$
25–27.5	2.81E-01 $\pm 5.6 \pm 5.8$	2.90E-01 $\pm 5.4 \pm 5.4$	2.75E-01 $\pm 5.8 \pm 5.4$	2.31E-01 $\pm 6.8 \pm 5.1$
27.5–30	1.65E-01 $\pm 7.2 \pm 5.7$	1.66E-01 $\pm 7.2 \pm 5.3$	1.81E-01 $\pm 7.1 \pm 5.3$	1.44E-01 $\pm 8.5 \pm 5.1$
30–35	8.83E-02 $\pm 6.8 \pm 6.0$	8.70E-02 $\pm 7.2 \pm 5.5$	8.40E-02 $\pm 7.3 \pm 5.6$	7.78E-02 $\pm 8.0 \pm 5.4$
35–40	3.67E-02 $\pm 10 \pm 7.8$	2.95E-02 $\pm 13 \pm 7.4$	3.74E-02 $\pm 11 \pm 7.5$	3.50E-02 $\pm 12 \pm 7.2$
40–55	9.96E-03 $\pm 13 \pm 8.2$	9.64E-03 $\pm 13 \pm 7.9$	1.03E-02 $\pm 13 \pm 8.0$	1.08E-02 $\pm 14 \pm 7.8$
55–75	2.73E-03 $\pm 22 \pm 12$	2.14E-03 $\pm 27 \pm 12$	2.19E-03 $\pm 28 \pm 12$	3.29E-03 $\pm 26 \pm 12$

Table A.3: The  $J/\psi$  differential cross section times dimuon branching fraction  $\mathcal{B} d\sigma/dp_T$  for the integrated rapidity range  $|y| < 1.2$ , in the unpolarized scenario. The relative uncertainties (first statistical and then systematic) are given in percent. The systematic uncertainties are to be treated as bin-to-bin correlated. The average  $p_T$  values,  $\langle p_T \rangle$ , are calculated after acceptance and efficiency corrections. Detector smearing has a negligible effect on this value. The last three columns list the scaling factors needed to obtain the cross sections corresponding to the polarization scenarios represented by the indicated  $\lambda_\phi^{\text{HX}}$  values.

$\Delta p_T$ [GeV]	$\langle p_T \rangle$ [GeV]	$\mathcal{B} d\sigma/dp_T$ [pb/GeV]	$\lambda_\phi^{\text{HX}}$ scaling factors		
			+1	-1	0.10
10–11	10.5	1.01E+03 $\pm 0.1 \pm 7.9$	1.31	0.68	1.03
11–12	11.5	6.09E+02 $\pm 0.1 \pm 5.9$	1.30	0.68	1.03
12–13	12.5	3.82E+02 $\pm 0.2 \pm 5.0$	1.29	0.69	1.03
13–14	13.5	2.47E+02 $\pm 0.2 \pm 4.7$	1.28	0.70	1.03
14–15	14.5	1.65E+02 $\pm 0.2 \pm 4.5$	1.26	0.71	1.03
15–16	15.5	1.14E+02 $\pm 0.2 \pm 4.4$	1.25	0.71	1.03
16–17	16.5	7.84E+01 $\pm 0.3 \pm 4.4$	1.24	0.72	1.03
17–18	17.5	5.66E+01 $\pm 0.3 \pm 4.3$	1.23	0.73	1.02
18–19	18.5	4.13E+01 $\pm 0.4 \pm 4.3$	1.22	0.73	1.02
19–20	19.5	3.05E+01 $\pm 0.4 \pm 4.3$	1.21	0.74	1.02
20–21	20.5	2.30E+01 $\pm 0.5 \pm 4.3$	1.20	0.75	1.02
21–22	21.5	1.76E+01 $\pm 0.5 \pm 4.3$	1.19	0.75	1.02
22–23	22.5	1.35E+01 $\pm 0.6 \pm 4.3$	1.19	0.76	1.02
23–24	23.5	1.05E+01 $\pm 0.6 \pm 4.3$	1.18	0.77	1.02
24–25	24.5	8.35E+00 $\pm 0.7 \pm 4.4$	1.17	0.77	1.02
25–26	25.5	6.75E+00 $\pm 0.8 \pm 4.4$	1.17	0.78	1.02
26–27	26.5	5.35E+00 $\pm 0.9 \pm 4.4$	1.16	0.78	1.02
27–28	27.5	4.31E+00 $\pm 1.0 \pm 4.4$	1.16	0.79	1.02
28–29	28.5	3.57E+00 $\pm 1.1 \pm 4.4$	1.15	0.79	1.02
29–30	29.5	2.86E+00 $\pm 1.2 \pm 4.4$	1.15	0.80	1.02
30–32	30.9	2.21E+00 $\pm 0.9 \pm 4.4$	1.14	0.80	1.02
32–34	32.9	1.55E+00 $\pm 1.1 \pm 4.5$	1.13	0.81	1.02
34–36	35.0	1.11E+00 $\pm 1.3 \pm 4.5$	1.12	0.82	1.01
36–38	37.0	8.22E-01 $\pm 1.5 \pm 6.5$	1.12	0.83	1.01
38–42	39.8	5.33E-01 $\pm 1.3 \pm 6.5$	1.11	0.83	1.01
42–46	43.8	3.02E-01 $\pm 1.8 \pm 6.5$	1.10	0.85	1.01
46–50	47.9	1.86E-01 $\pm 2.3 \pm 6.5$	1.09	0.86	1.01
50–60	54.2	8.75E-02 $\pm 2.1 \pm 10.9$	1.08	0.87	1.01
60–75	66.0	2.78E-02 $\pm 3.2 \pm 11.1$	1.07	0.89	1.01
75–95	82.9	7.97E-03 $\pm 5.4 \pm 11.2$	1.05	0.91	1.01
95–120	104.1	1.96E-03 $\pm 10.7 \pm 11.4$	1.04	0.92	1.01

Table A.4: The  $\psi(2S)$  differential cross section times dimuon branching fraction  $\mathcal{B} d\sigma/dp_T$  for the integrated rapidity range  $|y| < 1.2$ , in the unpolarized scenario. The relative uncertainties (first statistical and then systematic) are given in percent. The systematic uncertainties are to be treated as bin-to-bin correlated. The average  $p_T$  values,  $\langle p_T \rangle$ , are calculated after acceptance and efficiency corrections. Detector smearing has a negligible effect on this value. The last three columns list the scaling factors needed to obtain the cross sections corresponding to the polarization scenarios represented by the indicated  $\lambda_\theta^{\text{HX}}$  values.

$\Delta p_T$ [GeV]	$\langle p_T \rangle$ [GeV]	$\mathcal{B} d\sigma/dp_T$ [pb/GeV]	$\lambda_\theta^{\text{HX}}$ scaling factors		
			+1	-1	0.03
10–11	10.5	3.80E+01 $\pm$ 0.8 $\pm$ 7.5	1.31	0.68	1.01
11–12	11.5	2.41E+01 $\pm$ 0.8 $\pm$ 5.8	1.30	0.69	1.01
12–13	12.5	1.54E+01 $\pm$ 0.9 $\pm$ 5.1	1.28	0.69	1.01
13–14	13.5	1.02E+01 $\pm$ 1.0 $\pm$ 4.8	1.27	0.70	1.01
14–15	14.5	7.15E+00 $\pm$ 1.1 $\pm$ 4.7	1.26	0.71	1.01
15–16	15.5	4.79E+00 $\pm$ 1.3 $\pm$ 4.8	1.25	0.72	1.01
16–17	16.5	3.48E+00 $\pm$ 1.5 $\pm$ 4.6	1.24	0.72	1.01
17–18	17.5	2.52E+00 $\pm$ 1.7 $\pm$ 4.7	1.23	0.73	1.01
18–19	18.5	1.87E+00 $\pm$ 1.9 $\pm$ 4.6	1.22	0.74	1.01
19–20	19.5	1.34E+00 $\pm$ 2.2 $\pm$ 4.7	1.21	0.74	1.01
20–22.5	21.1	8.57E-01 $\pm$ 1.7 $\pm$ 5.1	1.20	0.75	1.01
22.5–25	23.6	4.61E-01 $\pm$ 2.2 $\pm$ 5.2	1.18	0.77	1.01
25–27.5	26.1	2.69E-01 $\pm$ 2.9 $\pm$ 5.8	1.16	0.78	1.01
27.5–30	28.7	1.65E-01 $\pm$ 3.7 $\pm$ 5.7	1.15	0.79	1.01
30–35	32.2	8.42E-02 $\pm$ 3.6 $\pm$ 6.0	1.13	0.81	1.00
35–40	37.2	3.47E-02 $\pm$ 5.8 $\pm$ 7.8	1.12	0.83	1.00
40–55	45.5	1.02E-02 $\pm$ 6.6 $\pm$ 8.2	1.10	0.85	1.00
55–75	62.4	2.35E-03 $\pm$ 12.7 $\pm$ 12.3	1.07	0.88	1.00
75–100	84.1	5.62E-04 $\pm$ 24.4 $\pm$ 12.6	1.05	0.91	1.00

Table A.5: The ratio of the  $\psi(2S)$  to  $J/\psi$  differential cross sections times dimuon branching fractions in percent, as a function of  $p_T$ , in the unpolarized scenario for  $|y| < 1.2$ . The first uncertainty is statistical and the second is systematic. The systematic uncertainties are to be treated as bin-to-bin correlated.

$\Delta p_T$ [GeV]	$\langle p_T \rangle$ [GeV]	$[\mathcal{B}\sigma(\psi(2S))]/[\mathcal{B}\sigma(J/\psi)]$ [%]
10–11	10.5	$3.75 \pm 0.03 \pm 0.11$
11–12	11.5	$3.93 \pm 0.03 \pm 0.11$
12–13	12.5	$4.04 \pm 0.04 \pm 0.11$
13–14	13.5	$4.11 \pm 0.04 \pm 0.11$
14–15	14.5	$4.30 \pm 0.05 \pm 0.12$
15–16	15.5	$4.20 \pm 0.06 \pm 0.11$
16–17	16.5	$4.39 \pm 0.07 \pm 0.12$
17–18	17.5	$4.42 \pm 0.08 \pm 0.12$
18–19	18.5	$4.45 \pm 0.09 \pm 0.12$
19–20	19.5	$4.37 \pm 0.10 \pm 0.11$
20–22.5	21.1	$4.49 \pm 0.08 \pm 0.05$
22.5–25	23.6	$4.58 \pm 0.10 \pm 0.05$
25–27.5	26.1	$4.69 \pm 0.14 \pm 0.04$
27.5–30	28.7	$4.85 \pm 0.18 \pm 0.05$
30–35	32.2	$4.84 \pm 0.18 \pm 0.05$
35–40	37.2	$4.47 \pm 0.26 \pm 0.05$
40–55	45.5	$4.47 \pm 0.30 \pm 0.04$
55–75	62.3	$6.08 \pm 0.80 \pm 0.12$
75–100	82.9	$7.64 \pm 1.98 \pm 0.41$



## B The CMS Collaboration

### Yerevan Physics Institute, Yerevan, Armenia

V. Khachatryan, A.M. Sirunyan, A. Tumasyan

### Institut für Hochenergiephysik der OeAW, Wien, Austria

W. Adam, T. Bergauer, M. Dragicevic, J. Erö, M. Friedl, R. Frühwirth<sup>1</sup>, V.M. Ghete, C. Hartl, N. Hörmann, J. Hrubec, M. Jeitler<sup>1</sup>, W. Kiesenhofer, V. Knünz, M. Krammer<sup>1</sup>, I. Krätschmer, D. Liko, I. Mikulec, D. Rabady<sup>2</sup>, B. Rahbaran, H. Rohringer, R. Schöfbeck, J. Strauss, W. Treberer-Treberspurg, W. Waltenberger, C.-E. Wulz<sup>1</sup>

### National Centre for Particle and High Energy Physics, Minsk, Belarus

V. Mossolov, N. Shumeiko, J. Suarez Gonzalez

### Universiteit Antwerpen, Antwerpen, Belgium

S. Alderweireldt, S. Bansal, T. Cornelis, E.A. De Wolf, X. Janssen, A. Knutsson, J. Lauwers, S. Luyckx, S. Ochesanu, R. Rougny, M. Van De Klundert, H. Van Haeevermaet, P. Van Mechelen, N. Van Remortel, A. Van Spilbeeck

### Vrije Universiteit Brussel, Brussel, Belgium

F. Blekman, S. Blyweert, J. D'Hondt, N. Daci, N. Heracleous, J. Keaveney, S. Lowette, M. Maes, A. Olbrechts, Q. Python, D. Strom, S. Tavernier, W. Van Doninck, P. Van Mulders, G.P. Van Onsem, I. Vilella

### Université Libre de Bruxelles, Bruxelles, Belgium

C. Caillol, B. Clerbaux, G. De Lentdecker, D. Dobur, L. Favart, A.P.R. Gay, A. Grebenyuk, A. Léonard, A. Mohammadi, L. Perniè<sup>2</sup>, A. Randle-conde, T. Reis, T. Seva, L. Thomas, C. Vander Velde, P. Vanlaer, J. Wang, F. Zenoni

### Ghent University, Ghent, Belgium

V. Adler, K. Beernaert, L. Benucci, A. Cimmino, S. Costantini, S. Crucy, A. Fagot, G. Garcia, J. Mccartin, A.A. Ocampo Rios, D. Poyraz, D. Ryckbosch, S. Salva Diblen, M. Sigamani, N. Strobbe, F. Thyssen, M. Tytgat, E. Yazgan, N. Zaganidis

### Université Catholique de Louvain, Louvain-la-Neuve, Belgium

S. Basegmez, C. Beluffi<sup>3</sup>, G. Bruno, R. Castello, A. Caudron, L. Ceard, G.G. Da Silveira, C. Delaere, T. du Pree, D. Favart, L. Forthomme, A. Giammanco<sup>4</sup>, J. Hollar, A. Jafari, P. Jez, M. Komm, V. Lemaître, C. Nuttens, D. Pagano, L. Perrini, A. Pin, K. Piotrkowski, A. Popov<sup>5</sup>, L. Quertenmont, M. Selvaggi, M. Vidal Marono, J.M. Vizan Garcia

### Université de Mons, Mons, Belgium

N. Bely, T. Caebergs, E. Daubie, G.H. Hammad

### Centro Brasileiro de Pesquisas Fisicas, Rio de Janeiro, Brazil

W.L. Aldá Júnior, G.A. Alves, L. Brito, M. Correa Martins Junior, T. Dos Reis Martins, J. Molina, C. Mora Herrera, M.E. Pol, P. Rebello Teles

### Universidade do Estado do Rio de Janeiro, Rio de Janeiro, Brazil

W. Carvalho, J. Chinellato<sup>6</sup>, A. Custódio, E.M. Da Costa, D. De Jesus Damiao, C. De Oliveira Martins, S. Fonseca De Souza, H. Malbouisson, D. Matos Figueiredo, L. Mundim, H. Nogima, W.L. Prado Da Silva, J. Santaolalla, A. Santoro, A. Sznajder, E.J. Tonelli Manganote<sup>6</sup>, A. Vilela Pereira

**Universidade Estadual Paulista <sup>a</sup>, Universidade Federal do ABC <sup>b</sup>, São Paulo, Brazil**

C.A. Bernardes<sup>b</sup>, S. Dogra<sup>a</sup>, T.R. Fernandez Perez Tomei<sup>a</sup>, E.M. Gregores<sup>b</sup>, P.G. Mercadante<sup>b</sup>, S.F. Novaes<sup>a</sup>, Sandra S. Padula<sup>a</sup>

**Institute for Nuclear Research and Nuclear Energy, Sofia, Bulgaria**

A. Aleksandrov, V. Genchev<sup>2</sup>, R. Hadjiiska, P. Iaydjiev, A. Marinov, S. Piperov, M. Rodozov, S. Stoykova, G. Sultanov, M. Vutova

**University of Sofia, Sofia, Bulgaria**

A. Dimitrov, I. Glushkov, L. Litov, B. Pavlov, P. Petkov

**Institute of High Energy Physics, Beijing, China**

J.G. Bian, G.M. Chen, H.S. Chen, M. Chen, T. Cheng, R. Du, C.H. Jiang, R. Plestina<sup>7</sup>, F. Romeo, J. Tao, Z. Wang

**State Key Laboratory of Nuclear Physics and Technology, Peking University, Beijing, China**

C. Asawatangtrakuldee, Y. Ban, W. Guo, S. Liu, Y. Mao, S.J. Qian, D. Wang, Z. Xu, F. Zhang<sup>8</sup>, L. Zhang, W. Zou

**Universidad de Los Andes, Bogota, Colombia**

C. Avila, A. Cabrera, L.F. Chaparro Sierra, C. Florez, J.P. Gomez, B. Gomez Moreno, J.C. Sanabria

**University of Split, Faculty of Electrical Engineering, Mechanical Engineering and Naval Architecture, Split, Croatia**

N. Godinovic, D. Lelas, D. Polic, I. Puljak

**University of Split, Faculty of Science, Split, Croatia**

Z. Antunovic, M. Kovac

**Institute Rudjer Boskovic, Zagreb, Croatia**

V. Brigljevic, K. Kadija, J. Luetic, D. Mekterovic, L. Sudic

**University of Cyprus, Nicosia, Cyprus**

A. Attikis, G. Mavromanolakis, J. Mousa, C. Nicolaou, F. Ptochos, P.A. Razis, H. Rykaczewski

**Charles University, Prague, Czech Republic**

M. Bodlak, M. Finger, M. Finger Jr.<sup>9</sup>

**Academy of Scientific Research and Technology of the Arab Republic of Egypt, Egyptian Network of High Energy Physics, Cairo, Egypt**

Y. Assran<sup>10</sup>, A. Ellithi Kamel<sup>11</sup>, M.A. Mahmoud<sup>12</sup>, A. Radi<sup>13,14</sup>

**National Institute of Chemical Physics and Biophysics, Tallinn, Estonia**

M. Kadastik, M. Murumaa, M. Raidal, A. Tiko

**Department of Physics, University of Helsinki, Helsinki, Finland**

P. Eerola, M. Voutilainen

**Helsinki Institute of Physics, Helsinki, Finland**

J. Härkönen, V. Karimäki, R. Kinnunen, M.J. Kortelainen, T. Lampén, K. Lassila-Perini, S. Lehti, T. Lindén, P. Luukka, T. Mäenpää, T. Peltola, E. Tuominen, J. Tuominiemi, E. Tuovinen, L. Wendland

**Lappeenranta University of Technology, Lappeenranta, Finland**

J. Talvitie, T. Tuuva

**DSM/IRFU, CEA/Saclay, Gif-sur-Yvette, France**

M. Besancon, F. Couderc, M. Dejardin, D. Denegri, B. Fabbro, J.L. Faure, C. Favaro, F. Ferri, S. Ganjour, A. Givernaud, P. Gras, G. Hamel de Monchenault, P. Jarry, E. Locci, J. Malcles, J. Rander, A. Rosowsky, M. Titov

**Laboratoire Leprince-Ringuet, Ecole Polytechnique, IN2P3-CNRS, Palaiseau, France**

S. Baffioni, F. Beaudette, P. Busson, E. Chapon, C. Charlot, T. Dahms, L. Dobrzynski, N. Filipovic, A. Florent, R. Granier de Cassagnac, L. Mastrolorenzo, P. Miné, I.N. Naranjo, M. Nguyen, C. Ochando, G. Ortona, P. Paganini, S. Regnard, R. Salerno, J.B. Sauvan, Y. Sirois, C. Veelken, Y. Yilmaz, A. Zabi

**Institut Pluridisciplinaire Hubert Curien, Université de Strasbourg, Université de Haute Alsace Mulhouse, CNRS/IN2P3, Strasbourg, France**

J.-L. Agram<sup>15</sup>, J. Andrea, A. Aubin, D. Bloch, J.-M. Brom, E.C. Chabert, C. Collard, E. Conte<sup>15</sup>, J.-C. Fontaine<sup>15</sup>, D. Gelé, U. Goerlach, C. Goetzmann, A.-C. Le Bihan, K. Skovpen, P. Van Hove

**Centre de Calcul de l'Institut National de Physique Nucleaire et de Physique des Particules, CNRS/IN2P3, Villeurbanne, France**

S. Gadrat

**Université de Lyon, Université Claude Bernard Lyon 1, CNRS-IN2P3, Institut de Physique Nucléaire de Lyon, Villeurbanne, France**

S. Beauceron, N. Beaupere, C. Bernet<sup>7</sup>, G. Boudoul<sup>2</sup>, E. Bouvier, S. Brochet, C.A. Carrillo Montoya, J. Chasserat, R. Chierici, D. Contardo<sup>2</sup>, B. Courbon, P. Depasse, H. El Mamouni, J. Fan, J. Fay, S. Gascon, M. Gouzevitch, B. Ille, T. Kurca, M. Lethuillier, L. Mirabito, A.L. Pequegnot, S. Perries, J.D. Ruiz Alvarez, D. Sabes, L. Sgandurra, V. Sordini, M. Vander Donckt, P. Verdier, S. Viret, H. Xiao

**Institute of High Energy Physics and Informatization, Tbilisi State University, Tbilisi, Georgia**

Z. Tsamalaidze<sup>9</sup>

**RWTH Aachen University, I. Physikalisches Institut, Aachen, Germany**

C. Autermann, S. Beranek, M. Bontenackels, M. Edelhoff, L. Feld, A. Heister, K. Klein, M. Lipinski, A. Ostapchuk, M. Preuten, F. Raupach, J. Sammet, S. Schael, J.F. Schulte, H. Weber, B. Wittmer, V. Zhukov<sup>5</sup>

**RWTH Aachen University, III. Physikalisches Institut A, Aachen, Germany**

M. Ata, M. Brodski, E. Dietz-Laursonn, D. Duchardt, M. Erdmann, R. Fischer, A. Güth, T. Hebbeker, C. Heidemann, K. Hoepfner, D. Klingebiel, S. Knutzen, P. Kreuzer, M. Merschmeyer, A. Meyer, P. Millet, M. Olschewski, K. Padeken, P. Papacz, H. Reithler, S.A. Schmitz, L. Sonnenschein, D. Teyssier, S. Thüer

**RWTH Aachen University, III. Physikalisches Institut B, Aachen, Germany**

V. Cherepanov, Y. Erdogan, G. Flügge, H. Geenen, M. Geisler, W. Haj Ahmad, F. Hoehle, B. Kargoll, T. Kress, Y. Kuessel, A. Künsken, J. Lingemann<sup>2</sup>, A. Nowack, I.M. Nugent, C. Pistone, O. Pooth, A. Stahl

**Deutsches Elektronen-Synchrotron, Hamburg, Germany**

M. Aldaya Martin, I. Asin, N. Bartosik, J. Behr, U. Behrens, A.J. Bell, A. Bethani, K. Borras, A. Burgmeier, A. Cakir, L. Calligaris, A. Campbell, S. Choudhury, F. Costanza, C. Diez Pardos, G. Dolinska, S. Dooling, T. Dorland, G. Eckerlin, D. Eckstein, T. Eichhorn, G. Flucke, J. Garay Garcia, A. Geiser, A. Gizhko, P. Gunnellini, J. Hauk, M. Hempel<sup>16</sup>, H. Jung, A. Kalogeropoulos, O. Karacheban<sup>16</sup>, M. Kasemann, P. Katsas, J. Kieseler, C. Kleinwort, I. Korol,

D. Krücker, W. Lange, J. Leonard, K. Lipka, A. Lobanov, W. Lohmann<sup>16</sup>, B. Lutz, R. Mankel, I. Marfin<sup>16</sup>, I.-A. Melzer-Pellmann, A.B. Meyer, G. Mittag, J. Mnich, A. Mussgiller, S. Naumann-Emme, A. Nayak, E. Ntomari, H. Perrey, D. Pitzl, R. Placakyte, A. Raspereza, P.M. Ribeiro Cipriano, B. Roland, E. Ron, M.Ö. Sahin, J. Salfeld-Nebgen, P. Saxena, T. Schoerner-Sadenius, M. Schröder, C. Seitz, S. Spannagel, A.D.R. Vargas Trevino, R. Walsh, C. Wissing

**University of Hamburg, Hamburg, Germany**

V. Blobel, M. Centis Vignali, A.R. Draeger, J. Erfle, E. Garutti, K. Goebel, M. Görner, J. Haller, M. Hoffmann, R.S. Höing, A. Junkes, H. Kirschenmann, R. Klanner, R. Kogler, T. Lapsien, T. Lenz, I. Marchesini, D. Marconi, J. Ott, T. Peiffer, A. Perieanu, N. Pietsch, J. Poehlsen, T. Poehlsen, D. Rathjens, C. Sander, H. Schettler, P. Schleper, E. Schlieckau, A. Schmidt, M. Seidel, V. Sola, H. Stadie, G. Steinbrück, D. Troendle, E. Usai, L. Vanelderen, A. Vanhoefer

**Institut für Experimentelle Kernphysik, Karlsruhe, Germany**

C. Barth, C. Baus, J. Berger, C. Böser, E. Butz, T. Chwalek, W. De Boer, A. Descroix, A. Dierlamm, M. Feindt, F. Frensch, M. Giffels, A. Gilbert, F. Hartmann<sup>2</sup>, T. Hauth, U. Husemann, I. Katkov<sup>5</sup>, A. Kornmayer<sup>2</sup>, P. Lobelle Pardo, M.U. Mozer, T. Müller, Th. Müller, A. Nürnberg, G. Quast, K. Rabbertz, S. Röcker, H.J. Simonis, F.M. Stober, R. Ulrich, J. Wagner-Kuhr, S. Wayand, T. Weiler, R. Wolf

**Institute of Nuclear and Particle Physics (INPP), NCSR Demokritos, Aghia Paraskevi, Greece**

G. Anagnostou, G. Daskalakis, T. Gerasis, V.A. Giakoumopoulou, A. Kyriakis, D. Loukas, A. Markou, C. Markou, A. Psallidas, I. Topsis-Giotis

**University of Athens, Athens, Greece**

A. Agapitos, S. Kesisoglou, A. Panagiotou, N. Saoulidou, E. Stiliaris, E. Tziaferi

**University of Ioánnina, Ioánnina, Greece**

X. Aslanoglou, I. Evangelou, G. Flouris, C. Foudas, P. Kokkas, N. Manthos, I. Papadopoulos, E. Paradas, J. Strologas

**Wigner Research Centre for Physics, Budapest, Hungary**

G. Bencze, C. Hajdu, P. Hidas, D. Horvath<sup>17</sup>, F. Sikler, V. Veszpremi, G. Vesztergombi<sup>18</sup>, A.J. Zsigmond

**Institute of Nuclear Research ATOMKI, Debrecen, Hungary**

N. Beni, S. Czellar, J. Karancsi<sup>19</sup>, J. Molnar, J. Palinkas, Z. Szillasi

**University of Debrecen, Debrecen, Hungary**

A. Makovec, P. Raics, Z.L. Trocsanyi, B. Ujvari

**National Institute of Science Education and Research, Bhubaneswar, India**

S.K. Swain

**Panjab University, Chandigarh, India**

S.B. Beri, V. Bhatnagar, R. Gupta, U. Bhawandeep, A.K. Kalsi, M. Kaur, R. Kumar, M. Mittal, N. Nishu, J.B. Singh

**University of Delhi, Delhi, India**

Ashok Kumar, Arun Kumar, S. Ahuja, A. Bhardwaj, B.C. Choudhary, A. Kumar, S. Malhotra, M. Naimuddin, K. Ranjan, V. Sharma

**Saha Institute of Nuclear Physics, Kolkata, India**

S. Banerjee, S. Bhattacharya, K. Chatterjee, S. Dutta, B. Gomber, Sa. Jain, Sh. Jain, R. Khurana, A. Modak, S. Mukherjee, D. Roy, S. Sarkar, M. Sharan

**Bhabha Atomic Research Centre, Mumbai, India**

A. Abdulsalam, D. Dutta, V. Kumar, A.K. Mohanty<sup>2</sup>, L.M. Pant, P. Shukla, A. Topkar

**Tata Institute of Fundamental Research, Mumbai, India**

T. Aziz, S. Banerjee, S. Bhowmik<sup>20</sup>, R.M. Chatterjee, R.K. Dewanjee, S. Dugad, S. Ganguly, S. Ghosh, M. Guchait, A. Gurtu<sup>21</sup>, G. Kole, S. Kumar, M. Maity<sup>20</sup>, G. Majumder, K. Mazumdar, G.B. Mohanty, B. Parida, K. Sudhakar, N. Wickramage<sup>22</sup>

**Indian Institute of Science Education and Research (IISER), Pune, India**

S. Sharma

**Institute for Research in Fundamental Sciences (IPM), Tehran, Iran**

H. Bakhshiansohi, H. Behnamian, S.M. Etesami<sup>23</sup>, A. Fahim<sup>24</sup>, R. Goldouzian, M. Khakzad, M. Mohammadi Najafabadi, M. Naseri, S. Paktinat Mehdiabadi, F. Rezaei Hosseinabadi, B. Safarzadeh<sup>25</sup>, M. Zeinali

**University College Dublin, Dublin, Ireland**

M. Felcini, M. Grunewald

**INFN Sezione di Bari <sup>a</sup>, Università di Bari <sup>b</sup>, Politecnico di Bari <sup>c</sup>, Bari, Italy**

M. Abbrescia<sup>a,b</sup>, C. Calabria<sup>a,b</sup>, S.S. Chhibra<sup>a,b</sup>, A. Colaleo<sup>a</sup>, D. Creanza<sup>a,c</sup>, L. Cristella<sup>a,b</sup>, N. De Filippis<sup>a,c</sup>, M. De Palma<sup>a,b</sup>, L. Fiore<sup>a</sup>, G. Iaselli<sup>a,c</sup>, G. Maggi<sup>a,c</sup>, M. Maggi<sup>a</sup>, S. My<sup>a,c</sup>, S. Nuzzo<sup>a,b</sup>, A. Pompili<sup>a,b</sup>, G. Pugliese<sup>a,c</sup>, R. Radogna<sup>a,b,2</sup>, G. Selvaggi<sup>a,b</sup>, A. Sharma<sup>a</sup>, L. Silvestris<sup>a,2</sup>, R. Venditti<sup>a,b</sup>, P. Verwilligen<sup>a</sup>

**INFN Sezione di Bologna <sup>a</sup>, Università di Bologna <sup>b</sup>, Bologna, Italy**

G. Abbiendi<sup>a</sup>, A.C. Benvenuti<sup>a</sup>, D. Bonacorsi<sup>a,b</sup>, S. Braibant-Giacomelli<sup>a,b</sup>, L. Brigliadori<sup>a,b</sup>, R. Campanini<sup>a,b</sup>, P. Capiluppi<sup>a,b</sup>, A. Castro<sup>a,b</sup>, F.R. Cavallo<sup>a</sup>, G. Codispoti<sup>a,b</sup>, M. Cuffiani<sup>a,b</sup>, G.M. Dallavalle<sup>a</sup>, F. Fabbri<sup>a</sup>, A. Fanfani<sup>a,b</sup>, D. Fasanella<sup>a,b</sup>, P. Giacomelli<sup>a</sup>, C. Grandi<sup>a</sup>, L. Guiducci<sup>a,b</sup>, S. Marcellini<sup>a</sup>, G. Masetti<sup>a</sup>, A. Montanari<sup>a</sup>, F.L. Navarria<sup>a,b</sup>, A. Perrotta<sup>a</sup>, A.M. Rossi<sup>a,b</sup>, T. Rovelli<sup>a,b</sup>, G.P. Siroli<sup>a,b</sup>, N. Tosi<sup>a,b</sup>, R. Travaglini<sup>a,b</sup>

**INFN Sezione di Catania <sup>a</sup>, Università di Catania <sup>b</sup>, CSFNSM <sup>c</sup>, Catania, Italy**

S. Albergo<sup>a,b</sup>, G. Cappello<sup>a</sup>, M. Chiorboli<sup>a,b</sup>, S. Costa<sup>a,b</sup>, F. Giordano<sup>a,2</sup>, R. Potenza<sup>a,b</sup>, A. Tricomi<sup>a,b</sup>, C. Tuve<sup>a,b</sup>

**INFN Sezione di Firenze <sup>a</sup>, Università di Firenze <sup>b</sup>, Firenze, Italy**

G. Barbagli<sup>a</sup>, V. Ciulli<sup>a,b</sup>, C. Civinini<sup>a</sup>, R. D'Alessandro<sup>a,b</sup>, E. Focardi<sup>a,b</sup>, E. Gallo<sup>a</sup>, S. Gozzi<sup>a,b</sup>, V. Gori<sup>a,b</sup>, P. Lenzi<sup>a,b</sup>, M. Meschini<sup>a</sup>, S. Paoletti<sup>a</sup>, G. Sguazzoni<sup>a</sup>, A. Tropiano<sup>a,b</sup>

**INFN Laboratori Nazionali di Frascati, Frascati, Italy**

L. Benussi, S. Bianco, F. Fabbri, D. Piccolo

**INFN Sezione di Genova <sup>a</sup>, Università di Genova <sup>b</sup>, Genova, Italy**

R. Ferretti<sup>a,b</sup>, F. Ferro<sup>a</sup>, M. Lo Vetere<sup>a,b</sup>, E. Robutti<sup>a</sup>, S. Tosi<sup>a,b</sup>

**INFN Sezione di Milano-Bicocca <sup>a</sup>, Università di Milano-Bicocca <sup>b</sup>, Milano, Italy**

M.E. Dinardo<sup>a,b</sup>, S. Fiorendi<sup>a,b</sup>, S. Gennai<sup>a,2</sup>, R. Gerosa<sup>a,b,2</sup>, A. Ghezzi<sup>a,b</sup>, P. Govoni<sup>a,b</sup>, M.T. Lucchini<sup>a,b,2</sup>, S. Malvezzi<sup>a</sup>, R.A. Manzoni<sup>a,b</sup>, A. Martelli<sup>a,b</sup>, B. Marzocchi<sup>a,b,2</sup>, D. Menasce<sup>a</sup>, L. Moroni<sup>a</sup>, M. Paganoni<sup>a,b</sup>, D. Pedrini<sup>a</sup>, S. Ragazzi<sup>a,b</sup>, N. Redaelli<sup>a</sup>, T. Tabarelli de Fatis<sup>a,b</sup>

**INFN Sezione di Napoli <sup>a</sup>, Università di Napoli 'Federico II' <sup>b</sup>, Università della Basilicata (Potenza) <sup>c</sup>, Università G. Marconi (Roma) <sup>d</sup>, Napoli, Italy**

S. Buontempo<sup>a</sup>, N. Cavallo<sup>a,c</sup>, S. Di Guida<sup>a,d,2</sup>, F. Fabozzi<sup>a,c</sup>, A.O.M. Iorio<sup>a,b</sup>, L. Lista<sup>a</sup>, S. Meola<sup>a,d,2</sup>, M. Merola<sup>a</sup>, P. Paolucci<sup>a,2</sup>

**INFN Sezione di Padova <sup>a</sup>, Università di Padova <sup>b</sup>, Università di Trento (Trento) <sup>c</sup>, Padova, Italy**

P. Azzi<sup>a</sup>, N. Bacchetta<sup>a</sup>, D. Bisello<sup>a,b</sup>, R. Carlin<sup>a,b</sup>, P. Checchia<sup>a</sup>, M. Dall'Osso<sup>a,b</sup>, T. Dorigo<sup>a</sup>, U. Dosselli<sup>a</sup>, F. Gasparini<sup>a,b</sup>, U. Gasparini<sup>a,b</sup>, A. Gozzelino<sup>a</sup>, S. Lacaprara<sup>a</sup>, M. Margoni<sup>a,b</sup>, A.T. Meneguzzo<sup>a,b</sup>, F. Montecassiano<sup>a</sup>, M. Passaseo<sup>a</sup>, J. Pazzini<sup>a,b</sup>, N. Pozzobon<sup>a,b</sup>, P. Ronchese<sup>a,b</sup>, F. Simonetto<sup>a,b</sup>, E. Torassa<sup>a</sup>, M. Tosi<sup>a,b</sup>, P. Zotto<sup>a,b</sup>, A. Zucchetta<sup>a,b</sup>, G. Zumerle<sup>a,b</sup>

**INFN Sezione di Pavia <sup>a</sup>, Università di Pavia <sup>b</sup>, Pavia, Italy**

M. Gabusi<sup>a,b</sup>, S.P. Ratti<sup>a,b</sup>, V. Re<sup>a</sup>, C. Riccardi<sup>a,b</sup>, P. Salvini<sup>a</sup>, P. Vitulo<sup>a,b</sup>

**INFN Sezione di Perugia <sup>a</sup>, Università di Perugia <sup>b</sup>, Perugia, Italy**

M. Biasini<sup>a,b</sup>, G.M. Bilei<sup>a</sup>, D. Ciangottini<sup>a,b,2</sup>, L. Fanò<sup>a,b</sup>, P. Lariccia<sup>a,b</sup>, G. Mantovani<sup>a,b</sup>, M. Menichelli<sup>a</sup>, A. Saha<sup>a</sup>, A. Santocchia<sup>a,b</sup>, A. Spiezia<sup>a,b,2</sup>

**INFN Sezione di Pisa <sup>a</sup>, Università di Pisa <sup>b</sup>, Scuola Normale Superiore di Pisa <sup>c</sup>, Pisa, Italy**

K. Androsov<sup>a,26</sup>, P. Azzurri<sup>a</sup>, G. Bagliesi<sup>a</sup>, J. Bernardini<sup>a</sup>, T. Boccali<sup>a</sup>, G. Broccolo<sup>a,c</sup>, R. Castaldi<sup>a</sup>, M.A. Ciocci<sup>a,26</sup>, R. Dell'Orso<sup>a</sup>, S. Donato<sup>a,c,2</sup>, G. Fedi, F. Fiori<sup>a,c</sup>, L. Foà<sup>a,c</sup>, A. Giassi<sup>a</sup>, M.T. Grippo<sup>a,26</sup>, F. Ligabue<sup>a,c</sup>, T. Lomtadze<sup>a</sup>, L. Martini<sup>a,b</sup>, A. Messineo<sup>a,b</sup>, C.S. Moon<sup>a,27</sup>, F. Palla<sup>a,2</sup>, A. Rizzi<sup>a,b</sup>, A. Savoy-Navarro<sup>a,28</sup>, A.T. Serban<sup>a</sup>, P. Spagnolo<sup>a</sup>, P. Squillacioti<sup>a,26</sup>, R. Tenchini<sup>a</sup>, G. Tonelli<sup>a,b</sup>, A. Venturi<sup>a</sup>, P.G. Verdini<sup>a</sup>, C. Vernieri<sup>a,c</sup>

**INFN Sezione di Roma <sup>a</sup>, Università di Roma <sup>b</sup>, Roma, Italy**

L. Barone<sup>a,b</sup>, F. Cavallari<sup>a</sup>, G. D'imperio<sup>a,b</sup>, D. Del Re<sup>a,b</sup>, M. Diemoz<sup>a</sup>, C. Jorda<sup>a</sup>, E. Longo<sup>a,b</sup>, F. Margaroli<sup>a,b</sup>, P. Meridiani<sup>a</sup>, F. Micheli<sup>a,b,2</sup>, G. Organtini<sup>a,b</sup>, R. Paramatti<sup>a</sup>, S. Rahatlou<sup>a,b</sup>, C. Rovelli<sup>a</sup>, F. Santanastasio<sup>a,b</sup>, L. Soffi<sup>a,b</sup>, P. Traczyk<sup>a,b,2</sup>

**INFN Sezione di Torino <sup>a</sup>, Università di Torino <sup>b</sup>, Università del Piemonte Orientale (Novara) <sup>c</sup>, Torino, Italy**

N. Amapane<sup>a,b</sup>, R. Arcidiacono<sup>a,c</sup>, S. Argiro<sup>a,b</sup>, M. Arneodo<sup>a,c</sup>, R. Bellan<sup>a,b</sup>, C. Biino<sup>a</sup>, N. Cartiglia<sup>a</sup>, S. Casasso<sup>a,b,2</sup>, M. Costa<sup>a,b</sup>, R. Covarelli, A. Degano<sup>a,b</sup>, N. Demaria<sup>a</sup>, L. Finco<sup>a,b,2</sup>, C. Mariotti<sup>a</sup>, S. Maselli<sup>a</sup>, E. Migliore<sup>a,b</sup>, V. Monaco<sup>a,b</sup>, M. Musich<sup>a</sup>, M.M. Obertino<sup>a,c</sup>, L. Pacher<sup>a,b</sup>, N. Pastrone<sup>a</sup>, M. Pelliccioni<sup>a</sup>, G.L. Pinna Angioni<sup>a,b</sup>, A. Potenza<sup>a,b</sup>, A. Romero<sup>a,b</sup>, M. Ruspa<sup>a,c</sup>, R. Sacchi<sup>a,b</sup>, A. Solano<sup>a,b</sup>, A. Staiano<sup>a</sup>, U. Tamponi<sup>a</sup>

**INFN Sezione di Trieste <sup>a</sup>, Università di Trieste <sup>b</sup>, Trieste, Italy**

S. Belforte<sup>a</sup>, V. Candelise<sup>a,b,2</sup>, M. Casarsa<sup>a</sup>, F. Cossutti<sup>a</sup>, G. Della Ricca<sup>a,b</sup>, B. Gobbo<sup>a</sup>, C. La Licata<sup>a,b</sup>, M. Marone<sup>a,b</sup>, A. Schizzi<sup>a,b</sup>, T. Umer<sup>a,b</sup>, A. Zanetti<sup>a</sup>

**Kangwon National University, Chunchon, Korea**

S. Chang, A. Kropivnitskaya, S.K. Nam

**Kyungpook National University, Daegu, Korea**

D.H. Kim, G.N. Kim, M.S. Kim, D.J. Kong, S. Lee, Y.D. Oh, H. Park, A. Sakharov, D.C. Son

**Chonbuk National University, Jeonju, Korea**

T.J. Kim, M.S. Ryu

**Chonnam National University, Institute for Universe and Elementary Particles, Kwangju, Korea**

J.Y. Kim, D.H. Moon, S. Song

**Korea University, Seoul, Korea**

S. Choi, D. Gyun, B. Hong, M. Jo, H. Kim, Y. Kim, B. Lee, K.S. Lee, S.K. Park, Y. Roh

**Seoul National University, Seoul, Korea**

H.D. Yoo

**University of Seoul, Seoul, Korea**

M. Choi, J.H. Kim, I.C. Park, G. Ryu

**Sungkyunkwan University, Suwon, Korea**

Y. Choi, Y.K. Choi, J. Goh, D. Kim, E. Kwon, J. Lee, I. Yu

**Vilnius University, Vilnius, Lithuania**

A. Juodagalvis

**National Centre for Particle Physics, Universiti Malaya, Kuala Lumpur, Malaysia**

J.R. Komaragiri, M.A.B. Md Ali<sup>29</sup>, W.A.T. Wan Abdullah

**Centro de Investigacion y de Estudios Avanzados del IPN, Mexico City, Mexico**

E. Casimiro Linares, H. Castilla-Valdez, E. De La Cruz-Burelo, I. Heredia-de La Cruz, A. Hernandez-Almada, R. Lopez-Fernandez, A. Sanchez-Hernandez

**Universidad Iberoamericana, Mexico City, Mexico**

S. Carrillo Moreno, F. Vazquez Valencia

**Benemerita Universidad Autonoma de Puebla, Puebla, Mexico**

I. Pedraza, H.A. Salazar Ibarguen

**Universidad Autónoma de San Luis Potosí, San Luis Potosí, Mexico**

A. Morelos Pineda

**University of Auckland, Auckland, New Zealand**

D. Krofcheck

**University of Canterbury, Christchurch, New Zealand**

P.H. Butler, S. Reucroft

**National Centre for Physics, Quaid-I-Azam University, Islamabad, Pakistan**

A. Ahmad, M. Ahmad, Q. Hassan, H.R. Hoorani, W.A. Khan, T. Khurshid, M. Shoaib

**National Centre for Nuclear Research, Swierk, Poland**

H. Bialkowska, M. Bluj, B. Boimska, T. Frueboes, M. Górski, M. Kazana, K. Nawrocki, K. Romanowska-Rybinska, M. Szleper, P. Zalewski

**Institute of Experimental Physics, Faculty of Physics, University of Warsaw, Warsaw, Poland**

G. Brona, K. Bunkowski, M. Cwiok, W. Dominik, K. Doroba, A. Kalinowski, M. Konecki, J. Krolikowski, M. Misiura, M. Olszewski

**Laboratório de Instrumentação e Física Experimental de Partículas, Lisboa, Portugal**

P. Bargassa, C. Beirão Da Cruz E Silva, P. Faccioli, P.G. Ferreira Parracho, M. Gallinaro, L. Lloret Iglesias, F. Nguyen, J. Rodrigues Antunes, J. Seixas, D. Vadruccio, J. Varela, P. Vischia

**Joint Institute for Nuclear Research, Dubna, Russia**

S. Afanasiev, I. Golutvin, V. Karjavin, V. Konoplyanikov, V. Korenkov, G. Kozlov, A. Lanev, A. Malakhov, V. Matveev<sup>30</sup>, V.V. Mitsyn, P. Moisezenz, V. Palichik, V. Perelygin, S. Shmatov, N. Skatchkov, V. Smirnov, E. Tikhonenko, A. Zarubin

**Petersburg Nuclear Physics Institute, Gatchina (St. Petersburg), Russia**

V. Golovtsov, Y. Ivanov, V. Kim<sup>31</sup>, E. Kuznetsova, P. Levchenko, V. Murzin, V. Oreshkin, I. Smirnov, V. Sulimov, L. Uvarov, S. Vavilov, A. Vorobyev, An. Vorobyev

**Institute for Nuclear Research, Moscow, Russia**

Yu. Andreev, A. Dermenev, S. Gninenko, N. Golubev, M. Kirsanov, N. Krasnikov, A. Pashenkov, D. Tlisov, A. Toropin

**Institute for Theoretical and Experimental Physics, Moscow, Russia**

V. Epshteyn, V. Gavrilov, N. Lychkovskaya, V. Popov, I. Pozdnyakov, G. Safronov, S. Semenov, A. Spiridonov, V. Stolin, E. Vlasov, A. Zhokin

**P.N. Lebedev Physical Institute, Moscow, Russia**

V. Andreev, M. Azarkin<sup>32</sup>, I. Dremin<sup>32</sup>, M. Kirakosyan, A. Leonidov<sup>32</sup>, G. Mesyats, S.V. Rusakov, A. Vinogradov

**Skobeltsyn Institute of Nuclear Physics, Lomonosov Moscow State University, Moscow, Russia**

A. Belyaev, E. Boos, M. Dubinin<sup>33</sup>, L. Dudko, A. Ershov, A. Gribushin, V. Klyukhin, O. Kodolova, I. Lokhtin, S. Obraztsov, S. Petrushanko, V. Savrin, A. Snigirev

**State Research Center of Russian Federation, Institute for High Energy Physics, Protvino, Russia**

I. Azhgirey, I. Bayshev, S. Bitioukov, V. Kachanov, A. Kalinin, D. Konstantinov, V. Krychkine, V. Petrov, R. Ryutin, A. Sobol, L. Tourtchanovitch, S. Troshin, N. Tyurin, A. Uzunian, A. Volkov

**University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia**

P. Adzic<sup>34</sup>, M. Ekmedzic, J. Milosevic, V. Rekovic

**Centro de Investigaciones Energéticas Medioambientales y Tecnológicas (CIEMAT), Madrid, Spain**

J. Alcaraz Maestre, C. Battilana, E. Calvo, M. Cerrada, M. Chamizo Llatas, N. Colino, B. De La Cruz, A. Delgado Peris, D. Domínguez Vázquez, A. Escalante Del Valle, C. Fernandez Bedoya, J.P. Fernández Ramos, J. Flix, M.C. Fouz, P. Garcia-Abia, O. Gonzalez Lopez, S. Goy Lopez, J.M. Hernandez, M.I. Josa, E. Navarro De Martino, A. Pérez-Calero Yzquierdo, J. Puerta Pelayo, A. Quintario Olmeda, I. Redondo, L. Romero, M.S. Soares

**Universidad Autónoma de Madrid, Madrid, Spain**

C. Albajar, J.F. de Trocóniz, M. Missiroli, D. Moran

**Universidad de Oviedo, Oviedo, Spain**

H. Brun, J. Cuevas, J. Fernandez Menendez, S. Folgueras, I. Gonzalez Caballero

**Instituto de Física de Cantabria (IFCA), CSIC-Universidad de Cantabria, Santander, Spain**

J.A. Brochero Cifuentes, I.J. Cabrillo, A. Calderon, J. Duarte Campderros, M. Fernandez, G. Gomez, A. Graziano, A. Lopez Virto, J. Marco, R. Marco, C. Martinez Rivero, F. Matorras, F.J. Munoz Sanchez, J. Piedra Gomez, T. Rodrigo, A.Y. Rodríguez-Marrero, A. Ruiz-Jimeno, L. Scodellaro, I. Vila, R. Vilar Cortabitarte

**CERN, European Organization for Nuclear Research, Geneva, Switzerland**

D. Abbaneo, E. Auffray, G. Auzinger, M. Bachtis, P. Baillon, A.H. Ball, D. Barney, A. Benaglia, J. Bendavid, L. Benhabib, J.F. Benitez, P. Bloch, A. Bocci, A. Bonato, O. Bondu, C. Botta, H. Breuker, T. Camporesi, G. Cerminara, S. Colafranceschi<sup>35</sup>, M. D'Alfonso, D. d'Enterria, A. Dabrowski, A. David, F. De Guio, A. De Roeck, S. De Visscher, E. Di Marco, M. Dobson,



M. Dordevic, B. Dorney, N. Dupont-Sagorin, A. Elliott-Peisert, G. Franzoni, W. Funk, D. Gigi, K. Gill, D. Giordano, M. Girone, F. Glege, R. Guida, S. Gundacker, M. Guthoff, J. Hammer, M. Hansen, P. Harris, J. Hegeman, V. Innocente, P. Janot, K. Kousouris, K. Krajczar, P. Lecoq, C. Lourenço, N. Magini, L. Malgeri, M. Mannelli, J. Marrouche, L. Masetti, F. Meijers, S. Mersi, E. Meschi, F. Moortgat, S. Morovic, M. Mulders, S. Orfanelli, L. Orsini, L. Pape, E. Perez, A. Petrilli, G. Petrucciani, A. Pfeiffer, M. Pimiä, D. Piparo, M. Plagge, A. Racz, G. Rolandi<sup>36</sup>, M. Rovere, H. Sakulin, C. Schäfer, C. Schwick, A. Sharma, P. Siegrist, P. Silva, M. Simon, P. Sphicas<sup>37</sup>, D. Spiga, J. Steggemann, B. Stieger, M. Stoye, Y. Takahashi, D. Treille, A. Tsirou, G.I. Veres<sup>18</sup>, N. Wardle, H.K. Wöhri, H. Wollny, W.D. Zeuner

**Paul Scherrer Institut, Villigen, Switzerland**

W. Bertl, K. Deiters, W. Erdmann, R. Horisberger, Q. Ingram, H.C. Kaestli, D. Kotlinski, U. Langenegger, D. Renker, T. Rohe

**Institute for Particle Physics, ETH Zurich, Zurich, Switzerland**

F. Bachmair, L. Bäni, L. Bianchini, M.A. Buchmann, B. Casal, N. Chanon, G. Dissertori, M. Dittmar, M. Donegà, M. Dünser, P. Eller, C. Grab, D. Hits, J. Hoss, G. Kasieczka, W. Lustermann, B. Mangano, A.C. Marini, M. Marionneau, P. Martinez Ruiz del Arbol, M. Masciovecchio, D. Meister, N. Mohr, P. Musella, C. Nägeli<sup>38</sup>, F. Nessi-Tedaldi, F. Pandolfi, F. Pauss, L. Perrozzi, M. Peruzzi, M. Quitnat, L. Rebane, M. Rossini, A. Starodumov<sup>39</sup>, M. Takahashi, K. Theofilatos, R. Wallny, H.A. Weber

**Universität Zürich, Zurich, Switzerland**

C. AMSLER<sup>40</sup>, M.F. Canelli, V. Chiochia, A. De Cosa, A. Hinzmann, T. Hreus, B. Kilminster, C. Lange, J. Ngadiuba, D. Pinna, P. Robmann, F.J. Ronga, S. Taroni, Y. Yang

**National Central University, Chung-Li, Taiwan**

M. Cardaci, K.H. Chen, C. Ferro, C.M. Kuo, W. Lin, Y.J. Lu, R. Volpe, S.S. Yu

**National Taiwan University (NTU), Taipei, Taiwan**

P. Chang, Y.H. Chang, Y. Chao, K.F. Chen, P.H. Chen, C. Dietz, U. Grundler, W.-S. Hou, Y.F. Liu, R.-S. Lu, M. Miñano Moya, E. Petrakou, J.F. Tsai, Y.M. Tzeng, R. Wilken

**Chulalongkorn University, Faculty of Science, Department of Physics, Bangkok, Thailand**

B. Asavapibhop, G. Singh, N. Srimanobhas, N. Suwonjandee

**Cukurova University, Adana, Turkey**

A. Adiguzel, M.N. Bakirci<sup>41</sup>, S. Cerci<sup>42</sup>, C. Dozen, I. Dumanoglu, E. Eskut, S. Girgis, G. Gokbulut, Y. Guler, E. Gurpinar, I. Hos, E.E. Kangal<sup>43</sup>, A. Kayis Topaksu, G. Onengut<sup>44</sup>, K. Ozdemir<sup>45</sup>, S. Ozturk<sup>41</sup>, A. Polatoz, D. Sunar Cerci<sup>42</sup>, B. Tali<sup>42</sup>, H. Topakli<sup>41</sup>, M. Vergili, C. Zorbilmez

**Middle East Technical University, Physics Department, Ankara, Turkey**

I.V. Akin, B. Bilin, S. Bilmis, H. Gamsizkan<sup>46</sup>, B. Isildak<sup>47</sup>, G. Karapinar<sup>48</sup>, K. Ocalan<sup>49</sup>, S. Sekmen, U.E. Surat, M. Yalvac, M. Zeyrek

**Bogazici University, Istanbul, Turkey**

E.A. Albayrak<sup>50</sup>, E. Gülmez, M. Kaya<sup>51</sup>, O. Kaya<sup>52</sup>, T. Yetkin<sup>53</sup>

**Istanbul Technical University, Istanbul, Turkey**

K. Cankocak, F.I. Vardarli

**National Scientific Center, Kharkov Institute of Physics and Technology, Kharkov, Ukraine**

L. Levchuk, P. Sorokin

**University of Bristol, Bristol, United Kingdom**

J.J. Brooke, E. Clement, D. Cussans, H. Flacher, J. Goldstein, M. Grimes, G.P. Heath, H.F. Heath, J. Jacob, L. Kreczko, C. Lucas, Z. Meng, D.M. Newbold<sup>54</sup>, S. Paramesvaran, A. Poll, T. Sakuma, S. Seif El Nasr-storey, S. Senkin, V.J. Smith

**Rutherford Appleton Laboratory, Didcot, United Kingdom**

K.W. Bell, A. Belyaev<sup>55</sup>, C. Brew, R.M. Brown, D.J.A. Cockerill, J.A. Coughlan, K. Harder, S. Harper, E. Olaiya, D. Petyt, C.H. Shepherd-Themistocleous, A. Thea, I.R. Tomalin, T. Williams, W.J. Womersley, S.D. Worm

**Imperial College, London, United Kingdom**

M. Baber, R. Bainbridge, O. Buchmuller, D. Burton, D. Colling, N. Cripps, P. Dauncey, G. Davies, M. Della Negra, P. Dunne, A. Elwood, W. Ferguson, J. Fulcher, D. Futyan, G. Hall, G. Iles, M. Jarvis, G. Karapostoli, M. Kenzie, R. Lane, R. Lucas<sup>54</sup>, L. Lyons, A.-M. Magnan, S. Malik, B. Mathias, J. Nash, A. Nikitenko<sup>39</sup>, J. Pela, M. Pesaresi, K. Petridis, D.M. Raymond, S. Rogerson, A. Rose, C. Seez, P. Sharp<sup>†</sup>, A. Tapper, M. Vazquez Acosta, T. Virdee, S.C. Zenz

**Brunel University, Uxbridge, United Kingdom**

J.E. Cole, P.R. Hobson, A. Khan, P. Kyberd, D. Leggat, D. Leslie, I.D. Reid, P. Symonds, L. Teodorescu, M. Turner

**Baylor University, Waco, USA**

J. Dittmann, K. Hatakeyama, A. Kasmi, H. Liu, N. Pastika, T. Scarborough, Z. Wu

**The University of Alabama, Tuscaloosa, USA**

O. Charaf, S.I. Cooper, C. Henderson, P. Rumerio

**Boston University, Boston, USA**

A. Avetisyan, T. Bose, C. Fantasia, P. Lawson, C. Richardson, J. Rohlf, J. St. John, L. Sulak

**Brown University, Providence, USA**

J. Alimena, E. Berry, S. Bhattacharya, G. Christopher, D. Cutts, Z. Demiragli, N. Dhingra, A. Ferapontov, A. Garabedian, U. Heintz, E. Laird, G. Landsberg, Z. Mao, M. Narain, S. Sagir, T. Sinthuprasith, T. Speer, J. Swanson

**University of California, Davis, Davis, USA**

R. Breedon, G. Breto, M. Calderon De La Barca Sanchez, S. Chauhan, M. Chertok, J. Conway, R. Conway, P.T. Cox, R. Erbacher, M. Gardner, W. Ko, R. Lander, M. Mulhearn, D. Pellett, J. Pilot, F. Ricci-Tam, S. Shalhout, J. Smith, M. Squires, D. Stolp, M. Tripathi, S. Wilbur, R. Yohay

**University of California, Los Angeles, USA**

R. Cousins, P. Everaerts, C. Farrell, J. Hauser, M. Ignatenko, G. Rakness, E. Takasugi, V. Valuev, M. Weber

**University of California, Riverside, Riverside, USA**

K. Burt, R. Clare, J. Ellison, J.W. Gary, G. Hanson, J. Heilman, M. Ivova Rikova, P. Jandir, E. Kennedy, F. Lacroix, O.R. Long, A. Luthra, M. Malberti, M. Olmedo Negrete, A. Shrinivas, S. Sumowidagdo, S. Wimpenny

**University of California, San Diego, La Jolla, USA**

J.G. Branson, G.B. Cerati, S. Cittolin, R.T. D'Agno, A. Holzner, R. Kelley, D. Klein, J. Letts, I. Macneill, D. Olivito, S. Padhi, C. Palmer, M. Pieri, M. Sani, V. Sharma, S. Simon, M. Tadel, Y. Tu, A. Vartak, C. Welke, F. Würthwein, A. Yagil, G. Zevi Della Porta

**University of California, Santa Barbara, Santa Barbara, USA**

D. Barge, J. Bradmiller-Feld, C. Campagnari, T. Danielson, A. Dishaw, V. Dutta, K. Flowers, M. Franco Sevilla, P. Geffert, C. George, F. Golf, L. Gouskos, J. Incandela, C. Justus, N. Mccoll, S.D. Mullin, J. Richman, D. Stuart, W. To, C. West, J. Yoo

**California Institute of Technology, Pasadena, USA**

A. Apresyan, A. Bornheim, J. Bunn, Y. Chen, J. Duarte, A. Mott, H.B. Newman, C. Pena, M. Pierini, M. Spiropulu, J.R. Vlimant, R. Wilkinson, S. Xie, R.Y. Zhu

**Carnegie Mellon University, Pittsburgh, USA**

V. Azzolini, A. Calamba, B. Carlson, T. Ferguson, Y. Iiyama, M. Paulini, J. Russ, H. Vogel, I. Vorobiev

**University of Colorado at Boulder, Boulder, USA**

J.P. Cumalat, W.T. Ford, A. Gaz, M. Krohn, E. Luiggi Lopez, U. Nauenberg, J.G. Smith, K. Stenson, S.R. Wagner

**Cornell University, Ithaca, USA**

J. Alexander, A. Chatterjee, J. Chaves, J. Chu, S. Dittmer, N. Eggert, N. Mirman, G. Nicolas Kaufman, J.R. Patterson, A. Ryd, E. Salvati, L. Skinnari, W. Sun, W.D. Teo, J. Thom, J. Thompson, J. Tucker, Y. Weng, L. Winstrom, P. Wittich

**Fairfield University, Fairfield, USA**

D. Winn

**Fermi National Accelerator Laboratory, Batavia, USA**

S. Abdullin, M. Albrow, J. Anderson, G. Apollinari, L.A.T. Bauerdick, A. Beretvas, J. Berryhill, P.C. Bhat, G. Bolla, K. Burkett, J.N. Butler, H.W.K. Cheung, F. Chlebana, S. Cihangir, V.D. Elvira, I. Fisk, J. Freeman, E. Gottschalk, L. Gray, D. Green, S. Grünendahl, O. Gutsche, J. Hanlon, D. Hare, R.M. Harris, J. Hirschauer, B. Hooberman, S. Jindariani, M. Johnson, U. Joshi, B. Klima, B. Kreis, S. Kwan<sup>†</sup>, J. Linacre, D. Lincoln, R. Lipton, T. Liu, R. Lopes De Sá, J. Lykken, K. Maeshima, J.M. Marraffino, V.I. Martinez Outschoorn, S. Maruyama, D. Mason, P. McBride, P. Merkel, K. Mishra, S. Mrenna, S. Nahn, C. Newman-Holmes, V. O'Dell, O. Prokofyev, E. Sexton-Kennedy, A. Soha, W.J. Spalding, L. Spiegel, L. Taylor, S. Tkaczyk, N.V. Tran, L. Uplegger, E.W. Vaandering, R. Vidal, A. Whitbeck, J. Whitmore, F. Yang

**University of Florida, Gainesville, USA**

D. Acosta, P. Avery, P. Bortignon, D. Bourilkov, M. Carver, D. Curry, S. Das, M. De Gruttola, G.P. Di Giovanni, R.D. Field, M. Fisher, I.K. Furic, J. Hugon, J. Konigsberg, A. Korytov, T. Kypreos, J.F. Low, K. Matchev, H. Mei, P. Milenovic<sup>56</sup>, G. Mitselmakher, L. Muniz, A. Rinkevicius, L. Shchutska, M. Snowball, D. Sperka, J. Yelton, M. Zakaria

**Florida International University, Miami, USA**

S. Hewamanage, S. Linn, P. Markowitz, G. Martinez, J.L. Rodriguez

**Florida State University, Tallahassee, USA**

J.R. Adams, T. Adams, A. Askew, J. Bochenek, B. Diamond, J. Haas, S. Hagopian, V. Hagopian, K.F. Johnson, H. Prosper, V. Veeraraghavan, M. Weinberg

**Florida Institute of Technology, Melbourne, USA**

M.M. Baarmand, M. Hohlmann, H. Kalakhety, F. Yumiceva

**University of Illinois at Chicago (UIC), Chicago, USA**

M.R. Adams, L. Apanasevich, D. Berry, R.R. Betts, I. Bucinskaite, R. Cavanaugh, O. Evdokimov,

L. Gauthier, C.E. Gerber, D.J. Hofman, P. Kurt, C. O'Brien, I.D. Sandoval Gonzalez, C. Silkworth, P. Turner, N. Varelas

**The University of Iowa, Iowa City, USA**

B. Bilki<sup>57</sup>, W. Clarida, K. Dilsiz, M. Haytmyradov, V. Khristenko, J.-P. Merlo, H. Mermerkaya<sup>58</sup>, A. Mestvirishvili, A. Moeller, J. Nachtman, H. Ogul, Y. Onel, F. Ozok<sup>50</sup>, A. Penzo, R. Rahmat, S. Sen, P. Tan, E. Tiras, J. Wetzel, K. Yi

**Johns Hopkins University, Baltimore, USA**

I. Anderson, B.A. Barnett, B. Blumenfeld, S. Bolognesi, D. Fehling, A.V. Gritsan, P. Maksimovic, C. Martin, M. Swartz, M. Xiao

**The University of Kansas, Lawrence, USA**

P. Baringer, A. Bean, G. Benelli, C. Bruner, J. Gray, R.P. Kenny III, D. Majumder, M. Malek, M. Murray, D. Noonan, S. Sanders, J. Sekaric, R. Stringer, Q. Wang, J.S. Wood

**Kansas State University, Manhattan, USA**

I. Chakaberia, A. Ivanov, K. Kaadze, S. Khalil, M. Makouski, Y. Maravin, L.K. Saini, N. Skhirtladze, I. Svintradze

**Lawrence Livermore National Laboratory, Livermore, USA**

J. Gronberg, D. Lange, F. Rebassoo, D. Wright

**University of Maryland, College Park, USA**

C. Anelli, A. Baden, A. Belloni, B. Calvert, S.C. Eno, J.A. Gomez, N.J. Hadley, S. Jabeen, R.G. Kellogg, T. Kolberg, Y. Lu, A.C. Mignerey, K. Pedro, Y.H. Shin, A. Skuja, M.B. Tonjes, S.C. Tonwar

**Massachusetts Institute of Technology, Cambridge, USA**

A. Apyan, R. Barbieri, K. Bierwagen, W. Busza, I.A. Cali, L. Di Matteo, G. Gomez Ceballos, M. Goncharov, D. Gulhan, M. Klute, Y.S. Lai, Y.-J. Lee, A. Levin, P.D. Luckey, C. Paus, D. Ralph, C. Roland, G. Roland, G.S.F. Stephans, K. Sumorok, D. Velicanu, J. Veverka, B. Wyslouch, M. Yang, M. Zanetti, V. Zhukova

**University of Minnesota, Minneapolis, USA**

B. Dahmes, A. Gude, S.C. Kao, K. Klapoetke, Y. Kubota, J. Mans, S. Nourbakhsh, R. Rusack, A. Singovsky, N. Tambe, J. Turkewitz

**University of Mississippi, Oxford, USA**

J.G. Acosta, S. Oliveros

**University of Nebraska-Lincoln, Lincoln, USA**

E. Avdeeva, K. Bloom, S. Bose, D.R. Claes, A. Dominguez, R. Gonzalez Suarez, J. Keller, D. Knowlton, I. Kravchenko, J. Lazo-Flores, F. Meier, F. Ratnikov, G.R. Snow, M. Zvada

**State University of New York at Buffalo, Buffalo, USA**

J. Dolen, A. Godshalk, I. Iashvili, A. Kharchilava, A. Kumar, S. Rappoccio

**Northeastern University, Boston, USA**

G. Alverson, E. Barberis, D. Baumgartel, M. Chasco, A. Massironi, D.M. Morse, D. Nash, T. Orimoto, D. Trocino, R.-J. Wang, D. Wood, J. Zhang

**Northwestern University, Evanston, USA**

K.A. Hahn, A. Kubik, N. Mucia, N. Odell, B. Pollack, A. Pozdnyakov, M. Schmitt, S. Stoynev, K. Sung, M. Trovato, M. Velasco, S. Won

**University of Notre Dame, Notre Dame, USA**

A. Brinkerhoff, K.M. Chan, A. Drozdetskiy, M. Hildreth, C. Jessop, D.J. Karmgard, N. Kellams, K. Lannon, S. Lynch, N. Marinelli, Y. Musienko<sup>30</sup>, T. Pearson, M. Planer, R. Ruchti, G. Smith, N. Valls, M. Wayne, M. Wolf, A. Woodard

**The Ohio State University, Columbus, USA**

L. Antonelli, J. Brinson, B. Bylsma, L.S. Durkin, S. Flowers, A. Hart, C. Hill, R. Hughes, K. Kotov, T.Y. Ling, W. Luo, D. Puigh, M. Rodenburg, B.L. Winer, H. Wolfe, H.W. Wulsin

**Princeton University, Princeton, USA**

O. Driga, P. Elmer, J. Hardenbrook, P. Hebda, S.A. Koay, P. Lujan, D. Marlow, T. Medvedeva, M. Mooney, J. Olsen, P. Piroué, X. Quan, H. Saka, D. Stickland<sup>2</sup>, C. Tully, J.S. Werner, A. Zuranski

**University of Puerto Rico, Mayaguez, USA**

E. Brownson, S. Malik, H. Mendez, J.E. Ramirez Vargas

**Purdue University, West Lafayette, USA**

V.E. Barnes, D. Benedetti, D. Bortoletto, L. Gutay, Z. Hu, M.K. Jha, M. Jones, K. Jung, M. Kress, N. Leonardo, D.H. Miller, N. Neumeister, F. Primavera, B.C. Radburn-Smith, X. Shi, I. Shipsey, D. Silvers, A. Svyatkovskiy, F. Wang, W. Xie, L. Xu, J. Zablocki

**Purdue University Calumet, Hammond, USA**

N. Parashar, J. Stupak

**Rice University, Houston, USA**

A. Adair, B. Akgun, K.M. Ecklund, F.J.M. Geurts, W. Li, B. Michlin, B.P. Padley, R. Redjimi, J. Roberts, J. Zabel

**University of Rochester, Rochester, USA**

B. Betchart, A. Bodek, P. de Barbaro, R. Demina, Y. Eshaq, T. Ferbel, M. Galanti, A. Garcia-Bellido, P. Goldenzweig, J. Han, A. Harel, O. Hindrichs, A. Khukhunaishvili, S. Korjenevski, G. Petrillo, M. Verzetti, D. Vishnevskiy

**The Rockefeller University, New York, USA**

R. Ciesielski, L. Demortier, K. Goulianos, C. Mesropian

**Rutgers, The State University of New Jersey, Piscataway, USA**

S. Arora, A. Barker, J.P. Chou, C. Contreras-Campana, E. Contreras-Campana, D. Duggan, D. Ferencek, Y. Gershtein, R. Gray, E. Halkiadakis, D. Hidas, E. Hughes, S. Kaplan, A. Lath, S. Panwalkar, M. Park, S. Salur, S. Schnetzer, D. Sheffield, S. Somalwar, R. Stone, S. Thomas, P. Thomassen, M. Walker

**University of Tennessee, Knoxville, USA**

K. Rose, S. Spanier, A. York

**Texas A&M University, College Station, USA**

O. Bouhali<sup>59</sup>, A. Castaneda Hernandez, M. Dalchenko, M. De Mattia, S. Dildick, R. Eusebi, W. Flanagan, J. Gilmore, T. Kamon<sup>60</sup>, V. Khotilovich, V. Krutelyov, R. Montalvo, I. Osipenkov, Y. Pakhotin, R. Patel, A. Perloff, J. Roe, A. Rose, A. Safonov, I. Suarez, A. Tatarinov, K.A. Ulmer

**Texas Tech University, Lubbock, USA**

N. Akchurin, C. Cowden, J. Damgov, C. Dragoiu, P.R. Duderu, J. Faulkner, K. Kovitanggoon, S. Kunori, S.W. Lee, T. Libeiro, I. Volobouev

**Vanderbilt University, Nashville, USA**

E. Appelt, A.G. Delannoy, S. Greene, A. Gurrola, W. Johns, C. Maguire, Y. Mao, A. Melo, M. Sharma, P. Sheldon, B. Snook, S. Tuo, J. Velkovska

**University of Virginia, Charlottesville, USA**

M.W. Arenton, S. Boutle, B. Cox, B. Francis, J. Goodell, R. Hirosky, A. Ledovskoy, H. Li, C. Lin, C. Neu, E. Wolfe, J. Wood

**Wayne State University, Detroit, USA**

C. Clarke, R. Harr, P.E. Karchin, C. Kottachchi Kankanamge Don, P. Lamichhane, J. Sturdy

**University of Wisconsin, Madison, USA**

D.A. Belknap, D. Carlsmith, M. Cepeda, S. Dasu, L. Dodd, S. Duric, E. Friis, R. Hall-Wilton, M. Herndon, A. Hervé, P. Klabbers, A. Lanaro, C. Lazaridis, A. Levine, R. Loveless, A. Mohapatra, I. Ojalvo, T. Perry, G.A. Pierro, G. Polese, I. Ross, T. Sarangi, A. Savin, W.H. Smith, D. Taylor, C. Vuosalo, N. Woods

†: Deceased

1: Also at Vienna University of Technology, Vienna, Austria

2: Also at CERN, European Organization for Nuclear Research, Geneva, Switzerland

3: Also at Institut Pluridisciplinaire Hubert Curien, Université de Strasbourg, Université de Haute Alsace Mulhouse, CNRS/IN2P3, Strasbourg, France

4: Also at National Institute of Chemical Physics and Biophysics, Tallinn, Estonia

5: Also at Skobeltsyn Institute of Nuclear Physics, Lomonosov Moscow State University, Moscow, Russia

6: Also at Universidade Estadual de Campinas, Campinas, Brazil

7: Also at Laboratoire Leprince-Ringuet, Ecole Polytechnique, IN2P3-CNRS, Palaiseau, France

8: Also at Université Libre de Bruxelles, Bruxelles, Belgium

9: Also at Joint Institute for Nuclear Research, Dubna, Russia

10: Also at Suez University, Suez, Egypt

11: Also at Cairo University, Cairo, Egypt

12: Also at Fayoum University, El-Fayoum, Egypt

13: Also at British University in Egypt, Cairo, Egypt

14: Now at Ain Shams University, Cairo, Egypt

15: Also at Université de Haute Alsace, Mulhouse, France

16: Also at Brandenburg University of Technology, Cottbus, Germany

17: Also at Institute of Nuclear Research ATOMKI, Debrecen, Hungary

18: Also at Eötvös Loránd University, Budapest, Hungary

19: Also at University of Debrecen, Debrecen, Hungary

20: Also at University of Visva-Bharati, Santiniketan, India

21: Now at King Abdulaziz University, Jeddah, Saudi Arabia

22: Also at University of Ruhuna, Matara, Sri Lanka

23: Also at Isfahan University of Technology, Isfahan, Iran

24: Also at University of Tehran, Department of Engineering Science, Tehran, Iran

25: Also at Plasma Physics Research Center, Science and Research Branch, Islamic Azad University, Tehran, Iran

26: Also at Università degli Studi di Siena, Siena, Italy

27: Also at Centre National de la Recherche Scientifique (CNRS) - IN2P3, Paris, France

28: Also at Purdue University, West Lafayette, USA

29: Also at International Islamic University of Malaysia, Kuala Lumpur, Malaysia

30: Also at Institute for Nuclear Research, Moscow, Russia

- 
- 31: Also at St. Petersburg State Polytechnical University, St. Petersburg, Russia
- 32: Also at National Research Nuclear University 'Moscow Engineering Physics Institute' (MEPhI), Moscow, Russia
- 33: Also at California Institute of Technology, Pasadena, USA
- 34: Also at Faculty of Physics, University of Belgrade, Belgrade, Serbia
- 35: Also at Facoltà Ingegneria, Università di Roma, Roma, Italy
- 36: Also at Scuola Normale e Sezione dell'INFN, Pisa, Italy
- 37: Also at University of Athens, Athens, Greece
- 38: Also at Paul Scherrer Institut, Villigen, Switzerland
- 39: Also at Institute for Theoretical and Experimental Physics, Moscow, Russia
- 40: Also at Albert Einstein Center for Fundamental Physics, Bern, Switzerland
- 41: Also at Gaziosmanpasa University, Tokat, Turkey
- 42: Also at Adiyaman University, Adiyaman, Turkey
- 43: Also at Mersin University, Mersin, Turkey
- 44: Also at Cag University, Mersin, Turkey
- 45: Also at Piri Reis University, Istanbul, Turkey
- 46: Also at Anadolu University, Eskisehir, Turkey
- 47: Also at Ozyegin University, Istanbul, Turkey
- 48: Also at Izmir Institute of Technology, Izmir, Turkey
- 49: Also at Necmettin Erbakan University, Konya, Turkey
- 50: Also at Mimar Sinan University, Istanbul, Istanbul, Turkey
- 51: Also at Marmara University, Istanbul, Turkey
- 52: Also at Kafkas University, Kars, Turkey
- 53: Also at Yildiz Technical University, Istanbul, Turkey
- 54: Also at Rutherford Appleton Laboratory, Didcot, United Kingdom
- 55: Also at School of Physics and Astronomy, University of Southampton, Southampton, United Kingdom
- 56: Also at University of Belgrade, Faculty of Physics and Vinca Institute of Nuclear Sciences, Belgrade, Serbia
- 57: Also at Argonne National Laboratory, Argonne, USA
- 58: Also at Erzincan University, Erzincan, Turkey
- 59: Also at Texas A&M University at Qatar, Doha, Qatar
- 60: Also at Kyungpook National University, Daegu, Korea