

Keyword Index

6082-T6 Aluminium Alloy 375

A

Abrasion Resistance 207
AC Magnetic Testing 351
Accident 399
Adaptive Testing 351
Additivity 239
Adhesion 381
Adhesion Test 189
AGC 119
Aging 239
Aging Process 83
Al-Cu-Fe System 441
Al-Nb 131
Al₃Nb 131
AlMn₁Si0.8 387
AlSi10 387
Alumina 95
Alumina Based Ceramic 143
Alumina Powder 35
Aluminum Alloy 149, 155, 167, 239
Aluminum-Plating Technology 387
Anodization 339
Antimicrobial Properties 327
Antimony 393
Aqueous Polymer Solution 345
Austenite Transformation Temperature 23
Austenitic-Martensitic Transformation 89
Austenitic Steel 447
Austenitization 465

B

Banded Pearlite 465
Barrelling 453
Bidegree Graphs 459
Biocompatible Metal 381
Biocompatible Polymer 381
Biocomposites 59
Biodegradable Polymers 59
Bond Development 387
Bonding Fault 387
Bone 233
Boron Steel 195
Brasses 291

C

C# 447
Casting 131
CB 65
Cell Size 113

Cellular Automaton 465
Cellulose 59
Ceramic 435
Ceramic Injection Molding 35
Ceramic Layers 435
Chemical Etching 201
Coating 381
Coffin-Manson Law 47
Color Etching 297
Composition 213
Compressive Properties 3, 219
Constitutive Equations 413
Content Estimating 247
Continuum Mechanics 413
Coronary Stent 113
Crater Wear Model 227
Crime 399
Cutting 227
Cutting Capacity 71
Cylinder Test 189
Cylindrical Upsetting 453

D

Deformation 315
Deformation Stored Energy 23
Dental Implant 233
Dental Implant Material 201
Design of Experiments 71, 181
DIFT 23
Dislocations 53
Dispersion 65
DMTA 291
DRX 167
DSC 101, 291
DTA/TGA 95
Ductility 53
Durability 207
Dynamics 413

E

EBSD 285, 309, 447
Elastomer 9, 65
Electrochemical Etching 333
Electrochemical Impedance Spectroscopy 333
Electrochemical Methods 41
Electron Back Scattering Diffraction (EBSD) 297
Energy Based Prediction 47
ESTHPAD Method 441
Evaluation 29
Examination Method 113
Expanded Clay 207

| | |
|----------------------------|-----|
| Expanded Glass | 207 |
| Experimental Duo Mill..... | 387 |
| Extraction | 131 |

F

| | |
|--|---------|
| Fatigue Crack Growth (FCG) | 375 |
| Fatigue Crack Propagation (FCG) | 155 |
| FCC Metals..... | 137 |
| Feedstock..... | 95 |
| Ferrite Grain Refinement..... | 23 |
| Ferritic Nitrocarburising..... | 77, 253 |
| Fiber Reinforced Composite..... | 181 |
| Fiber Reinforced Polymer Matrix Composites..... | 425 |
| Fine-Particle Content..... | 213 |
| Fine Turning | 71 |
| Finite Difference Method | 465 |
| Flexidone | 9 |
| Flexinol..... | 89 |
| Flexural Modulus..... | 181 |
| Floe Process..... | 253 |
| Flow Curve | 453 |
| Forensic Science..... | 399 |
| Forming Limit Diagram | 271 |
| Friction Stir Welding (FSW) | 155 |
| Frost Resistance..... | 207 |
| Frost Scaling..... | 207 |
| FTIR | 101 |
| Fullerene | 459 |

G

| | |
|-----------------------------|-----|
| Gauge Control | 119 |
| Grade 2 Titanium..... | 201 |
| Grade 5 Titanium..... | 201 |
| Grain Growth..... | 465 |
| Grain Refinement | 167 |
| Graphene Nanoplatelets..... | 65 |
| Guidewire | 363 |

H

| | |
|---|--------------|
| Hardening Mechanism..... | 239 |
| Hardening Power | 345 |
| Hardness Analyze..... | 291 |
| Heat Affected Zone (HAZ) Test..... | 149 |
| Heat Transfer Coefficient | 419 |
| High Cycle Fatigue (HCF) | 29, 155, 375 |
| High-Strength Low-Alloy (HSLA) Steel | 149 |
| High Strength Steels | 29, 271 |
| Hollow Sphere Reinforcement | 219 |
| Hot Compression Test | 167 |
| Hot Rolling | 125, 387 |
| Hot Rolling Mill | 119 |
| Hot Tensile Test | 149 |
| Hybrid Approach | 419 |
| Hybrid Syntactic Foams | 219 |
| Hydraulic Capsule | 119 |

| | |
|---------------------------------|-----|
| Hydraulic Gap Control | 125 |
| Hydrochloric Acid Pickling..... | 369 |
| Hydrothermal..... | 41 |
| Hysteresis of Shape Memory..... | 89 |

I

| | |
|---|----------|
| IHCP | 419 |
| Image Analysis | 393 |
| IMC..... | 357 |
| Implant..... | 265 |
| Implant Materials | 327 |
| <i>In Situ</i> Metal Matrix Composite | 77 |
| <i>In Situ</i> Optical Microscopy | 279 |
| Insertion | 233 |
| Intermetallic Compound | 333 |
| Intermetallics | 131 |
| Ion Milling | 285, 309 |
| Isothermal Fatigue | 47 |

L

| | |
|--|-----|
| Laser Granulometry | 35 |
| Laser Hardening | 321 |
| LB Film..... | 259 |
| LC Enamel-Grade Steel | 315 |
| Lead-Free Solder | 357 |
| Leakage | 119 |
| Lightweight Aggregate Concrete (LWAC) | 207 |
| Limit Curve | 155 |
| Low Carbon Steel | 195 |
| Low Cycle Fatigue | 47 |
| Low Cycle Thermal Fatigue | 351 |

M

| | |
|--|--------------------|
| Macroscopic Materialparameters | 137 |
| Martensitic Transformation | 161, 279 |
| Master Alloy | 131 |
| Material Deterioration | 351 |
| Maximum Achievable Cell Diameter | 113 |
| Mean Field Homogenization | 425 |
| Measuring Software..... | 447 |
| Mechanical Degradation | 83 |
| Medical Modelling | 15 |
| Melt Stated Separation | 247 |
| Metal Matrix Composite | 3 |
| Metal Matrix Syntactic Foams | 219 |
| Metal to Artery Ratio (MAR) | 113 |
| Metallic Surface Area (MSA) | 113 |
| Micromechanical Method | 189 |
| Micromechanics | 425 |
| Micromorphology | 265 |
| Microstructure | 107, 131, 143, 315 |
| Milling | 65 |
| Misorientation | 447 |
| Multiple Forging | 239 |

N

| | |
|-------------------------------------|-----|
| Nanocomposite..... | 65 |
| Nanopatterning..... | 259 |
| Natural Fibers..... | 59 |
| NDT..... | 351 |
| Necklace..... | 167 |
| Nil-Strength Temperature (NST)..... | 149 |
| NiTi..... | 89 |
| Nitinol..... | 89 |
| Non-Destructive Measurements..... | 303 |
| Nonwoven Material..... | 41 |
| Nucleation..... | 465 |
| Nye-Tensor..... | 447 |

O

| | |
|----------------------------|-----|
| One-Way Effect..... | 89 |
| Optical Microscopy..... | 297 |
| Optimization..... | 419 |
| Ordered Nanostructure..... | 259 |
| Orientation..... | 315 |
| Osseointegration..... | 265 |
| Overpickling..... | 369 |

P

| | |
|--|--------------|
| Paraffin Wax..... | 35 |
| Particle Filled | 425 |
| Phase Diagram..... | 441 |
| Phase Diagram Calculation | 441 |
| Phase Transformation..... | 107 |
| Phosphorus Content..... | 339 |
| Physical Simulation..... | 23, 149, 375 |
| Piezoelectric Material..... | 41 |
| Plasticizer | 9 |
| Plated by Rolling | 387 |
| Plating with Mechanical Press..... | 387 |
| PLGA..... | 381 |
| Poly (Lactic Acid) | 59 |
| Polymer Separation | 247 |
| Polyurethane | 9, 233 |
| Porosity..... | 253 |
| Potentiodynamic Polarization Measurement..... | 327 |
| Powder Injection Molding..... | 95 |
| Pressure Infiltration | 3 |
| Pressure Vessel..... | 47 |
| Pressure Welding..... | 387 |
| Principle of Virtual Work | 453 |
| Properties..... | 143 |
| Pumping..... | 213 |
| PUR | 381 |

Q

| | |
|----------------------------------|-----|
| Qualification..... | 213 |
| Quasi-Dislocation Density..... | 447 |
| Quenchant Characterization | 345 |
| Quenching | 29 |

R

| | |
|-------------------------------------|----------|
| Radiodetectability | 363 |
| Rapid Prototyping | 15 |
| Reactor | 47 |
| Ready-Mix Concrete..... | 213 |
| Real-Time | 125 |
| Recrystallization | 195, 291 |
| Relief | 279 |
| Remnant Life Time Estimation | 351 |
| Representative Volume Element | 425 |
| Residual Stress..... | 303 |
| Residual Stress Measurement | 321 |
| Rheological Analysis | 35 |
| Rolling | 53, 387 |
| Rotational Work | 233 |
| RSM Method | 71 |
| Rykalin-3D Model | 149 |

S

| | |
|--|--------------------|
| Sample Preparation..... | 309 |
| Sandwich Sheet Rolling..... | 387 |
| SBR..... | 65 |
| Scale Removal | 369 |
| SEM | 101, 285, 309, 447 |
| SEM Analysis | 83 |
| Severe Plastic Deformation (SPD) | 137 |
| Shape Memory Alloy..... | 89 |
| Sheet Metal Forming | 271 |
| Silica Glass | 405 |
| Silicon Modification | 393 |
| Silver Coating | 327 |
| Simulation..... | 125, 465 |
| Simulation Device | 369 |
| $\sin^2\psi$ Method | 303 |
| Sintering Time | 143 |
| SmartQuench | 345 |
| Sodium Alginate | 101 |
| Solder Microstructure | 333 |
| Specimen Preparation | 285 |
| Spinal Disc..... | 15 |
| SQIntergra | 345 |
| Stability Prediction | 459 |
| Stainless Steel | 107, 381 |
| Statistical Analysis | 71 |
| Steel | 297 |
| Steel Sheet | 369 |
| Stent Pattern | 113 |
| Strength..... | 53 |
| Stress Tensor | 303 |
| Strontium | 393 |
| Surface Hardening | 107 |
| Surface Roughness | 265 |
| Surface Roughness Measurement | 71 |
| Surface Roughness Parameters | 435 |
| Surface Treatment | 201, 339 |
| Syntactic Foam | 3 |

T

| | |
|---------------------------------|-----|
| Tempering | 29 |
| Tensile Modulus | 181 |
| Thermal Analysis..... | 35 |
| Thermodynamics | 413 |
| Thermoelectric Power | 195 |
| Thermomechanical Treatment..... | 53 |
| Tin-Bronzes | 291 |
| TiN Coated Tool..... | 227 |
| Titanium Alloy | 339 |
| Titanium-Dioxide | 339 |
| Topological Invariant | 459 |
| Torque | 233 |
| TRIP Steel | 161 |
| TWIP Steel | 161 |

U

| | |
|--|-----|
| Ultra High Molecular Weight Polyethylene (UHMWPE) | 101 |
| Ultrafine-Grained Titanium..... | 265 |
| UV Laser | 259 |

V

| | |
|-------------------|-----|
| Viscoelastic..... | 291 |
| Viscosity | 405 |
| Visibility | 363 |

W

| | |
|--------------------------|-----|
| Waste Stream..... | 247 |
| Wear..... | 435 |
| Weldability | 149 |
| Welded Joints | 29 |
| Welding | 375 |
| Welding by Rolling | 387 |
| White Layer..... | 253 |
| Wood | 233 |

X

| | |
|------------------------|---------------|
| X-Ray Diffraction..... | 303, 321, 357 |
|------------------------|---------------|

Z

| | |
|--------------------------|----|
| Zeolite Filled TPU | 83 |
| ZnO Nanorod | 41 |