


Pipistrellus minahassae, Minahassa Pipistrelle

Assessment by: Görföl, T., Francis, C.M., Kingston, T. & Hutson, A.M.



View on www.iucnredlist.org

Citation: Görföl, T., Francis, C.M., Kingston, T. & Hutson, A.M. 2016. *Pipistrellus minahassae*. *The IUCN Red List of Threatened Species* 2016: e.T17350A22127132.

<http://dx.doi.org/10.2305/IUCN.UK.2016-2.RLTS.T17350A22127132.en>

Copyright: © 2016 International Union for Conservation of Nature and Natural Resources

Reproduction of this publication for educational or other non-commercial purposes is authorized without prior written permission from the copyright holder provided the source is fully acknowledged.

Reproduction of this publication for resale, reposting or other commercial purposes is prohibited without prior written permission from the copyright holder. For further details see [Terms of Use](#).

The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission](#) (SSC) and [The IUCN Red List Partnership](#). The IUCN Red List Partners are: [Arizona State University](#); [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [NatureServe](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); and [Zoological Society of London](#).

If you see any errors or have any questions or suggestions on what is shown in this document, please provide us with [feedback](#) so that we can correct or extend the information provided.

Taxonomy

Kingdom	Phylum	Class	Order	Family
Animalia	Chordata	Mammalia	Chiroptera	Vespertilionidae

Taxon Name: *Pipistrellus minahassae* (Meyer, 1899)

Common Name(s):

- English: Minahassa Pipistrelle

Assessment Information

Red List Category & Criteria: Data Deficient [ver 3.1](#)

Year Published: 2016

Date Assessed: December 24, 2015

Justification:

This bat is assessed as Data Deficient as it is known only from the type specimen and a few specimens provisionally determined as *Pipistrellus minahassae* in the collection of AMNH and ZMA. There is nothing known of the species' range, ecology, population status or major threats.

Previously Published Red List Assessments

2008 – Data Deficient (DD) – <http://dx.doi.org/10.2305/IUCN.UK.2008.RLTS.T17350A7007895.en>

1996 – Data Deficient (DD)

Geographic Range

Range Description:


The species is known only from one specimen from the type locality: Tomohon, Minahassa, in northern Sulawesi, Indonesia (Simmons 2005). Two other specimens – one mentioned by Tate (1942) as provisionally identified as *P. minahassae* – are in the collection of AMNH, collected in Tolai and in Roeroekan, northern Sulawesi. Two other specimens from Tobelo, northern Sulawesi are in the collection of ZMA, but all of these specimens need to be re-examined whether they represent *P. minahassae* or not.

Country Occurrence:

Native: Indonesia

Distribution Map

Pipistrellus minahassae



Pipistrellus minahassae

Range

Extant (resident)

Compiled by:
IUCN (International Union for
Conservation of Nature)



The boundaries and names shown and the designations used on this map do not imply any official endorsement, acceptance or opinion by IUCN.



Population

The abundance and population size of this species are not known.

Current Population Trend: Unknown

Habitat and Ecology (see Appendix for additional information)

There is no information available about the ecology and habitat preferences of this species.

Systems: Terrestrial

Threats

The threats to this species are not known.

Conservation Actions (see Appendix for additional information)

It is not known if the species is present in any protected areas. Further studies are needed into the distribution, abundance, natural history and threats to this species.

Credits

Assessor(s): Görföl, T., Francis, C.M., Kingston, T. & Hutson, A.M.

Reviewer(s): Piraccini, R.

Bibliography

American Museum of Natural History: AMNH Mammal Collections, 2015-02-11. Accessed via <http://www.gbif.org/> on 2015-12-16

IUCN. 2016. The IUCN Red List of Threatened Species. Version 2016-2. Available at: www.iucnredlist.org. (Accessed: 04 September 2016).

Naturalis Biodiversity Center: Naturalis Biodiversity Center (NL) - Mammalia, 2015-06-08. Accessed via <http://www.gbif.org/> on 2015-12-16

Pacifici, M., Santini, L., Di Marco, M., Baisero, D., Francucci, L., Grottolo Marasini, G., Visconti, P. and Rondinini, C. 2013. Generation length for mammals. *Nature Conservation* 5: 87–94.

Simmons, N.B. 2005. Order Chiroptera. In: D.E. Wilson and D.M. Reeder (eds), *Mammal Species of the World*, pp. 312–529. The Johns Hopkins University Press, Baltimore, MD, USA.

Tate, G.H.H. 1942. Results of the Archbold Expeditions. No. 47. Review of the vespertilionine bats, with special attention to genera and species of the Archbold Collections. *Bulletin of the American Museum of Natural History* 80: 221–297.

Citation

Görföl, T., Francis, C.M., Kingston, T. & Hutson, A.M. 2016. *Pipistrellus minahassae*. *The IUCN Red List of Threatened Species 2016*: e.T17350A22127132. <http://dx.doi.org/10.2305/IUCN.UK.2016-2.RLTS.T17350A22127132.en>

Disclaimer

To make use of this information, please check the [Terms of Use](#).

External Resources

For [Images and External Links to Additional Information](#), please see the [Red List website](#).

Appendix

Habitats

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Habitat	Season	Suitability	Major Importance?
0. Root -> 18. Unknown	-	Suitable	-

Conservation Actions in Place

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Conservation Actions in Place
In-Place Land/Water Protection and Management
Occur in at least one PA: Unknown

Research Needed

(<http://www.iucnredlist.org/technical-documents/classification-schemes>)

Research Needed
1. Research -> 1.2. Population size, distribution & trends
1. Research -> 1.3. Life history & ecology
1. Research -> 1.5. Threats

Additional Data Fields

Distribution
Estimated extent of occurrence (EOO) (km ²): 42
Population
Continuing decline of mature individuals: Unknown
Population severely fragmented: No
Continuing decline in subpopulations: Unknown
Habitats and Ecology
Generation Length (years): 5.2

The IUCN Red List Partnership



The IUCN Red List of Threatened Species™ is produced and managed by the [IUCN Global Species Programme](#), the [IUCN Species Survival Commission \(SSC\)](#) and [The IUCN Red List Partnership](#).

The IUCN Red List Partners are: [Arizona State University](#); [BirdLife International](#); [Botanic Gardens Conservation International](#); [Conservation International](#); [NatureServe](#); [Royal Botanic Gardens, Kew](#); [Sapienza University of Rome](#); [Texas A&M University](#); and [Zoological Society of London](#).