DR PHILIPP KOEHLER (Orcid ID: 0000-0002-7386-7495)

PROFESSOR MATTEO BASSETTI (Orcid ID: 0000-0002-2004-3724)

DR LENA KLINGSPOR (Orcid ID: 0000-0001-8259-3556)

DR SILKE SCHELENZ (Orcid ID: 0000-0002-0108-4619)

MR JON SALMANTON-GARCÍA (Orcid ID: 0000-0002-6766-8297)

DR VALENTINA ARSIC ARSENIJEVIC (Orcid ID: 0000-0001-8132-3300)

DR PETR HAMAL (Orcid ID: 0000-0002-5361-8125)

PROFESSOR VOLKAN ÖZENCI (Orcid ID: 0000-0002-8069-4027)

DR ALIDA FE TALENTO (Orcid ID: 0000-0003-1271-2550)

DR MARTIN HÖENIGL (Orcid ID: 0000-0002-1653-2824)

PROFESSOR OLIVER A. CORNELY (Orcid ID: 0000-0001-9599-3137)

Article type : Original Article

ECMM CandiReg – A Ready to use Platform for Outbreaks and Epidemiological Studies

Philipp Koehler¹, Maiken Cavling Arendrup^{2,3,4}, Sevtap Arikan-Akdagli⁵, Matteo Bassetti⁶, Stéphane Bretagne⁷, Lena Klingspor⁸, Katrien Lagrou⁹, Jacques F. Meis¹⁰, Riina Rautemaa-Richardson¹¹, Silke Schelenz¹², Axel Hamprecht¹³, Felix C. Koehler¹⁴, Oliver Kurzai¹⁵, Jon Salmanton-Garcia¹⁶, Jörg-Janne Vehreschild^{16,17}, Alexandre Alanio⁷, Ana Alastruey-Izquierdo¹⁸, Valentina Arsic Arsenijevic¹⁹, Jean-Pierre Gangneux²⁰, Neil A.R. Gow²¹, Suzana Hadina²², Petr Hamal²³, Elizabeth Johnson²⁴, Nikolay Klimko²⁵, Cornelia Lass-Flörl²⁶, Mihai Mares²⁷, Volkan Özenci²⁸, Tamas Papp²⁹, Emmanuel Roilides³⁰, Raquel Sabino³¹, Esther Segal³², Alida Fe Talento³³, Anna Maria Tortorano³⁴, Paul E. Verweij³⁵, Martin Hoenigl³⁶, and Oliver A. Cornely^{1,37} on behalf of the ECMM

- University of Cologne, Faculty of Medicine, Department I of Internal Medicine, Center for Integrated Oncology Aachen Bonn Cologne Duesseldorf (CIO ABCD), European Diamond Excellence Center for Medical Mycology (ECMM), Cologne and University of Cologne, Cologne Excellence Cluster on Cellular Stress Responses in Aging-Associated Diseases (CECAD), Cologne, Germany.
- ² Unit of Mycology, Statens Serum Institute, Copenhagen Denmark.
- ³ Department of Clinical Microbiology, Rigshospitalet, Copenhagen, Denmark.
- ⁴ Department of Clinical Medicine, Copenhagen University, Copenhagen, Denmark.

This article has been accepted for publication and undergone full peer review but has not been through the copyediting, typesetting, pagination and proofreading process, which may lead to differences between this version and the Version of Record. Please cite this article as doi: 10.1111/myc.12963

- ⁵ Department of Medical Microbiology, Hacettepe University School of Medicine, Ankara, Turkey.
- Infectious Diseases Clinic, Department of Medicine University of Udine and Azienda Sanitaria Universitaria Integrata di Udine, Udine, Italy.
- Parasitology-Mycology Laboratory, Lariboisière Saint-Louis Fernand Widal Hospitals, Assistance Publique-Hôpitaux de Paris (APHP), Université Paris Diderot, Université de Paris, Institut Pasteur, Molecular Mycology Unit, CNRS, UMR2000, Paris, France.
- ⁸ Department of Laboratory Medicine, Clinical Microbiology, Karolinska Institutet, Karolinska University Hospital, Stockholm, Sweden.
- Laboratory of Clinical Bacteriology and Mycology, Department of Microbiology, Immunology and Transplantation, Excellence Center for Medical Mycology (ECMM), KU Leuven, and Department of Laboratory Medicine and National Reference Center for Mycosis, Excellence Center for Medical Mycology (ECMM), University Hospitals Leuven, Leuven, Belgium.
- Department of Medical Microbiology and Infectious Diseases, Excellence Center for Medical Mycology (ECMM), Center of Expertise in Mycology Radboudumc/CWZ, Canisius Wilhelmina Hospital, Nijmegen, The Netherlands.
- Department of Infectious Diseases and Mycology Reference Centre Manchester, Manchester University NHS Foundation Trust and Division of Infection, Immunity and Respiratory Medicine, Faculty of Biology, Medicine and Health, The University of Manchester, Southmoor Road, Manchester, United Kingdom.
- Department of Microbiology, Royal Brompton Hospital, London, United Kingdom.
- ¹³ Institute for Medical Microbiology, Immunology and Hygiene, University Hospital of Cologne, Cologne, Germany.
- University of Cologne, Faculty of Medicine, Department II of Internal Medicine, Center for Molecular Medicine Cologne and Cologne Excellence Cluster on Cellular Stress Responses in Aging-Associated Diseases (CECAD), Cologne, Germany
- National Reference Center for Invasive Fungal Infections, Leibniz Institute for Natural Product Research and Infection Biology Hans Knoell Institute, Jena, Germany and Institute for Hygiene and Microbiology, Julius Maximilians University of Wuerzburg, Wuerzburg, Germany.
- University of Cologne, Faculty of Medicine, Department I of Internal Medicine, Center for Integrated Oncology Aachen Bonn Cologne Duesseldorf (CIO ABCD), European Diamond Excellence Center for Medical Mycology (ECMM), Cologne, Germany
- ¹⁷ Center for Internal Medicine, Hematology and Oncology, University Hospital of Frankfurt, Goethe University Frankfurt, Frankfurt am Main, Germany; German Centre for Infection Research, Partner Site Bonn-Cologne, Cologne, Germany.
- ¹⁸ National Centre for Micobiology, Instituto de Salud Carlos III, 28220 Majadahonda, Madrid, Spain.
- National Reference Medical Mycology Laboratory, Faculty of Medicine, Institute of Microbiology and Immunology, University of Belgrade, Belgrade, Serbia.

- ²⁰ Institut de Recherche en Santé, Environnement et travail, Inserm, CHU de Rennes, EHESP, Université de Rennes, UMR_S 1085, Rennes, France.
- School of Biosciences, Geoffrey Pope Building, University of Exeter, Stocker Road, Exeter, EX4 4QD, United Kingdom.
- Department of Microbiology and Infectious Diseases with Clinic, Faculty of Veterinary Medicine, University of Zagreb, Heinzelova 55, 10000, Zagreb, Croatia.
- Department of Microbiology, Faculty of Medicine and Dentistry, Palacky University Olomouc and University Hospital Olomouc, Olomouc, Czechia.
- Public Health England Mycology Reference Laboratory, National Infection Services, PHE South West Laboratory, Science Quarter, Southmead Hospital, Southmead, Bristol, United Kingdom.
- Department of Clinical Mycology, Allergy and Immunology, North Western State Medical University, Saint Petersburg, Russia.
- Division of Hygiene and Medical Microbiology, Excellence Center for Medical Mycology (ECMM), Medical University of Innsbruck, Innsbruck, Austria.
- ²⁷ Laboratory of Antimicrobial Chemotherapy, Ion Ionescu de la Brad University, Iași, Romania.
- Department of Clinical Microbiology, Karolinska University Hospital and Division of Clinical Microbiology, Department of Laboratory Medicine, Karolinska Institutet, Stockholm, Sweden.
- ²⁹ Interdisciplinary Excellence Centre, Department of Microbiology, University of Szeged, Hungary.
- ³⁰ Infectious Diseases Unit, 3rd Department of Pediatrics, Faculty of Medicine, Aristotle University School of Health Sciences, Hippokration General Hospital, Thessaloniki, Greece.
- Nacional Institute of Health Dr. Ricardo Jorge Reference Unit for Parasitic and Fungal Infections Department of Infectious Diseases, Lisbon, Portugal.
- Department of Clinical Microbiology and Immunology, Sackler School of Medicine, Tel Aviv University, Tel Aviv, Israel.
- Department of Clinical Microbiology, Royal College of Surgeons Ireland, and Microbiology Department, Our Lady of Lourdes Hospital, Drogheda and Beaumont Hospital, Dublin 9, Ireland.
- ³⁴ Department of Biomedical Sciences for Health, Università degli Studi di Milano, Milan, Italy.
- Department of Medical Microbiology, Excellence Center for Medical Mycology (ECMM), Center of Expertise in Mycology Radboudumc/CWZ, Nijmegen, The Netherlands.
- Section of Infectious Diseases and Tropical Medicine, Medical University of Graz, Graz, Austria and Division of Infectious Diseases, Department of Medicine, UCSD, San Diego, CA, United States.
- German Centre for Infection Research, Partner Site Bonn-Cologne, Cologne, Germany and Clinical Trials Centre Cologne (ZKS Köln), University of Cologne, Cologne, Germany.

Keywords: Candidemia, invasive candidiasis, invasive fungal infection, outbreak, epidemiology

Running Title: ECMM CandiReg

Corresponding author

Dr. Philipp Koehler, MD

University of Cologne, Faculty of Medicine, Department I for Internal Medicine, ECMM Excellence Centre of Medical Mycology, University Hospital, Kerpener Str. 62, 50937 Cologne, Germany

Tel. +49 221 478 85523

Fax +49 221 478 1428700

E-mail: philipp.koehler@uk-koeln.de

Acknowledgments

The authors thank Susann Blossfeld and Joyce van den Boogaard for their administrative and technical assistance.

Funding Scheme

*Candi*Reg is an academic project and funded by the European Confederation of Medical Mycology and the University of Cologne.

Author contributions

Philipp Koehler, Martin Hoenigl and Oliver A. Cornely conceived the project idea, drafted the manuscript, revised, discussed and approved the final manuscript. Maiken Cavling Arendrup, Sevtap Arikan-Akdagli, Matteo Bassetti, Stéphane Bretagne, Lena Klingspor, Katrien Lagrou, Jacques F. Meis, Riina Rautemaa-Richardson, Silke Schelenz, Axel Hamprecht, Felix C. Koehler, Oliver Kurzai, Jon Salmanton-Garcia, Jörg-Janne Vehreschild, Alexandre Alanio, Ana Alastruey-Izquierdo, Valentina Arsic Arsenijevic, Jean-Pierre Gangneux, Neil A.R. Gow, Suzana Hadina, Petr Hamal, Elizabeth Johnson, Nikolay Klimko, Cornelia Lass-Flörl, Mihai Mares, Volkan Özenci, Tamas Papp, Emmanuel Roilides, Raquel Sabino, Esther Segal, Alida Fe Talento, Anna Maria Tortorano and Paul E. Verweij revised, discussed and approved the final manuscript.

Conflicts of Interests

Philipp Koehler has received non-financial scientific grants from Miltenyi Biotec GmbH, Bergisch Gladbach, Germany, and the Cologne Excellence Cluster on Cellular Stress Responses in Aging-Associated Diseases, University of Cologne, Cologne, Germany, and received lecture honoraria from Akademie für Infektionsmedizin e.V., Astellas Pharma, Gilead Sciences, and MSD Sharp & Dohme GmbH outside the submitted work.

Maiken Cavling Arendrup has received personal speaker's honoraria from Astellas, Basilea, Gilead, MSD, Pfizer, T2Candida, and Novartis. She has received research grants and contract work paid to the Statens Serum Institute from Astellas, Basilea, Gilead, MSD, Novabiotics, Pfizer, T2Candida, F2G, Cidara, Scynexis and Amplyx outside the submitted work.

Sevtap Arikan-Akdagli has received research grant from Pfizer, travel grants from Pfizer, and lecture honoraria from Gilead in the last three years outside the submitted work.

Matteo Bassetti reports personal fees from Astellas Pharma GmbH, personal fees from Gilead Sciences, personal fees from MSD Sharp & Dohme GmbH, grants and personal fees from Pfizer, grants and personal fees from Cidara, personal fees from Biomerieux outside the submitted work.

Stéphane Bretagne reports personal fees from Gilead Sciences, grants from MSD Sharp & Dohme GmbH, grants from Pfizer outside the submitted work.

Lena Klingspor has received research grants from Gilead, and has received honoraria for educational lectures from Gilead, Merck, Sharpe & Dohme, and Vertex Pharmaceuticals outside the submitted work.

Katrien Lagrou received consultancy fees from Pfizer, Abbott, MSD and SMB Laboratoires Brussels; travel support from Pfizer and MSD; speaker fees from Gilead, Roche and Abbott outside the submitted work.

Jacques F. Meis received grants from F2G and Pulmozyme. He has been a consultant to Scynexis and Merck, and received speaker's fees from United Medical, TEVA, and Gilead Sciences outside the submitted work.

Riina Rautemaa-Richardson has received speaker honoraria from Astellas, Basilea, Gilead Sciences and Pfizer, and a research grant from Gilead Sciences outside the submitted work.

Silke Schelenz reports personal fees from Pfizer outside the submitted work.

Axel Hamprecht has received lecture honoraria from Bruker Daltonics, BD and Thermo Fisher outside the submitted work

Felix C. Koehler has received grants from the German Federal Ministry of Research and Education and non-financial support from Miltenyi Biotec GmbH, Bergisch Gladbach, Germany outside the submitted work.

Oliver Kurzai has received honoraria from Basilea, BG Chemische Industrie, Heidelberg Engineering GmbH and research support from Astellas, Basilea, Gilead, MSD, Pfizer, Virotech and Fujifilm Wako outside the submitted work.

Jon Salmanton-García has nothing to disclose.

Jörg Janne Vehreschild has received personal fees from Merck / MSD, Gilead, Pfizer, Astellas Pharma, Basilea, German Centre for Infection Research (DZIF), University Hospital Freiburg/ Congress and Communication, Academy for Infectious Medicine, University Manchester, German Society for Infectious Diseases (DGI), Ärztekammer Nordrhein, University Hospital Aachen, Back Bay Strategies, German Society for Internal Medicine (DGIM) and grants from Merck / MSD, Gilead, Pfizer, Astellas Pharma, Basilea, German Centre for Infection Research (DZIF), German Federal Ministry of Education and Research (BMBF) outside the submitted work.

Alexandre Alanio has received research grants from Astellas, Gilead, Merck/MSD and received lecture honoraria from Astellas, Gilead outside the submitted work.

Ana Alastruey-Izquierdo has received research grants or honoraria as a speaker or advisor from Gilead Sciences, MSD, Astellas, Pfizer, F2G, Amplix and Scynexis in the last five years outside the submitted work.

Valentina Arsic Arsenijevic has participated in advisory boards and/or received research grants and speaker honoraria from from Pfizer; Astellas, Schering-Plough, MSD, and Gilead in the past five years outside the submitted work.

Jean-Pierre Gangneux reports personal fees from Astellas Pharma , Gilead Sciences and Pfizer outside the submitted work.

Neil A.R. Gow has received honoria for presentations and lectures from Gilead Sciences outside the submitted work.

Suzana Hadina has nothing to disclose.

Petr Hamal has nothing to disclose.

Elizabeth Johnson has nothing to disclose.

Nikolay Klimko reports personal fees from Astellas, MSD and Pfizer outside the submitted work.

Cornelia Lass-Flörl has received research grants from Astellas, Basilea, F2G, Gilead, is a consultant to Pfizer, Gilead and received lecture honoraria from Astellas, Basilea, Gilead, and Pfizer outside the submitted work.

Mihai Mares has nothing to disclose.

Volkan Özenci has nothing to disclose.

Tamas Papp has nothing to disclose.

Emmanuel Roilides has received research grants from Pfizer, Merck and Gilead to the Aristotle University of Thessaloniki outside the submitted work.

Raquel Sabino has nothing to disclose.

Esther Segal has nothing to disclose.

Alida Fe Talento has received financial grants from Gilead Sciences Ltd., Pfizer Healthcare Ireland and MSD Ireland and received lecture honoraria from Gilead Sciences Ltd., and Pfizer Healthcare Ireland outside the submitted work.

Anna Maria Tortorano received research funding from Gilead outside the submitted work.

Paul E. Verweij has received research grants from F2G, Gilead Sciences, Merck/MSD, and Pfizer, is a consultant to F2G, and Scynexis, and received lecture honoraria from F2G, Gilead Sciences, Merck/MSD and Pfizer outside the submitted work.

Martin Hoenigl received research funding by Gilead outside the submitted work.

Oliver A. Cornely has received research grants from Actelion, Amplyx, Astellas, Basilea, Cidara, Da Volterra, F2G, Gilead, Janssen Pharmaceuticals, Medicines Company, MedPace, Melinta Therapeutics, Merck/MSD, Pfizer, Scynexis, is a consultant to Actelion, Allecra Therapeutics, Amplyx, Astellas, Basilea, Biosys UK Limited, Cidara, Da Volterra, Entasis, F2G, Gilead, IQVIA, Matinas, MedPace, Menarini Ricerche, Merck/MSD, Octapharma, Paratek Pharmaceuticals, Pfizer, PSI, Rempex, Scynexis, Seres Therapeutics, Tetraphase, Vical, and received lecture honoraria from Astellas, Basilea, Gilead, Merck/MSD and Pfizer outside the submitted work.

Abstract

Background

Recent outbreaks of *Candida auris* further exemplify that invasive *Candida* infections are a substantial threat to patients and health care systems. Even short treatment delays are associated with higher mortality rates. Epidemiological shifts towards more resistant *Candida* spp. require careful surveillance.

Objectives

Triggered by the emergence of C. auris and by increasing antifungal resistance rates the European Confederation of Medical Mycology developed an international Candida Registry (FungiScopeTM CandiReg) to allow contemporary multinational surveillance.

Methods

CandiReg serves as platform for international cooperation to enhance research regarding invasive Candida infections. CandiReg uses the General Data Protection Regulation compliant data platform ClinicalSurveys.net that holds the electronic case report forms (eCRF). Data entry is supported via an interactive macro created by the software that can be accessed via any internet browser.

Results

CandiReg provides an eCRF for invasive Candida infections that can be used for a variety of studies from cohort studies on attributable mortality to evaluations of guideline adherence, offering to the investigators of the 28 ECMM member countries the opportunity to document their cases of invasive Candida infection. CandiReg allows the monitoring of epidemiology of invasive Candida infections, including monitoring of multinational outbreaks. Here, we describe the structure and management of the CandiReg platform.

Conclusion

CandiReg supports the collection of clinical information and isolates to improve the knowledge on epidemiology and eventually to improve management of invasive Candida infections. CandiReg promotes international collaboration, improving the availability and quality of evidence on invasive Candida infection and contributes to improved patient management.

Introduction

Invasive Candida infections are among the most common bloodstream infections and are associated with high morbidity and mortality.¹⁻³ Candida species are commensals of the human gastrointestinal microbiota and skin, but may translocate to the bloodstream and cause life-threatening infections. Invasive Candida infection (ICI) is an increasing threat to patients in the ICU, patients undergoing complicated or repeated gastrointestinal surgery and for immunocompromised patients, e.g., cancer patients, or recipients of solid organ or stem cell transplants.⁴ In some cases, dissemination complicates acute blood stream infection with deep tissue and organ involvement. Due to novel medical and immunological interventions and treatments, an increasing number of critically ill patients are at risk ICI. Common etiological agents are Candida albicans, Candida qlabrata, Candida tropicalis, Candida parapsilosis and Pichia kudriavzevii (formerly Candida krusei) – depending on geographical region and patients' risk groups. The emergence of C. auris, a novel, usually fluconazole-resistant and often multidrug-resistant Candida species has caused outbreaks worldwide and led to clinical alerts to U.S. and European healthcare facilities. ⁵⁻⁸ In an Indian hospital *C. auris* has become the second most common cause of candidemia after C. tropicalis. ⁹ The ECMM Candida Registry (CandiReg) was founded in January 2018, triggered by the recent C. auris candidemia outbreaks in Spain and the United Kingdom. 10-12

The main objective of *Candi*Reg is to overcome the lack of knowledge on epidemiology, clinical course, and molecular characteristics of invasive *Candida* infections and to function as a platform for international multicenter studies and surveillance of multinational *C. auris* outbreaks. The specific objectives are to describe the incidence, to monitor trends globally and locally over time, to define patient risk groups, to assess antifungal resistance among *Candida* spp. causing invasive diseases worldwide, to assess attributable mortality and to assess to the cost augmentation associated with invasive *Candida* infection. A further goal of this platform is to set up a multinational collection of resistant *Candida* isolates with characterization at a molecular level, including the evaluation of resistance genes.

We herein describe how FungiScope™ *Candi*Reg is set up, maintained, and how it can be used to investigate the occurrence of ICI and potential outbreaks in future.

Methods

CandiReg is an international non-interventional multicenter registry project. Treating physicians and medical microbiologists alike are invited to participate in the collection of clinical data and fungal isolates from cases of candidemia and tissue invasive candidiasis. The registry was founded in January 2018 and is ongoing without a defined endpoint. CandiReg uses an electronic case report form (eCRF) using the online electronic data capture platform www.clinicalsurveys.net (in cooperation with Questback GmbH, Cologne, Germany). The eCRF structure is modular and the system is programmed to adapt the eCRF by displaying or hiding items according to the documented case (e.g. candidemia vs. control patient). Case registration is on a voluntary basis. Target groups are patients with invasive candidiasis or candidemia. Export will be performed in SPSS-labelled data files in SPSS binary format. Statistical analyses will be performed with IBM SPSS Statistics software v.25.0 (IBM Corp., Armonk, NY, USA/United States).

Ethical and General Data Protection Regulation considerations

CandiReg is approved by the local Institutional Review Board and Ethics Committee of the University Hospital Cologne (UHC) (Identifier of the University of Cologne Ethics Committee: 17-485). If needed, further local Ethics Committee approvals will be included. The study is registered at clinicaltrials.gov, identifier NCT03450005. CandiReg uses the General Data Protection Regulation (GDPR) compliant platform ClinicalSurveys.net. Data entry is carried out via any internet browser using encrypted communication. All documented data are automatically collected in a database. All Good Epidemiological Practice (GEP) requirements are met by the software.

Results

Case documentation and data collection

Patients with candidemia or invasive candidiasis confirmed by culture, histopathology or microscopy can be included. A second cohort is defined by patients with signs of disseminated Candida infection without culture, histological or microscopical evidence (e.g. CT-imaging of target-lesions in liver and spleen and positive Candida antigen or Beta-D-Glucan tests in a neutropenic patient), so that chronic disseminated, culture negative candidiasis can be documented in an adjusted eCRF separable from patients with candidemia. Patients without evidence of invasive disease or those with colonization

only are not eligible.

The following demographic data are collected: age group at the date of diagnosis, gender, year of infection, weight, ethnicity, details on primary underlying disease or conditions, immunosuppression, further risk factors, echocardiography and ophthalmology results, and mycological procedures allowing ICI diagnosis and sites of infection (Table 1). Details on management including antifungal treatment; recording drug, dose, duration, route of administration, therapeutic drug monitoring, reason for stopping, drug-related adverse events and surgical procedures, catheter management, clearance of bloodstream infection or infected sites are documented. Treatment indication is differentiated into prophylaxis, empiric, pre-emptive and targeted treatment for ambulatory and inpatient parenteral antifungal therapy. Response to antifungal therapy is evaluated after two and four weeks, three and six months and on the final day of observation. In addition, treatment response and outcome of the underlying disease as well as potential prolongation of hospital stay are also documented. Information on outcome includes overall mortality and attributable mortality. If available, autopsy results are recorded. Quality Management is covered once yearly from participating centers with regard to guideline implementation and adherence (ECIL, ESCMID, / ECMM, IDSA; EQUAL Candida Score, Infectious Diseases / Microbiology consulting services; Fellow of the ECMM availability, treatment in an ECMM Excellence Centre). 13-18 Furthermore economic key figures and hospital characteristics with normal ward vs. ICU beds, candidemia per year, admissions per year, medical vs. surgical ward / ICU, consumption of antifungals in defined daily doses (DDD) are gathered. To implement health economic analyses on the incremental costs and attributable mortality analysis the study will in part use a matched case control design. Controls will be included from the same hospitals that include cases (i.e. one control per case, both from the same hospital). Controls will be matched by demographics, underlying diseases and risk factors as well as duration of hospitalization. 19,20

Isolates collection

In addition to clinical data, partners can contribute with *Candida* isolates considered as emergent (e.g. *Candida auris*) for formal species identification and susceptibility testing. Isolates will be stored and made available to all collaborating partners for developing research projects. The following laboratory-based research will be conducted: isolate identification, macro-morphology, *in vitro* susceptibility testing according to EUCAST, evaluation and analysis of resistance mechanisms. Isolates are processed de-centrally at National Reference Centers or ECMM Excellence Centers, which serve as the central mycology reference laboratories.^{21,22} Species identification and

susceptibilities of all isolates are determined or confirmed using reference methods including mass spectrometry (MALDI- TOF MS/VITEK MS) and molecular methods (sequencing ITS, IGS or equivalent informative target). Mass- spectra and molecular data are analyzed using the MALDI- TOF libraries as well as sequencing databases such as MycoBank (http://www.mycobank.org/) and CBS-KNAW GenBank (http://www.westerdijkinstitute.nl/collections/). In addition, all isolates are stored in triplicate at –80°C for research exchange among *Candi*Reg collaborators. Any such exchange is preceded by the contributor's approval. The only exception from this self-rule is, if a contributor cannot be reached despite all efforts. Results of these analyses are also included in *Candi*Reg, while the isolate remains stored in that reference laboratory.

Case recruitment and data analyses and use

The main variables to be analyzed are: clinical course and features of ICI, diagnostic procedures performed to confirm the diagnosis, description of antifungal treatment regimens, guideline implementation and adherence and their efficacy and impact on patient survival. The aim is to analyze the efficacy of current recommendations for diagnosis and treatment, to inform future consensus guidelines and to develop clinical screening and diagnostic procedures.

Discussion and outlook

CandiReg serves as platform for international cooperation and studies on attributable mortality,
Candida-reactive T cells, evaluations of guideline adherence²³⁻²⁵, and recently the third multicenter
ECMM study^{26,27} on incremental costs associated with nosocomial invasive candidiasis in Europe,
CANDIDA III was initiated taking advantage of this platform. The CANDIDA III study focuses on
evaluating the attributable mortality and costs as well as diagnostic and therapeutic approaches
(including prolonged hospital stay for completion of parenteral antifungal treatment) of nosocomial
invasive candidiasis in Europe. As a secondary objective, it will evaluate the antifungal resistance
among Candida spp. causing invasive disease across Europe. The study will use a matched case
control design, which will allow the implementation of health economic analysis on the incremental
costs associated with invasive Candida infections. The ECMM will use the platform for future
multinational surveillance studies on invasive candidemia in Europe. Moreover, investigators
maintain familiarity with the platform, which may enable more rapid case entry in case of an
outbreak. To date, 265 patients have been enrolled in the register as part of five open or completed
studies.^{23-25,28} The results derived from this platform will be promoted as poster or oral presentations

at national and international infectious diseases, mycological and health-economic conferences. Internationally visible publications obtained from the *Candi*Reg registry have already been published in or will be submitted to peer-reviewed journals.

CandiReg will enhance knowledge about ICI and facilitate the analysis of epidemiological shifts and resistance trends. Currently, clinicians, microbiologists and researchers from 28 countries are involved (Figure 1). With this registry, we collect real life data with long-term observations. The registry will provide controlled or uncontrolled level II evidence and is ready in case of an outbreak situation similar to other FungiScope™ Registries.²⁹

There are a number of limitations of registry based studies. The retrospective acquisition of anonymized data of the individual patient reduces data quality, but is indispensable to protect privacy and comply with data protection guidelines. Also, the follow-up time of the cases may often be somewhat short. However, these registries offer the opportunity to contribute to progress in the understanding of epidemiology, pathophysiology, natural history and efficacy of treatments on a pan-European or even worldwide scale. As proven ICI is a relatively rare condition, pooling these cases and analyzing them in large cohorts can significantly improve our knowledge of ICI in real life settings and contribute to the design of clinical trials. Furthermore, they provide data unobtainable by controlled trials.

In conclusion, the *Candi*Reg platform promotes international collaboration, increases the quality of available evidence on invasive *Candida* infection and can contribute to improvement of patient management.²³

2. 7. 8. 10.

References

- 1. Kullberg BJ, Arendrup MC. Invasive Candidiasis. N Engl J Med 2015;373:1445-56.
- 2. Wisplinghoff H, Ebbers J, Geurtz L, et al. Nosocomial bloodstream infections due to Candida spp. in the USA: species distribution, clinical features and antifungal susceptibilities. International journal of antimicrobial agents 2014;43:78-81.
- 3. Koehler P, Stecher M, Cornely OA, et al. Morbidity and mortality of candidaemia in Europe: an epidemiologic meta-analysis. Clinical microbiology and infection: the official publication of the European Society of Clinical Microbiology and Infectious Diseases 2019.
- 4. Lortholary O, Renaudat C, Sitbon K, et al. Worrisome trends in incidence and mortality of candidemia in intensive care units (Paris area, 2002-2010). Intensive care medicine 2014;40:1303-12.
- 5. Clinical alert to U.S. healthcare facilities: global emergence of invasive infections caused by the multidrug-resistant yeast Candida auris. Atlanta: Centers for Disease Control and Prevention, September 2017; Clinical Update (https://www.cdc.gov/fungal/candida-auris/c-auris-alert-09-17.html). 2017.
- Guidance for the laboratory investigation, management and infection prevention and control for cases of Candida auris. London: Public Health England, August 2017. (https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/637685/ Updated Candida auris Guidance v2.pdf). 2017.
- 7. Erhöhte Aufmerksamkeit bei Candida-auris-Fällen notwendig, Epidemiologisches Bulletin 36/2017. The Robert Koch Institute, Berlin, Germany, September 2017. (https://www.rki.de/DE/Content/Infekt/EpidBull/Archiv/2017/Ausgaben/36_17.pdf?__blob=publicationFile). 2017.
- 8. European Centre for Disease Prevention and Control. Candida auris in healthcare settings Europe first update, 23 April 2018. Stockholm: ECDC; 2018 https://ecdc.europa.eu/sites/portal/files/documents/RRA-Candida-auris-European-Union-countries-first-update.pdf. 2018.
- 9. Mathur P, Hasan F, Singh PK, Malhotra R, Walia K, Chowdhary A. Five-year profile of candidaemia at an Indian trauma centre: High rates of Candida auris blood stream infections. Mycoses 2018;61:674-80.
- 10. Rhodes J, Abdolrasouli A, Farrer RA, et al. Genomic epidemiology of the UK outbreak of the emerging human fungal pathogen Candida auris. Emerging microbes & infections 2018;7:43.
- 11. Ruiz-Gaitan A, Moret AM, Tasias-Pitarch M, et al. An outbreak due to Candida auris with prolonged colonisation and candidaemia in a tertiary care European hospital. Mycoses 2018;61:498-505.
- 12. Schelenz S, Hagen F, Rhodes JL, et al. First hospital outbreak of the globally emerging Candida auris in a European hospital. Antimicrobial resistance and infection control 2016;5:35.
- 13. Tissot F, Agrawal S, Pagano L, et al. ECIL-6 guidelines for the treatment of invasive candidiasis, aspergillosis and mucormycosis in leukemia and hematopoietic stem cell transplant patients. Haematologica 2017;102:433-44.
- 14. Ullmann AJ, Akova M, Herbrecht R, et al. ESCMID* guideline for the diagnosis and management of Candida diseases 2012: adults with haematological malignancies and after haematopoietic stem cell transplantation (HCT). Clinical microbiology and infection: the official publication of the European Society of Clinical Microbiology and Infectious Diseases 2012;18 Suppl 7:53-67.
- 15. Cuenca-Estrella M, Verweij PE, Arendrup MC, et al. ESCMID* guideline for the diagnosis and management of Candida diseases 2012: diagnostic procedures. Clinical microbiology and infection: the official publication of the European Society of Clinical Microbiology and Infectious Diseases 2012;18 Suppl 7:9-18.

- 16. Cornely OA, Bassetti M, Calandra T, et al. ESCMID* guideline for the diagnosis and management of Candida diseases 2012: non-neutropenic adult patients. Clinical microbiology and infection: the official publication of the European Society of Clinical Microbiology and Infectious Diseases 2012;18 Suppl 7:19-37.
- 17. Pappas PG, Kauffman CA, Andes DR, et al. Clinical Practice Guideline for the Management of Candidiasis: 2016 Update by the Infectious Diseases Society of America. Clinical Infectious Diseases 2016;62:e1-e50.
- 18. Mellinghoff SC, Hoenigl M, Koehler P, et al. EQUAL Candida Score: An ECMM score derived from current guidelines to measure QUAlity of Clinical Candidaemia Management. Mycoses 2018.
- 19. Wey SB, Mori M, Pfaller MA, Woolson RF, Wenzel RP. Hospital-acquired candidemia. The attributable mortality and excess length of stay. Archives of internal medicine 1988;148:2642-5.
- 20. Gudlaugsson O, Gillespie S, Lee K, et al. Attributable mortality of nosocomial candidemia, revisited. Clin Infect Dis 2003;37:1172-7.
- 21. Hoenigl M, Gangneux JP, Segal E, et al. Global guidelines and initiatives from the European Confederation of Medical Mycology to improve patient care and research worldwide: New leadership is about working together. Mycoses 2018;61:885-94.
- 22. Cornely OA, Lass-Florl C, Lagrou K, Arsic-Arsenijevic V, Hoenigl M. Improving outcome of fungal diseases Guiding experts and patients towards excellence. Mycoses 2017;60:420-5.
- 23. Mellinghoff SC, Hartmann P, Cornely FB, et al. Analyzing candidemia guideline adherence identifies opportunities for antifungal stewardship. Eur J Clin Microbiol Infect Dis 2018.
- 24. Koehler FC, Cornely OA, Wisplinghoff H, et al. Candida-Reactive T Cells for the Diagnosis of Invasive Candida Infection-A Prospective Pilot Study. Front Microbiol 2018;9:1381.
- 25. Posters. Mycoses 2018;61:23-40.
- 26. Klingspor L, Tortorano AM, Peman J, et al. Invasive Candida infections in surgical patients in intensive care units: a prospective, multicentre survey initiated by the European Confederation of Medical Mycology (ECMM) (2006-2008). Clinical microbiology and infection: the official publication of the European Society of Clinical Microbiology and Infectious Diseases 2015;21:87.e1-.e10.
- 27. Tortorano AM, Peman J, Bernhardt H, et al. Epidemiology of candidaemia in Europe: results of 28-month European Confederation of Medical Mycology (ECMM) hospital-based surveillance study. Eur J Clin Microbiol Infect Dis 2004;23:317-22.
- 28. Koehler FC, Cornely OA, Wisplinghoff H, Chang DH, Richter A, Koehler P. Candida reactive T cells for the diagnosis of invasive Candida infection of the lumbar vertebral spine. Mycoses 2017.
- 29. Seidel D, Duran Graeff LA, Vehreschild M, et al. FungiScope -Global Emerging Fungal Infection Registry. Mycoses 2017;60:508-16.

Table 1. ECMM Candida Registry – Information categories captured

Category	Subcategory
Demographics	Age group at diagnosis, gender, year of infection, weight, ethnicity
Host and risk factors	Malignancy, SOT, HIV/AIDS, surgery trauma, burn, chronic diseases,
	autoimmune disease, alcoholism, iv drug use, ICU stay, neutropenia,
	obesity, premature birth, central venous catheters, foreign bodies, low
	albumin levels, extracorporeal membrane oxygenation (ECMO)
Clinical presentation	Signs and symptoms, site(s) of infection
Diagnostics	Mycological procedures for diagnosis of ICI. Echocardiography and
	ophthalmoscopy
Treatment of IFD	Prophylaxis, empiric and targeted therapy (antifungal drug, dose, duration
	route of administration, reason for stopping, drug related adverse events,
	ambulatory parenteral antifungal treatment) surgical procedures, cathete
	management, clearance of Candida spp. from bloodstream or infected
	sites.
Treatment response	Response to antifungal treatment, outcome of ICI and underlying disease,
and outcome	prolongation of hospital stay
Economics	Hospital characteristics (normal ward / ICU beds; admissions per year),
	consumption of antifungals in defined daily doses (DDD)
Quality	Guideline Implementation and Adherence (ECIL, ESCMID/ECMM, IDSA),
	EQUAL Candida Score, Infectious Diseases / Microbiology consulting
	services; Fellow of the ECMM available, ECMM Excellence Center

AIDS= acquired immune deficiency syndrome; ECIL= European Conference on Infections in Leukaemia; ECMM= European Confederation of Medical Mycology; ESCMID= European Society of Clinical Microbiology and Infectious Diseases; HIV= human immunodeficiency virus; ICI= invasive Candida infection; ICU=intensive care unit; IDSA= Infectious Diseases Society of America; SOT=solid organ transplantation.




Figure 1. ECMM Member countries contributing to *Candi*Reg, as of May 2019. The current 28 member countries are colored in blue.