

Journal of Materials Chemistry B

Materials for biology and medicine

Accepted Manuscript

This article can be cited before page numbers have been issued, to do this please use: S. Sáring, T. Valtner, A. Varga, J. Maléth and I. Szilágyi, *J. Mater. Chem. B*, 2021, DOI: 10.1039/D1TB01861B.



This is an Accepted Manuscript, which has been through the Royal Society of Chemistry peer review process and has been accepted for publication.

Accepted Manuscripts are published online shortly after acceptance, before technical editing, formatting and proof reading. Using this free service, authors can make their results available to the community, in citable form, before we publish the edited article. We will replace this Accepted Manuscript with the edited and formatted Advance Article as soon as it is available.

You can find more information about Accepted Manuscripts in the [Information for Authors](#).

Please note that technical editing may introduce minor changes to the text and/or graphics, which may alter content. The journal's standard [Terms & Conditions](#) and the [Ethical guidelines](#) still apply. In no event shall the Royal Society of Chemistry be held responsible for any errors or omissions in this Accepted Manuscript or any consequences arising from the use of any information it contains.

Development of polymer-based multifunctional composite particles of protease and peroxidase activities†

Szilárd Sáringer,^a Tamás Valtner,^a Árpád Varga,^b József Maléth^b and István Szilágyi^{a*}

^a*MTA-SZTE Lendület Biocolloids Research Group, Interdisciplinary Excellence Center, Department of Physical Chemistry and Materials Science, University of Szeged, H-6720 Szeged, Hungary*

^b*MTA-SZTE Lendület Epithelial Cell Signaling and Secretion Research Group, Interdisciplinary Excellence Centre, University of Szeged, H-6720 Szeged, Hungary*

*Corresponding author. Email: szistvan@chem.u-szeged.hu

†Electronic supplementary information (ESI) available: electrophoretic mobilities, stability ratios, data of Bradford, protease and peroxidase tests.



Abstract

A hybrid material (SL-PPN-HEP-HRP) of dual enzyme function was prepared by co-immobilization of papain (PPN) and horseradish peroxidase (HRP) on sulphate latex (SL) microspheres using heparin (HEP) polyelectrolyte as building block in the sequential adsorption method. The doses of PPN, HEP and HRP were optimized in each step of the preparation process to achieve high functional and colloidal stability. The enzymes and the polyelectrolyte strongly adsorbed on the oppositely charged surfaces via electrostatic forces and enzyme leakage was not observed from the hybrid material, as confirmed in colorimetric protein tests and microscopy measurements. It was found that the polyelectrolyte acted as a separator between PPN and HRP to prevent hydrolytic attack on the latter enzyme, which otherwise prevents the joint use of these important biocatalysts. Excellent colloidal stability was obtained for the SL-PPN-HEP-HRP and the embedded PPN and HRP showed remarkable protease and peroxidase activities, respectively, at least until five days after preparation. The present results offer a promising approach to develop biocatalytic systems of dual function, which are often required in manufacturing processes in the food industry, where the colloidal stability of such multifunctional materials is a key parameter to achieve remarkable efficiency.

Keywords

Papain, Horseradish peroxidase, Latex, Heparin, Composite material, Aggregation



Introduction

Enzymes are highly efficient biocatalysts applied for industrial-scale catalysis because of several distinct advantages.¹ As such, their lower energy requirements, mitigation of waste generation, and simplified production routes have been partially realized in the pharmaceutical and food industries.^{2,3} In nature, almost all of the intracellular reactions are catalysed by the cooperation of various enzymes.⁴ The application of biocatalysts of multi-enzymatic functions is an important technology to produce many valuable chemicals in the industry, which integrates several biocatalytic transformations and thus, bridging the gap between single-enzyme catalysis, and whole-cell catalysis.³

By the inspiration from multi-enzymatic reactions in nature, researchers have attempted to construct multifunctional biocatalytic systems to produce desired chemicals or to decompose hazardous contents.⁵⁻⁷ In the industrial and biomedical applications, it is necessary to immobilize the enzymes to prolong their catalytic activities and to provide enhanced stability and resistance against severe conditions including extreme pH, temperature and presence of enzyme inhibitors, proteolysis and reduced susceptibility to contamination.⁸⁻¹⁰ Besides, immobilization of enzymes also offers several technical advantages, such as easier product recovery and purification.¹¹ As solid support for enzymes, nano or colloidal particles provide ideal characteristics for maintaining efficient biocatalytic activity for the enzymes leading to remarkable advantages over conventional supports. As summarized in recent reviews,^{5,12-14} various materials, such as graphene, carbon nanotubes, metal-organic frameworks, DNA nanostructures, polymers and metal oxides have been applied for multi-enzyme immobilization. Different preparation strategies have been reported, they include fusion of enzymes, enzyme-scaffold complexes and parallel attachment of enzymes to solid supports.^{8,10} Among such systems, biocatalysts of hydrolytic and antioxidant properties attracted considerable attention due to their widespread use in various industrial processes.



Accordingly, plant proteases, such as papain (PPN),¹⁵ are widely applied in the food industry for various purposes including brewing, tenderization of meat, coagulation of milk and as a digestive aid.¹⁶ Due to their hydrolytic attack on the peptide bonds and subsequent decomposition of proteins, proteases are also used to improve the flavour, nutritional value, solubility and digestibility of food proteins as well as to modify functional properties including coagulation and emulsification. Recently, several nanomaterials have been used as a matrix for PPN immobilization including magnetic nanoparticles,¹⁷ carbon nanotubes¹⁸ as well as polymeric micro- and nanoparticles.^{19,20}


Besides, horseradish peroxidase (HRP),²¹ is one of the most extensively studied peroxidase enzymes because of its widespread applications. It catalyses the oxidation of various substrates using hydrogen peroxide or other peroxide derivatives. HRP has been applied for the removal of phenols from wastewater,²² organic compound syntheses²³ and development of biosensors.²⁴ Moreover, it is also being used in the food industry for improving nutritional quality of food. Removal of residual amount of hydrogen peroxide after cold sterilization of beer, rinsing and dairy treatment processes is carried out by HRP.² Its advantages include high activity, simple detection of products, relatively good stability and ease of immobilization.²⁴ The latter process was performed with various solid supports such as silica nanoparticles,²⁵ polysaccharide derivatives,²⁶ chitosan,²⁷ graphene²⁸ or iron oxide.²⁹

The above-mentioned examples clearly show that the combined use of PPN and HRP enzymes is desirable in certain industrial areas. On the one hand, the successful application requires separation of the enzymes to protect the HRP from the proteolytic activity of PPN. This can be achieved by co-immobilization of the two enzymes. On the other hand, colloidal stability of these systems is a critical issue in the above applications. Indeed, aggregation of the carrier particles would lead to unsuccessful enzyme delivery processes due to the formation of irregularly shaped clusters giving rise to significant loss in enzymatic activity.³⁰ The joint



immobilization of HRP and PPN with the sequential adsorption method³¹ is a self-evident way to separate the enzymes in space on solid supports and to ensure sufficiently high colloidal stability of the composite suspension, as demonstrated earlier for immobilization of dual enzyme systems or enzyme mimicking compounds.^{32,33} Moreover, an intermediate polyelectrolyte layer may provide enhanced protection for the HRP against the PPN.

Therefore, the aim of the present study is to design stable dispersions of latex particle (SL)-supported multi-enzymatic system involving heparin (HEP) polyelectrolyte in the sequential adsorption process (Scheme 1). Scattering techniques were used to optimize the charging and aggregation features as well as to gain information on the structure of the SL-PPN-HEP-HRP composites, while the proteolytic and peroxidase activities were assessed in biochemical test reactions.



Scheme 1. Schematic illustration of the synthesis and enzymatic activity of the SL-PPN-HEP-HRP composite.

Experimental section

Materials

Spherical polystyrene latex (SL) particles functionalized with negatively charged sulphate groups and fluorophore conjugated secondary antibody (Donkey anti-mouse Alexa 647) were purchased from Thermo Fischer Scientific. The radius of the SL particles was (215±4) nm determined by the manufacturer in dried stage using transmission electron microscopy. The



surface charge density of the particles was reported to be -12 mC/m^2 . Papain (PPN) from Carica Papaya (3 U/mg), heparin (HEP) sodium salt from porcine intestinal mucosa, Folin & Ciocalteu's reagent, anti-HRP primary antibody, glucose oxidase, catalase, phosphate buffered saline (PBS), glucose and cysteamine hydrochloride were purchased from Sigma-Aldrich. Horseradish peroxidase (HRP), Comassiant brilliant blue, hydrogen peroxide, NaCl, NaH_2PO_4 (anhydrous), Na_2HPO_4 (anhydrous), orthophosphoric acid (85 w/w%), ethanol, trichloroacetic acid (TCA) and sodium carbonate were bought from WVR, while tyrosine and guaiacol from Acros Organics. Paraformaldehyde (PFA) was acquired from Alfa Aesar and bovine serum albumin (BSA) from PanBiotech. These chemicals were analytical grade and used as received. All solutions were diluted using ultrapure water obtained from a VWR Purity TU+ machine. The water and the salt solutions were filtered with a $0.1 \mu\text{m}$ syringe filter (Millex).

Composite preparation

The SL-PPN-HEP-HRP composite material was built up with the sequential adsorption method (Scheme 1). Accordingly, SL particles were added to a solution containing calculated amount of PPN at pH 4. The sample was stirred for 1.5 h on a rotational stirrer and HEP solution of appropriate concentration was added to the dispersion. After 1.5 h additional stirring, HRP was added to the samples followed by continuous stirring for 1.5 h. The doses of PPN, HEP and HRP were 400, 200 and 10 mg/g SL, respectively, in the final composite.

Electrophoretic mobility

Electrophoretic light scattering was used to determine the electrophoretic mobility of the particles with a Litesizer 500 instrument (Anton Paar) equipped with a 40 mW semiconductor laser operating at 658 nm wavelength. For all the measurements 1.5 mL samples were prepared, during which 0.15 mL of 100 mg/L particle stock dispersions were added to 1.35 mL solution composed of calculated amount of polyelectrolyte and/or enzyme as well as NaCl to set the ionic strength to 1 mM. The samples were allowed to rest 2 h at room temperature before



measuring the electrophoretic mobilities after 1 min equilibrating time in the device. The reported values were the average of 5 individual measurements, which were performed in omega shape plastic cuvettes (Anton Paar). The standard deviation of the data was always within 5 mV.

Dynamic light scattering

The hydrodynamic radius (r_h) of the particles was determined by dynamic light scattering (DLS) with an ALV-NIBS High Performance Particles Sizer instrument. The cumulant fit was used to fit the correlation function, which was collected for 20 s at 173.5° scattering angle.³⁴ To determine the aggregation rate coefficient (k) of the particle dimer formation, time-resolved DLS measurements were performed and the calculations were carried out as follows³⁵

$$\frac{1}{r_{h,0}} \frac{dr_h}{dt} \Big|_{t \rightarrow 0} = \left[1 + \frac{\sin(2qr)}{2qr} \right] \left(1 - \frac{r_{h,1}}{r_{h,2}} \right) kn_0 \quad (1)$$

where n_0 is the initial particle number concentration ($2.27 \times 10^{14} \text{ 1/m}^3$), t is the time of the experiment, $r_{h,0}$ is the initial hydrodynamic radius, q is the magnitude of the scattering vector, r is the geometrical radius and $r_{h,1}/r_{h,2}$ is the ratio of the hydrodynamic radii of the monomer and the dimer. The measurements were run for 30 min to collect enough experimental points for the linear fits on the r_h versus t data. The sample preparations for the DLS measurements were done in a similar manner as the ones described above for the electrophoresis. The only difference was that the total volume was 2 mL for the DLS, and the measurements were started directly after adding the particles to the solutions containing polyelectrolyte, enzyme and NaCl. The samples were stirred with a vortex before the time-resolved experiments. The stability ratio³⁶⁻³⁸ (W) was calculated to express the colloidal stability of the particles as

$$W = \frac{k^{fast}}{k} \quad (2)$$

where the fast condition corresponds to the diffusion-controlled aggregation of the particles achieved in 1 M NaCl solutions. Stability ratio values close to unity is associated to unstable



dispersions, where all the particle collisions result in dimer formation. The mean error of the stability ratio data was within 10 %.

The critical coagulation concentration (*CCC*) values were calculated with the formula described as³⁹

$$W = 1 + \left[\frac{CCC}{c} \right]^\beta \quad (3)$$

where *c* is the molar salt concentration and β was obtained from the change in the stability ratios in the slow aggregation regime before the *CCC* as

$$\beta = \frac{d \log 1/W}{d \log c} \quad (4)$$

Determination of enzyme content

The amount of PPN enzyme in solution was determined with the Bradford protein test.⁴⁰ Coomassie Brilliant Blue dye stock solution was prepared as follows. 100 mg of the dye was dissolved in the mixture of 50 mL of 95% ethanol and 100 mL of 85% phosphoric acid. The solution was then completed to 1000 mL with ultrapure water. Thereafter, standard solutions of PPN in the 1-100 mg/L range and SL-PPN at 1000 mg/L particle concentration were prepared. After mixing 0.4 mL of the test solution with 1.6 mL of the dye solution, the UV-Vis spectra of the samples were recorded after 5 min equilibration time on a Thermo Fischer Genesys 10s spectrophotometer. The changes in the absorbances at 464 nm and 594 nm wavelengths were monitored. The amount of PPN in the samples was calculated from the ratio of these absorbance values.

Immunofluorescent labelling and dSTORM imaging

The immobilization of the HRP on the SL-PPN-HEP was confirmed by direct stochastic optical reconstruction microscopy (dSTORM). The particle suspensions were placed on cover glass (VWR). The samples were incubated for 20 min to promote adhesion. After 5 min long fixation with 4% PFA in PBS, specific binding sites were blocked by applying 10% BSA in PBS for 2



h at 37 °C. Anti-HRP primary antibody was used during a 2 h incubation step at room temperature. The sample was washed three times for 10 min with PBS. Fluorophore conjugated (Alexa 647) secondary antibody was applied prior to another washing step (three times 10 min). For dSTORM imaging, cover glasses were placed on cavity slides filled with blinking buffer and sealed with two components adhesive. Blinking buffer contained 100 U glucose oxidase, 2000 U catalase, 55.6 mM glucose and 100 mM cysteamine hydrochloride in 1 mL final volume completed with sterile PBS. dSTORM images were captured by Nanoimager S (Oxford Nanoimaging ONI Ltd).

Hydrolytic activity measurements

Universal protease activity assay protocol based on Lowry method⁴¹ with some modifications was used for determination of the protease-like function. Accordingly, a calibration curve was measured by adding different amount of 1.1 mM standard tyrosine solution to several samples and completed to a final volume of 2 mL with ultrapure water. The final tyrosine concentrations in the samples were between 0.01 and 1 μ M and it served as the product of the hydrolysis in the test reaction. After 30 min incubations at 37 °C, the colour change in the samples was measured with a spectrophotometer at 660 nm. The absorbance recorded at this wavelength was used to determine the tyrosine concentration in the samples. For the estimation of the protease-like activity, the concentrations of the bare and immobilized PPN were 2500 mg/L in the stock solutions. For the measurements, 0.4 mL was added to 3.6 mL of 10 mM phosphate and 5 mM acetate buffer at pH 7. Thus, the PPN concentration was 250 mg/L in the buffered solution. During the measurements, 0.65 w/v% casein, as a substrate, was diluted with 50 mM phosphate buffer solution first. Thereafter, 0.1 mL of the free or the immobilized enzymes were added to 0.5 mL casein solution. The reaction was terminated after 20 min by adding 0.5 mL of 110 mM TCA solution and then, appropriate volume of PPN solution or SL-PPN-HEP-HRP dispersion was added to the blank sample to reach the 1 mL final volume. After 30 min incubation at 37



°C, the samples were centrifuged at 10000 rpm for 10 min. Then, 0.75 mL 500 mM sodium carbonate and 0.1 mL of Folin & Ciocalteus reagent were added to 3 mL of the supernatant. After 30 min of incubation at 37 °C, the absorbances of the samples were recorded in the 400-800 nm range. The protease activity was determined from the absorbance values measured at 660 nm. One unit of protease activity was equivalent to the amount of enzyme that required to release 1 µg of tyrosine/mL/min under the standard assay conditions described above. For the time dependent measurements, the stock solutions of 2500 mg/L concentration were stored under room temperature and the activities of the samples were measured on each day for a week applying the above-mentioned steps.

Peroxidase activity measurements

Guaiacol assay was used to determine the HRP activity of the samples.⁴² In brief, 0.125 mL of the 25 mg/L stock solution containing the immobilized or the bare enzymes was added to the mixture of 0.125 mL 100 mM phosphate buffer and appropriate volume of 100 mM guaiacol solution. The samples were completed to a volume of 0.85 mL with water. Finally, 0.35 mL of 9 mM hydrogen peroxide was added in the cuvette and introduced into the UV-Vis spectrophotometer to follow the formation of the guaiacol degradation products at 470 nm wavelength. The reaction rate (v) was determined by linear regression made on the absorbance versus reaction time data. The Michaelis constants (K_m) and the maximum reaction rate (v_{max}) were calculated with the Lineweaver-Burk equations as follows⁴²

$$\frac{1}{v} = \frac{K_m}{v_{max}} \frac{1}{[S]} + \frac{1}{v_{max}} \quad (5)$$

where S refers to the guaiacol concentration. For the time dependent measurements, the stock solutions were incubated for 20 min at 37 °C prior to the measurements. Otherwise, the samples were stored in refrigerator for 5 days and the above-mentioned measurement steps were carried out on each day to determine the long-term HRP activity for the native and immobilized enzymes.



Results and discussion

PPN adsorption on SL

As the first step in the preparation of the SL-PPN-HEP-HRP composite, the adsorption of PPN on SL particles was studied in an earlier work of our group.⁴³ It was found that PPN strongly adsorbed on the oppositely charged SL surface through electrostatic forces at pH 4, which is below the pI of the PPN enzyme.⁴⁴ The charging and aggregation properties of the SL particles were explored by electrophoresis and time-resolved DLS measurements. The electrophoretic mobility of the latex particles changed from negative to positive by increasing the added enzyme amount (Fig. S1) indicating strong affinity to the oppositely charged particle surface. The stability ratio values were high at low and elevated enzyme doses referring to stable dispersions under these conditions. A U-shape curve was formed in the intermediate regime with a minimum corresponding to the isoelectric point (IEP) determined in the electrophoretic mobility measurements. At this minimum, the stability ratios were unity within the experimental error indicating unstable dispersions, i.e., rapid particle aggregation. The theory developed by Derjaguin, Landau, Verwey and Overbeek (DLVO)^{45,46} qualitatively may explain this behaviour of the particles since they possessed sufficient charge at high and low PPN doses, i.e., strong repulsive forces were present due to the overlap of the electrical double layers. At the IEP, however, such a repulsive electrical double layer force was absent, and the suspensions were destabilized by the attractive van der Waals attractive forces.

It is important to note that the SL surface saturated with the adsorbed enzyme around 400 mg/g dose, as indicated by a plateau in the mobilities above this PPN concentration. Moreover, the SL-PPN particles obtained at this dose formed stable dispersion, therefore, these particles were chosen for the further steps in the sequential adsorption method to obtain the SL-PPN-HEP-HRP composite.



Our previous work⁴³ on PPN adsorption was extended by quantifying this process with the Bradford method, an excellent tool to determine the PPN concentration in solutions.^{40,47} Accordingly, the SL-PPN dispersion (at 400 mg/g PPN dose) was filtered to remove the particles and the filtrate was analysed with the Bradford test. The obtained results including the ones from the reference measurements with different amount of native PPN are shown in Fig. S2a and the absorbance ratios are presented in Fig S2b. The absorbances decreased at 465 nm and increased at 595 nm by increasing PPN concentration. These changes in the absorption maxima are based on the binding of the applied dye to the PPN molecules. The enzyme concentration in the filtrate was found to be 2.1 mg/L, which is 0.5% of the total amount of PPN. This value is within the experimental error of the test and clearly shows that more than 99% of the enzyme adsorbed on the SL and that no significant PPN partitioning between the bulk and the surface took place.

Considering the above results, the surface coverage can be estimated. Given the diameter of SL (430 nm) and PPN (7.2 nm),⁴⁸ calculations yielded 12.45 mg enzyme adsorbed on 1 g of particles in case of monolayer formation. Therefore, the 400 mg/g dose at saturation indicates the development of PPN multilayers on the surface, which has been already assumed in our previous study⁴³ to explain loss in the enzymatic activity. Note that, however, this calculation was based on smooth latex surface and possible conformational changes of PPN were not considered upon adsorption on SL.

Functionalization with HEP

The net positive surface charge of SL-PPN allows the adsorption of negatively charged HEP polyelectrolyte through electrostatic interactions.⁴⁹ High colloidal stability was the major requirement to be achieved after the bilayer formation. Although, polyelectrolyte multilayer formation was frequently reported on particles and planar surfaces as well,^{33,50-52} very limited



information is available on sequential adsorption processes involving saturated enzyme layers on colloidal particles.^{32,53}

Electrophoretic mobilities were first determined to probe the influence of the HEP concentration on the charging behaviour of the SL-PPN. Considering the change in the magnitude of the electrophoretic mobilities by increasing the HEP dose, similar tendencies were observed as in the system containing SL and PPN. At low HEP doses, the SL-PPN possesses positive net charge, while increasing the HEP dose, the polyelectrolyte adsorption was clearly indicated by the decrease of the mobilities (Fig. 1).




Fig. 1. Electrophoretic mobility (red circles) and stability ratio (blue squares) data of the SL-PPN particles as a function of the HEP dose. The measurements were carried out at pH 4 and 1 mM ionic strength adjusted by NaCl. The mg/g unit refers to mg of HEP per 1 g of the particles. The solid lines serve to guide the eyes.

Such an adsorption process led to charge neutralization at the IEP, which is located at 20 mg/g dose. Above the IEP, charge reversal occurred at higher doses. The adsorption continued until the mobilities reached a plateau at 200 mg/g and further added polyelectrolytes remained dissolved in the bulk solution.



Stability ratio measurements revealed that the particles were stable at low and high polyelectrolyte doses. Like the dispersions containing SL and PPN (Fig. S1), the stability ratios went through a minimum near the IEP. This behaviour is again in line with the DLVO theory, i.e., the acting interparticle forces are of electrostatic origin, and similar to findings reported earlier with other polyelectrolyte-particle systems.^{38,49,52,54,55} The minimum value of the stability ratios was around unity, which is indeed in agreement with the prediction of DLVO theory. On the other hand, there is a remarkable difference in the slopes of the stability ratios before and after the minimum value. At low polyelectrolyte doses, smaller slope was observed, which indicates the occurrence of non-DLVO destabilizing effect, which may originate from the adsorbed PPN-HEP layers. It is assumed that the patch-charge effect^{56,57} is responsible for this phenomenon as follows. At low polyelectrolyte doses, the HEP adsorbed on the SL-PPN particles in islands or in so-called patches, while empty positively charged places (charges) are still available on the SL-PPN surface. The patches are electrostatically attracted by the opposite charges giving rise to the evolution of an attractive non-DLVO interaction in addition to the already existing van der Waals forces. The patch-charge interaction leads to faster aggregation of the particles and thus, to lower stability ratios.

Overall, the above mobility and stability ratio data ensure that at 200 mg/g polyelectrolyte dose the SL-PPN-HEP particles are negatively charged and form highly stable colloid.

Immobilization of HRP

The HRP enzyme is positively charged at pH 4 since its pI value is 8.8.²¹ Therefore, the HRP is expected to adsorb on the negatively charged SL-PPN-HRP surface at least by electrostatic attraction. However, hydrophobic interactions and hydrogen bonding may also play a role in the adsorption process. One should note that extensive HRP adsorption may affect the charging and the aggregation properties of the SL-PPN-HEP particles. It is important to avoid significant



decrease in the magnitude of surface charge upon enzyme immobilization, because it may lead to a weakening of the double layer repulsion and to particle aggregation.

To explore the charging behaviour, the influence of HRP adsorption on the electrophoretic mobilities of SL-PPN-HEP was probed by measuring the mobilities at different HRP concentrations (Fig. S3). One can observe that increasing the HRP dose did not lead to significant changes in the mobilities, unlike PPN and HEP adsorption in the previous steps, due to its low charge density. The results revealed that for an enzyme dose lower than 100 mg/g, the mobility values of SL-PPN-HEP were not affected by the added amount of HRP indicating a colloidal stability similar to the SL-PPN-HEP particles. Above this loading, the mobilities slightly increased, which indicates weaker electrical double layer repulsion and consequently, undesired decrease in colloidal stability. Considering these results, 10 mg/g dose was selected (denoted as SL-PPN-HEP-HRP). Note also that this dose was applied in our previous immobilization studies^{55,58} and this condition gave rise to remarkable peroxidase activities of the obtained composites.






Fig. 2 Transmitted light image of the particles on glass surface (a) and dSTORM picture of the marked focal point (b). Blinking events of the fluorophores were plotted along the X and Y axes (c) and the frequency of blinking events was plotted as a function of the distance (d) from the white dashed line shown in the Fig 2b.

The immobilization of HRP on the surface of oppositely charged SL-PPN-HEP hybrid was confirmed by the dSTORM technique. The transmitted light image (Fig. 2a) showed several well-concentrated foci in distant red range of light indicating the presence of HRP in the SL-PPN-HEP-HRP particles. After data acquisition (Fig. 2b), dSTORM revealed the spatial extent of the blinking events in Fig. 2c and the blinking frequency of the fluorophores along the white dashed line drawn in Fig. 2b as a function of distance (Fig. 2d). The dimension of the flashes shown in Fig. 2c and 2d is about 400 nm, which is in good agreement with the diameter



of the SL nanoparticle used. These results provide unambiguous evidence for the adsorption of HRP on the SL-PPN-HEP composite and that the enzyme is strongly attached to the particulate support.

An overview of the electrophoretic mobilities, stability ratios and hydrodynamic radii data during the sequential adsorption process used for SL-PPN-HEP-HRP is shown in Fig. 3.




Fig. 3 Schematic illustration of the charging and aggregation tendencies during preparation of the SL-PPN-HEP-HRP by the sequential adsorption method. The evolution of the electrophoretic mobility (top) and stability ratios (bottom) as a function of the enzymes and polyelectrolytes is shown. The constant hydrodynamic radii of the SL-PPN-HEP-HRP confirm the absence of particle aggregation (bottom right corner). The particle concentration was 10 mg/L and the measurements were carried out at pH 4 and 1 mM ionic strength.



The mobility of the SL particles at low PPN doses was around $(-3.81 \pm 0.06) \times 10^{-8} \text{ m}^2/\text{Vs}$. This negative charge resulted in stable colloids. The formation of saturated PPN layer at 400 mg/g provided again stable dispersions and the magnitude of the mobilities was $(2.44 \pm 0.03) \times 10^{-8} \text{ m}^2/\text{Vs}$. After the functionalization with HEP at 200 mg/g, the mobility was $(-3.46 \pm 0.04) \times 10^{-8} \text{ m}^2/\text{Vs}$ due to the high charge density of the polyelectrolyte. This saturated HEP layer provided high colloidal stability for the particles. Finally, the immobilization of the HRP slightly decreased the mobility values to $(-2.77 \pm 0.08) \times 10^{-8} \text{ m}^2/\text{Vs}$. The hydrodynamic radius of the SL-PPN-HEP-HRP composite was $(280 \pm 6) \text{ nm}$. As shown by the time-resolved data, no aggregation was detected for the final hybrid particles.

Resistance against salt-induced aggregation

Ionic strength is an important factor in preparation, stability and applications of biocatalytic systems.^{30,59,60} Therefore, the charging and aggregation features of the obtained particles were tested in a wide range of salt concentration. The ionic strength was systematically changed in the dispersion of the SL, SL-PPN and SL-PPN-HEP-HRP and electrophoretic mobilities as well as stability ratios were determined, and the tendencies were compared (Fig. 4).




Fig. 4 (a) Electrophoretic mobility and (b) stability ratio of SL, SL-PPN, SL-PPN-HEP-HRP particles as a function of the ionic strength adjusted with NaCl. The measurements were carried out at pH 4 and the particle concentration was 10 mg/L.



By increasing the ionic strength, the magnitude of the mobilities decreased for all the systems owing to the screening effect of the dissolved salt constituents on the surface charges (Fig. 4a). The mobilities were close to zero at high salt concentrations, but no charge reversal was observed in the ionic strength regime investigated.

Time-resolved DLS measurements were carried out to investigate the aggregation behaviour at different electrolyte levels. The obtained stability ratios are shown in Fig. 4b. The tendency in the data followed the prediction of the DLVO theory.⁴⁶ Accordingly, high stability ratios indicated stable dispersions at low salt concentrations, while they decreased by increasing the ionic strength. Rapid particle aggregation occurred after the critical coagulation concentration (CCC) values. The relatively high CCC data shed light on the remarkable colloidal stability of the particle systems. Similar results were reported earlier on polyelectrolyte-coated particle dispersions.^{49,52,54,58,61}

The aggregation rates determined above the CCC values were $3.1 \times 10^{-18} \text{ m}^3/\text{s}$, $3.3 \times 10^{-18} \text{ m}^3/\text{s}$ and $3.4 \times 10^{-18} \text{ m}^3/\text{s}$ for SL, SL-PPN and SL-PPN-HEP-HRP, respectively. This reasonable agreement between the data indicates that the nature of the attractive forces was very similar for all particles and such forces originate most probably from van der Waals attractions. Nevertheless, for the SL-PPN-HEP-HRP system, stability ratio values lower than unity were observed in the fast aggregation regime after the CCC and the slope in the slow aggregation regime was also different from the other particle systems. This difference may originate from additional non-DLVO forces. First, such an acceleration in the aggregation is the result of the above discussed patch-charge interactions, which was frequently reported for highly charged polyelectrolytes adsorbing on oppositely charged surfaces.^{54,56,57} Second, steric hindrance between adsorbed polyelectrolyte chains may evolve upon approach of two particles, which leads to a non-electrostatic repulsion.^{38,52,54} This effect is more pronounced at lower ionic



strength and hence, should be responsible for the different slope in the slow aggregation regime of SL-PPN-HEP-HRP composite.

Protease activity

The hydrolytic activity of the immobilized and free PPN was determined on the basis of the hydrolysis of casein substrate.⁴¹ The assay was carried out daily during five days for SL-PPN-HEP-HRP to probe its functional stability over time. The quantitative analysis was based on the characteristic absorbance values of the tyrosine product appeared at 660 nm wavelength (Fig. S4), from which the normalized activities were calculated (see experimental part for details). The determined activity on the first day was (0.62 ± 0.01) U/mL for the composite and (0.71 ± 0.03) U/mL for the native PPN. Thus, the immobilized PPN possessed 85% activity compared to the free PPN on the first day, while this value was only 67% for the SL-PPN system.

The decrease in the activity upon immobilization can be explained as follows. On the one hand, it is caused by the conformational changes of PPN, which occurred once attachment to the surface of the latex was took place. Such a change may result in decreased activity due to the hindered interaction between the active centre and the substrate. On the other hand, relatively high amount of PPN is adsorbed on SL, probably in more than one layer, and the blocking effect of the outer layers, i.e., the limited accessibility of substrate molecules to the inner enzymes, decreased the efficiency.

However, it was observed in several studies⁶²⁻⁶⁴ that PPN exhibited high binding affinity to HEP and this binding is mediated mainly by electrostatic interactions. The presence of HEP may significantly change the PPN structure by increasing the α -helix content of the enzyme. This binding can result in an increase in the affinity of the enzyme for the substrate. It was also shown that the interaction between HEP with PPN is specific, since other sulphated glycosaminoglycans, namely dermatan sulphate and chondroitin sulphate, were able to neither



increase the affinity of PPN to the substrate, nor change the α -helix content in PPN.⁶⁵ To explore PPN-HEP interaction and its effect on the protease activity, PPN assays were carried out in the presence of HEP, i.e., with PPN-HEP solution. The hydrolytic activity of the PPN-HEP system was about the same as the one determined for the native PPN enzyme. This result clearly indicates that possible interactions between PPN and HEP do not affect the protease function significantly.

Fig. 5 shows the change in the relative enzyme activities determined at different days. Although, the enzymatic activity of the immobilized PPN decreases as a function of the time, the hybrid material maintained significant protease-like activity even after 5 days. The decrease in the activities can be explained by the partial denaturation of the enzyme, the presence of PPN aggregates on the particles or by the accumulation of the products on the SL-PPN-HEP-HRP surface, which sterically hinders the interaction between the enzyme and the substrate. However, we do not have direct experimental proof for the exact reason of this loss in protease activity. Some decreases were also observed for the free PPN, but it was not significant, and the enzyme kept 95 % of its activity even after 5 days.




Fig. 5 Relative protease-like activity of the PPN enzyme and the SL-PPN-HEP-HRP composite as a function of time. The applied PPN concentration was 22.7 mg/L in all measurements.



The hydrolytic activities of the native and immobilized PPN were also assessed at 50 °C and 70 °C after 1 hour incubation time (Fig. S5). At the former temperature, the activities did not change significantly compared to the value measured without heat treatment, while at 70 °C, the hydrolytic efficiency decreased by 45% and 60% for PPN and SL-PPN, respectively.

Peroxidase activity

The peroxidase-like activity of the SL-PPN-HEP-HRP composite was tested in the guaiacol assay.⁴² This biochemical test is based on the detection of the degradation products of guaiacol under the combined effect of HRP and hydrogen peroxide. The formation of the tetra-guaiacol product was monitored by following the colour change of the solution over time. As mentioned in the experimental section, the Lineweaver-Burk plot was used to analyse the result and from the double reciprocal reaction rate versus substrate concentration plot, the Michaelis-Menten constant (K_m) and the maximum reaction rate (v_{max}) were calculated (Fig. S6). The K_m value corresponds to the affinity of the enzyme towards the substrate. For example, a decrease in the K_m value refers to a higher affinity of the enzyme to guaiacol. The v_{max} is the maximum reaction rate that can be achieved by the system once the active sites of the enzymes are completely saturated with the substrate.

The determined v_{max} values for the PPN-HRP mixed solution and for the SL-PPN-HEP-HRP composite were (0.125±0.070) mM/s and (0.069±0.020) mM/s, respectively, on the first day with freshly prepared samples. For these systems, the K_m values were (3.52±0.26) mM and (29.16±9.71) mM, respectively. The lower activity of the immobilized HRP might originate from the interaction with HEP on the surface.

In the time dependent measurements, the activity of the immobilized enzymes decreased (Fig. 6), however, significant peroxidase-like activity was still detected after 5 days. In contrary,



the PPN-HRP solution (i.e., mixing HRP and PPN without SL and HEP) lost its activity after 3 days due to the hydrolysis of the HRP by the PPN enzyme.




Fig. 6 Relative maximum reaction rate (red bars, left axis) and the Michaelis-Menten constant (K_m , blue bars, right axis) values of the SL-PPN-HEP-HRP composite as a function of the time. The applied HRP concentration was 2.6 mg/L.

To further support our conclusions on the decrease of enzymatic activities of both PPN and HRP with time and upon immobilization, attempts were made to follow potential structural changes of the enzymes in the experiments. Nevertheless, neither scattering (SAXS) nor spectroscopy (FT-IR) techniques were useful due to the relatively large size of the carrier particles and their strong light scattering signal as well as their intense vibrational peaks in the fingerprint region.

Besides, the above results clearly indicate that the polyelectrolyte layer in the SL-PPN-HEP-HRP can protect the HRP from the proteolytic degradation by the PPN enzyme. Accordingly, the immobilized HRP exhibited good resistance to proteolysis by PPN, which took place in the PPN-HRP mixed solution. Similarly, it was reported earlier that the dissolved peroxidases were more easily inactivated in presence of protease enzymes compared to their immobilized counterparts.⁶⁶



The findings obtained with the enzymatic tests unambiguously pointed out that the SL-PPN-HEP-HRP composite containing the co-immobilized enzymes possesses significant protease and peroxidase activities, which are maintained at least for 5 days. This is longer time than the one usually applied for PPN⁶⁷ and HRP⁶⁸ in industrial applications. Moreover, such a dual enzyme activity is accompanied with excellent colloidal stability making the developed hybrid a promising candidate in applications in heterogeneous systems.

Conclusions

In conclusion, PPN and HRP enzymes were successfully co-immobilized on SL microspheres by the sequential adsorption method using HEP polyelectrolyte as a building block and a separator between the two enzymes. The polyelectrolyte and the enzyme doses were optimized to achieve high colloidal stability of the SL-PPN-HEP-HRP composite, as confirmed by the remarkable resistance achieved against salt-induced aggregation. The successful immobilization of the enzymes was proved by protein tests and by super-resolution microscopy and no enzyme leakage was detected. The protease and the peroxidase activity of the immobilized enzymes were tested in biochemical assays. It was found that the enzymes lost some of their activities upon immobilization, however, the obtained SL-PPN-HEP-HRP composite was still very active, i.e., it possessed significant PPN and HRP activities. Time-dependent peroxidase activity measurements revealed that such a dual activity is maintained at least for 5 days, while in the mixed solution of the native enzymes, the HRP lost its activity after 3 days due to hydrolysis by the PPN enzyme. These results shed light on that the applied HEP layer successfully protected HRP from the protease-like action of the PPN. Therefore, the obtained SL-PPN-HEP-HRP hybrid material acts as an immobilized multi-enzymatic system of protease and peroxidase activities and possesses the advantages of a heterogeneous catalyst such as easier separation from the reaction mixture. The appreciable colloidal and functional



stabilities, which are crucial requirements for biocatalysts to be applied in industrial manufacturing processes, also promote the application of the developed composite.

Conflicts of interest

There are no conflicts to declare.

Acknowledgments

The authors are thankful for the financial assistance of the Eötvös Lóránd Research Network (96130 and 95026), the Hungarian Academy of Sciences (LP2017–18/2017) and the National Excellence Programme (20391-3/2018/FEKUSTRAT, TUDFO/47138-1/2019/ITM and TKP2020). The project has received funding from the EU's Horizon 2020 research and innovation program under grant agreement No. 739593. The support from the University of Szeged Open Access Fund is gratefully acknowledged.

References

- 1 S. J. Benkovic and S. Hammes-Schiffer, *Science*, 2003, **301**, 1196-1202.
- 2 S. Raveendran, B. Parameswaran, S. B. Ummalyama, A. Abraham, A. K. Mathew, A. Madhavan, S. Rebello and A. Pandey, *Food Technol. Biotechnol.*, 2018, **56**, 16-30.
- 3 J. Britton, S. Majumdar and G. A. Weiss, *Chem. Soc. Rev.*, 2018, **47**, 5891-5918.
- 4 E. Ricca, B. Brucher and J. H. Schrittwieser, *Adv. Synth. Catal.*, 2011, **353**, 2239-2262.
- 5 K. L. Xu, X. X. Chen, R. C. Zheng and Y. G. Zheng, *Front. Bioeng. Biotechnol.*, 2020, **8**, 660.
- 6 M. Vazquez-Gonzalez, C. Wang and I. Willner, *Nat. Catal.*, 2020, **3**, 256-273.
- 7 A. Grotzky, E. Atamura, J. Adamcik, P. Carrara, P. Stano, F. Mavelli, T. Nauser, R. Mezzenga, A. D. Schluter and P. Walde, *Langmuir*, 2013, **29**, 10831-10840.
- 8 R. A. Sheldon and S. van Pelt, *Chem. Soc. Rev.*, 2013, **42**, 6223-6235.
- 9 X. L. Wang, J. F. Shi, S. H. Zhang, H. Wu, Z. Y. Jiang, C. Yang, Y. X. Wang, L. Tang and A. F. Yan, *J. Mat. Chem. B*, 2015, **3**, 6587-6598.
- 10 E. T. Hwang and S. Lee, *ACS Catal.*, 2019, **9**, 4402-4425.
- 11 Y. Kulshrestha and Q. Husain, *Enzyme Microb. Technol.*, 2006, **38**, 470-477.
- 12 M. Bilal, M. Asgher, H. R. Cheng, Y. J. Yan and H. M. N. Iqbal, *Crit. Rev. Biotechnol.*, 2019, **39**, 202-219.
- 13 M. Massaro, G. Lazzara, S. Milioto, R. Noto and S. Riela, *J. Mat. Chem. B*, 2017, **5**, 2867-2882.
- 14 F. Kazenwadel, M. Franzreb and B. E. Rapp, *Anal. Methods*, 2015, **7**, 4030-4037.



- 15 J. Drenth, J. N. Jansonius, R. Koekoek, H. M. Swen and B. G. Wolthers, *Nature*, 1968, **218**, 929-932.
- 16 J. Fernandez-Lucas, D. Castaneda and D. Hormigo, *Trends Food Sci. Technol.*, 2017, **68**, 91-101.
- 17 T. G. Hu, J. H. Cheng, B. B. Zhang, W. Y. Lou and M. H. Zong, *Ind. Eng. Chem. Res.*, 2015, **54**, 4689-4698.
- 18 Q. Wang, L. Y. Zhou, Y. J. Jiang and J. Gao, *Enzyme Microb. Technol.*, 2011, **49**, 11-16.
- 19 F. C. Vasconcellos, G. A. S. Goulart and M. M. Beppu, *Powder Technol.*, 2011, **205**, 65-70.
- 20 C. Chankhampan, J. Manosroi, H. Yamamoto, K. Tahara, W. Manosroi, Y. Kawashima and A. Manosroi, *J. Exp. Nanosci.*, 2014, **9**, 138-151.
- 21 M. Gajhede, D. J. Schuller, A. Henriksen, A. T. Smith and T. L. Poulos, *Nat. Struct. Biol.*, 1997, **4**, 1032-1038.
- 22 J. Cheng, S. M. Yu and P. Zuo, *Water Res.*, 2006, **40**, 283-290.
- 23 M. J. H. Van Haandel, F. C. E. Saraber, M. G. Boersma, C. Laane, Y. Fleming, H. Weenen and I. Rietjens, *J. Agric. Food Chem.*, 2000, **48**, 1949-1954.
- 24 V. Vojinovic, R. H. Carvalho, F. Lemos, J. M. S. Cabral, L. P. Fonseca and B. S. Ferreira, *Biochem. Eng. J.*, 2007, **35**, 126-135.
- 25 M. S. Sadjadi, N. Farhadyar and K. Zare, *J. Nanosci. Nanotechnol.*, 2011, **11**, 9304-9309.
- 26 T. Mohan, R. Rathner, D. Reishofer, M. Koller, T. Elschner, S. Spirk, T. Heinze, K. Stana-Kleinschek and R. Kargl, *Biomacromolecules*, 2015, **16**, 2403-2411.
- 27 M. Monier, D. M. Ayad, Y. Wei and A. A. Sarhan, *Int. J. Biol. Macromol.*, 2010, **46**, 324-330.
- 28 M. B. Vineh, A. A. Saboury, A. A. Poostchi, A. M. Rashidi and K. Parivar, *Int. J. Biol. Macromol.*, 2018, **106**, 1314-1322.
- 29 S. A. Mohamed, M. H. Al-Harbi, Y. Q. Almulaiky, I. H. Ibrahim and R. M. El-Shishtawy, *Electron. J. Biotechnol.*, 2017, **27**, 84-90.
- 30 T. L. Moore, L. Rodriguez-Lorenzo, V. Hirsch, S. Balog, D. Urban, C. Jud, B. Rothen-Rutishauser, M. Lattuada and A. Petri-Fink, *Chem. Soc. Rev.*, 2015, **44**, 6287-6305.
- 31 G. Decher, *Science*, 1997, **277**, 1232-1237.
- 32 S. Saringer, P. Rouster and I. Szilagyi, *J. Colloid Interface Sci.*, 2021, **590**, 28-37.
- 33 Z. Somosi, N. V. May, D. Sebok, I. Palinko and I. Szilagyi, *Dalton Trans.*, 2021, **50**, 2426-2435.
- 34 H. Holthoff, S. U. Egelhaaf, M. Borkovec, P. Schurtenberger and H. Sticher, *Langmuir*, 1996, **12**, 5541-5549.
- 35 G. Trefalt, I. Szilagyi, T. Oncsik, A. Sadeghpour and M. Borkovec, *Chimia*, 2013, **67**, 772-776.
- 36 L. Ehrl, Z. Jia, H. Wu, M. Lattuada, M. Soos and M. Morbidelli, *Langmuir*, 2009, **25**, 2696-2702.
- 37 M. Kobayashi, S. Yuki and Y. Adachi, *Colloid Surf. A*, 2016, **510**, 190-197.
- 38 F. Iselau, T. P. Xuan, G. Trefalt, A. Matic, K. Holmberg and R. Bordes, *Soft Matter*, 2016, **12**, 9509-9519.
- 39 D. Grolimund, M. Elimelech and M. Borkovec, *Colloid Surf. A*, 2001, **191**, 179-188.
- 40 M. M. Bradford, *Anal. Biochem.*, 1976, **72**, 248-254.
- 41 C. Cupp-Enyard, *J. Vis. Exp.*, 2008, **19**, e899.
- 42 D. R. Doerge, R. L. Divi and M. I. Churchwell, *Anal. Biochem.*, 1997, **250**, 10-17.
- 43 S. Saringer, R. A. Akula, A. Szerlauth and I. Szilagyi, *J. Phys. Chem. B*, 2019, **123**, 9984-9991.



- 44 P. Alpay and D. A. Uygun, *J. Mol. Catal. B-Enzym.*, 2015, **111**, 56-63.
- 45 S. H. Behrens, D. I. Christl, R. Emmerzael, P. Schurtenberger and M. Borkovec, *Langmuir*, 2000, **16**, 2566-2575.
- 46 B. Derjaguin and L. D. Landau, *Acta Phys. Chim.*, 1941, **14**, 633-662.
- 47 T. Zor and Z. Seliger, *Anal. Biochem.*, 1996, **236**, 302-308.
- 48 N. Zou and J. Plank, *J. Phys. Chem. Solids*, 2012, **73**, 1127-1130.
- 49 M. Pavlovic, P. Rouster and I. Szilagyi, *Nanoscale*, 2017, **9**, 369-379.
- 50 R. F. de Oliveira, M. L. de Moraes, O. N. Oliveira and M. Ferreira, *J. Phys. Chem. C*, 2011, **115**, 19136-19140.
- 51 D. G. Ramirez-Wong, C. Bonhomme, S. Demoustier-Champagne and A. M. Jonas, *J. Colloid Interface Sci.*, 2018, **514**, 592-598.
- 52 Z. Somosi, M. Pavlovic, I. Palinko and I. Szilagyi, *Nanomaterials*, 2018, **8**, 986.
- 53 M. Pavlovic, S. Murath, X. Katona, N. B. Alsharif, P. Rouster, J. Maleth and I. Szilagyi, *Sci Rep*, 2021, **11**, 4321.
- 54 S. Saringer, P. Rouster and I. Szilagyi, *Langmuir*, 2019, **35**, 4986-4994.
- 55 P. Rouster, M. Pavlovic, S. Saringer and I. Szilagyi, *J. Phys. Chem. C*, 2018, **122**, 11455-11463.
- 56 Y. K. Leong, *Colloid Polym. Sci.*, 1999, **277**, 299-305.
- 57 I. Popa, G. Papastavrou and M. Borkovec, *Phys. Chem. Chem. Phys.*, 2010, **12**, 4863-4871.
- 58 M. Pavlovic, P. Rouster, Z. Somosi and I. Szilagyi, *J. Colloid Interface Sci.*, 2018, **524**, 114-121.
- 59 A. vander Straeten, A. Bratek-Skicki, A. M. Jonas, C. A. Fustin and C. Dupont-Gillain, *ACS Nano*, 2018, **12**, 8372-8381.
- 60 H. J. Kim, Y. Suma, S. H. Lee, J. A. Kim and H. S. Kim, *J. Mol. Catal. B-Enzym.*, 2012, **83**, 8-15.
- 61 J. Hierrezuelo, A. Sadeghpour, I. Szilagyi, A. Vaccaro and M. Borkovec, *Langmuir*, 2010, **26**, 15109-15111.
- 62 P. C. Almeida, I. L. Nantes, C. C. A. Rizzi, W. A. S. Judice, J. R. Chagas, L. Juliano, H. B. Nader and I. L. S. Tersariol, *J. Biol. Chem.*, 1999, **274**, 30433-30438.
- 63 X. X. Zhang, X. Y. Liu, G. W. Su, M. M. Li, J. Liu, C. Y. Wang and D. Xu, *Commun. Biol.*, 2021, **4**, 198.
- 64 P. C. Almeida, I. L. Nantes, J. R. Chagas, C. C. A. Rizzi, A. Faljoni-Alario, E. Carmona, L. Juliano, H. B. Nader and I. L. S. Tersariol, *J. Biol. Chem.*, 2001, **276**, 944-951.
- 65 J. L. S. Tersariol, D. C. Pimenta, J. R. Chagas and P. C. Almeida, *Brazilian J. Med. Biol. Res.*, 2002, **35**, 135-144.
- 66 S. Akhtar, A. A. Khan and Q. Husain, *J. Chem. Technol. Biotechnol.*, 2005, **80**, 198-205.
- 67 K. Liburdi, C. Boselli, G. Giangolini, S. Amatiste and M. Esti, *Foods*, 2019, **8**, 600.
- 68 S. E. Gilliland, *J. Dairy Sci.*, 1969, **52**, 321-324.

